

The logo for Japko, featuring the word "Japko" in a bold, sans-serif font. "Jap" is in white and "ko" is in red. A white brushstroke underline is positioned below the text. A registered trademark symbol (®) is located to the upper right of the text. The logo is set against a blue background that is part of a larger graphic design with a grey and white diagonal split.

Japko®

A large, light grey network diagram consisting of numerous interconnected nodes and lines, resembling a globe or a complex web. The nodes are represented by small grey circles of varying sizes, and the lines are thin grey lines connecting them. The diagram is centered on the page and partially overlaps the blue footer bar.

NEWS 2025

www.japko.it

Brake system

1312135L
Cable, parking brake


FIAT PANDA (169)
FIAT PANDA Van (141_)
FIAT PANDA Van (169)

OE
46829767

Fitting Position: Left
Length 1/ Length 2 [mm]: 1480/1280

1312135R
Cable, parking brake


FIAT PANDA (169)
FIAT PANDA Van (141_)
FIAT PANDA Van (169)

OE
46829766

Fitting Position: Right
Length 1/ Length 2 [mm]: 1465/1265

1312136
Cable, parking brake


CITROEN JUMPY
CITROEN JUMPY Furgonato
FIAT SCUDO (270_)
FIAT SCUDO Furgonato (270_)
FIAT SCUDO Pianale piatto/Telaio (270_)
PEUGEOT EXPERT Furgonato (VF3A_, VF3U_)

OE
1400203680
474611

Fitting Position: Left
Fitting Position: Right
Length 1/ Length 2 [mm]: 1610/1465

1312137
Cable, parking brake


FIAT PUNTO (188)

OE
46845902

Fitting Position: Left
Fitting Position: Right
Length 1/ Length 2 [mm]: 1450/1235

1312141
Cable, parking brake


FIAT DOBLO Cassone / Furgonato / Promiscuo (263)
FIAT DOBLO MPV / Space wagon (152, 263)
FIAT DOBLO Pianale piatto/Telaio (263)

OE
51868726
51882837
522108
95510633

Fitting Position: Left
Fitting Position: Rear
Fitting Position: Right
Length 1/ Length 2 [mm]: 2182/1898

1312142
Cable, parking brake


FIAT DOBLO Cassone / Furgonato / Promiscuo (263)
FIAT DOBLO MPV / Space wagon (152, 263)
FIAT DOBLO Pianale piatto/Telaio (263)
OPEL COMBO Cassone / Furgonato / Promiscuo (X12)

OE
51868727
51882838
52093071
522107
95510632

Fitting Position: Left
Fitting Position: Rear
Fitting Position: Right
Length 1/ Length 2 [mm]: 1833/1552

Brake system

13102148
Cable, parking brake


ABARTH PUNTO EVO (199)
ALFA ROMEO MITO (955)
FIAT GRANDE PUNTO (199)
FIAT PUNTO (199)
FIAT PUNTO EVO (199)

OE

50519022
50519023
51844531
51871599

Fitting Position: Left
Fitting Position: Rear
Length 1/ Length 2 [mm]: 1640/1430

1310447
Cable, parking brake


OPEL COMBO Cassone / Furgonato / Promiscuo (X12)
OPEL COMBO Tour (X12)

OE

51882839
522109
95510634

Fitting Position: Left
Fitting Position: Rear
Fitting Position: Right
Length 1/ Length 2 [mm]: 1872/1585


1310651L
Cable, parking brake


CITROEN ZX Break (N2)

OE

4745K8
962884680
9628847380

Fitting Position: Left Rear
Length [mm]: 1610

1310651R
Cable, parking brake


CITROEN ZX Break (N2)

OE

4745K9
9628847480
962884780

Fitting Position: Right Rear
Length [mm]: 1520

1310652L
Cable, parking brake


PEUGEOT 306 Break (7E, N3, N5)

OE

4745N8
9617667980

Fitting Position: Left
Length 1/ Length 2 [mm]: 1687/1331

1310652R
Cable, parking brake


PEUGEOT 306 Break (7E, N3, N5)

OE

4745N9
9622434980

Fitting Position: Right
Length 1/ Length 2 [mm]: 1599/1251

Brake system

1310743R

Cable, parking brake



RENAULT KANGOO (KC0/1_)
RENAULT KANGOO Express (FC0/1_)

OE

8200042064
8200042065
8200694016
8200694022

Fitting Position: Right
Length 1/ Length 2 [mm]: 1525/1235

1312091

Cable, parking brake



TOYOTA YARIS (NHP13_, NSP13_, NCP13_,
KSP13_, NLP13_)

OE

464300D210
464300D220

Fitting Position: Left
Length 1/ Length 2 [mm]: 1705/1520
Section: Rear Section

1312092

Cable, parking brake



TOYOTA YARIS (NHP13_, NSP13_, NCP13_,
KSP13_, NLP13_)

OE

464200D210
464200D220

Fitting Position: Right
Length 1/ Length 2 [mm]: 1775/1598
Section: Rear Section

BPW-042

Warning Contact, brake pad wear



PORSCHE CAYENNE
PORSCHE PANAMERA
VW TOUAREG (7P5)
VW TOUAREG VAN (7P5)

OE

7P0907637A
95861236500

Brake Type: Disc Brake
Length [mm]: 296

BPW-051

Warning Contact, brake pad wear



AUDI A6 (4G2, C7, 4GC)
AUDI A6 Allroad (4GH, 4GJ)
AUDI A6 Avant (4G5, C7, 4GD)
AUDI A7 Sportback (4GA, 4GF)
AUDI A8 (4H_)
AUDI Q5 (8R)

OE

4H0615121E
4H0615121F
4H0615121J

Brake Type: Disc Brake
Length [mm]: 311,6

BPW-063

Warning Contact, brake pad wear



BMW 1 (E81)
BMW 1 (E87)
BMW 1 Cabriolet (E88)
BMW 1 Coupé (E82)
BMW 3 (E90)
BMW 3 Cabriolet (E93)

OE

34356792564

Brake Type: Disc Brake
Length [mm]: 1107

Brake system

BPW-070

Warning Contact, brake pad wear



LAND ROVER DISCOVERY SPORT (LC)
LAND ROVER DISCOVERY SPORT VAN (L550)

OE
LR061394
LR072544

Brake Type: Disc Brake
Length [mm]: 857

BPW-073

Warning Contact, brake pad wear



JAGUAR XE (X760)
JAGUAR XF (X260)
JAGUAR XF SPORTBRAKE (X260)

OE
T2H2091

Brake Type: Disc Brake
Length [mm]: 935

BPW-082

Warning Contact, brake pad wear



BMW 7 (F01, F02, F03, F04)

OE
34356791960

Brake Type: Disc Brake
Length [mm]: 1065

BPW-109

Warning Contact, brake pad wear



LAND ROVER RANGE ROVER III (LM)

OE
SOE500030

Brake Type: Disc Brake
Length [mm]: 1158

BPW-119

Warning Contact, brake pad wear



BMW 3 (E30)
BMW 3 Cabriolet (E30)
BMW 3 Touring (E30)
BMW 5 (E28)
BMW 6 (E24)
BMW Z1

OE
34111152607
34351179819
34351180782

Brake Type: Disc Brake
Length [mm]: 262

BPW-130

Warning Contact, brake pad wear



JAGUAR F-PACE (X761)
LAND ROVER RANGE ROVER VELAR (L560)

OE
LR090709
T4A3216

Brake Type: Disc Brake
Length [mm]: 1015

Brake system

BPW-137

Warning Contact, brake pad wear



BMW i3 (i01)

OE
34356799329

Brake Type: Disc Brake
Length [mm]: 679

BPW-138

Warning Contact, brake pad wear



BMW Z4 Roadster (G29)

OE
34 35 6 877 085
34356877085

Brake Type: Disc Brake

BPW-164

Warning Contact, brake pad wear



PORSCHE BOXSTER (986)
PORSCHE BOXSTER (987)
PORSCHE BOXSTER Spyder (987)
PORSCHE CAYMAN (987)

OE
98661236500

Brake Type: Disc Brake
Length [mm]: 440

BPW-177

Warning Contact, brake pad wear



PORSCHE 911 (996)
PORSCHE 911 (997)
PORSCHE 911 Cabriolet (996)
PORSCHE 911 Cabriolet (997)
PORSCHE 911 Targa (996)
PORSCHE BOXSTER (986)

OE
996 612 365 00
996.612.365.00

Brake Type: Disc Brake
Length [mm]: 440

BPW-178

Warning Contact, brake pad wear



BMW 5 (E34)
BMW 5 Touring (E34)
BMW 7 (E32)
BMW 8 (E31)

OE
1179820
1180432
1180781
2225107
34111180432
34112225107

Brake Type: Disc Brake

BPW-179

Warning Contact, brake pad wear



JAGUAR XF (_J05_, CC9)
JAGUAR XF SPORTBRAKE (CC9)

OE
C2Z16061

Brake Type: Disc Brake
Length [mm]: 610

Brake system

BPW-191

Warning Contact, brake pad wear



BMW 7 (E38)

OE
34351182065

Brake Type: Disc Brake
Length [mm]: 620

BPW-217

Warning Contact, brake pad wear



BMW 3 (E30)
BMW 3 Cabriolet (E30)
BMW 3 Touring (E30)
BMW Z1

OE
34 35 1 153 964
34 35 9 058 889

Brake Type: Disc Brake
Length [mm]: 235

BPW-232

Warning Contact, brake pad wear



BMW Z4 (E89)

OE
34356789446

Brake Type: Disc Brake
Length [mm]: 1338

BPW-252

Warning Contact, brake pad wear



OPEL ASTRA F (56_, 57_)
OPEL ASTRA F 2 volumi /Coda spiovente (53_,
54_, 58_, 5
OPEL ASTRA F Cabriolet (53_B)
OPEL ASTRA F Station wagon (51_, 52_)
OPEL ASTRA F Van (55_)

OE
12 38 348
90335784

Brake Type: Disc Brake
Length [mm]: 670

BPW-265

Warning Contact, brake pad wear



PORSCHE 911 (997)
PORSCHE 911 Cabriolet (997)
PORSCHE 911 Targa (997)

OE
997 612 678 00

Brake Type: Disc Brake
Warning Contact Length [mm]: 390

BPW-300

Warning Contact, brake pad wear



AUDI A4 Avant (8K5, B8)
AUDI A6 (4G2, C7, 4GC)
AUDI A6 Allroad (4GH, 4GJ)
AUDI A6 Avant (4G5, C7, 4GD)
AUDI A7 Sportback (4GA, 4GF)
PORSCHE MACAN

OE
4G0 615 121

Brake Type: Disc Brake
Length [mm]: 215

Brake system

BPW-301

Warning Contact, brake pad wear



OPEL VECTRA A (86_, 87_)
OPEL VECTRA A 2 volumi /Coda spiovente (88_, 89_)

OE
1238349
1238408
90335785

Brake Type: Disc Brake
Length [mm]: 660

BPW-302

Warning Contact, brake pad wear



OPEL ASCONA B (81_, 86_, 87_, 88_)
OPEL ASCONA C (81_, 86_, 87_, 88_)
OPEL ASCONA C 2 volumi /Coda spiovente (84_, 89_)
OPEL KADETT D (31_, 34_, 41_, 44_)
OPEL KADETT D (32_, 37_, 39_, 42_)

OE
1238353
90185106

Brake Type: Disc Brake
Length [mm]: 955

BPW-303

Warning Contact, brake pad wear



HYUNDAI i20 III (BC3, BI3)

OE
58177-CO000

Brake Type: Disc Brake
Length [mm]: 265

BPW-304

Warning Contact, brake pad wear



LAND ROVER RANGE ROVER SPORT III (L461)
LAND ROVER RANGE ROVER V (L460)

OE
LR153546

Brake Type: Disc Brake
Length [mm]: 550

BPW-305

Warning Contact, brake pad wear



JAGUAR F-TYPE Cabriolet
JAGUAR XF (_J05_, CC9)
JAGUAR XF SPORTBRAKE (CC9)
JAGUAR XJ (X35_, _J12_, _J24_)

OE
C2P17004

Brake Type: Disc Brake
Length [mm]: 590

BPW-306

Warning Contact, brake pad wear



JAGUAR XJ (XJ 40, 81)
JAGUAR XK 8 Convertible (QDV)
JAGUAR XK 8 Coupe (QEV)

OE
DBC6596

Brake Type: Disc Brake
Length [mm]: 460

Brake system

BPW-307

Warning Contact, brake pad wear



OPEL OMEGA B (25_, 26_, 27_)
OPEL OMEGA B Station wagon (21_, 22_, 23_)

OE
6238322
90495145

Brake Type: Disc Brake
Length [mm]: 730

BPW-308

Warning Contact, brake pad wear



JAGUAR I-PACE (X590)

OE
T4K4054

Brake Type: Disc Brake
Length [mm]: 955

BPW-309

Warning Contact, brake pad wear



BMW iX (I20)

OE
34 35 6 891 369

Brake Type: Disc Brake
Length [mm]: 880

BPW-310

Warning Contact, brake pad wear



AUDI TT (FV3)
AUDI TT Roadster (FV9)

OE
8S0 615 121A

Brake Type: Disc Brake
Length [mm]: 200

65008

Wheel Brake Cylinder



GREAT WALL STEED 5 Pick-up

OE
3502170P00

Diameter [mm]: 25,3
Fitting Position: Rear Axle
Mounting Bores Distance [mm]: 35
Required quantity: 2

65102

Wheel Brake Cylinder



NISSAN MICRA III (K12)

OE
44100AX001
AY220NA003

Bore [mm]: 15,87
Fitting Position: Rear Axle left and right
Required quantity: 2

Brake system

65410 Wheel Brake Cylinder



HONDA CIVIC VIII Tre volumi (FD, FA)

OE
43300SNAA01

Bore [mm]: 19
Fitting Position: Rear Axle
Material: Aluminium
Mounting Bores Distance [mm]: 30,7
Required quantity: 2
Thread Size: 10 x 1

65K02 Wheel Brake Cylinder



HYUNDAI SANTAMO
KIA JOICE
MITSUBISHI SANTAMO

OE
58380M2000

Diameter [in]: 13/16
Diameter [mm]: 20,63
Fitting Position: Rear Axle Right

600270C Brake Disc



GIOTTI VICTORIA GLADIATOR Autobus
GIOTTI VICTORIA GLADIATOR Furgonato
GIOTTI VICTORIA GLADIATOR Pianale
piatto/Telaio

OE

Brake Disc Thickness [mm]: 17,5
Brake Disc Type: Vented
Fitting Position: Front Axle
Height [mm]: 45
Inner Diameter [mm]: 59,5
Minimum Thickness [mm]: 15,5
Number of Bores: 4
Outer Diameter [mm]: 257
Required quantity: 2

600277C Brake Disc



CITROEN C25 Autobus (280_, 290_)
CITROEN C25 Furgonato (280_, 290_)
CITROEN C25 Pianale piatto/Telaio (280_, 290_)
FIAT DUCATO Furgonato (280)
FIAT DUCATO Furgonato (290)
FIAT DUCATO Panorama (280)

OE

07538682
4246A0
4246H3
4246N7
4249J0
71739638

Brake Disc Thickness [mm]: 16
Brake Disc Type: Solid
Fitting Position: Front Axle
Minimum Thickness [mm]: 14,8
Number of Holes: 5
Outer Diameter [mm]: 290
Tightening Torque [Nm]: 9,5

600278C Brake Disc



IVECO EuroCargo
IVECO EuroFire

OE

01907526
01907527
01907530
01907726
01908578
07172017

Brake Disc Thickness [mm]: 30
Brake Disc Type: Vented
Fitting Position: Front Axle
Fitting Position: Rear Axle
Minimum Thickness [mm]: 27,75
Number of Bores: 8
Outer Diameter [mm]: 322

Brake system

600279C
Brake Disc


IVECO DAILY III Autobus
IVECO DAILY III Cassone / Furgonato /
Promiscuo
IVECO DAILY III Pianale piatto/Telaio

OE

042546401
08139067
42546401
500039191
504079365
504080994

Brake Disc Thickness [mm]: 22
Brake Disc Type: Solid
Fitting Position: Front Axle
Minimum Thickness [mm]: 19
Number of Holes: 6
Outer Diameter [mm]: 290
Tightening Torque [Nm]: 120

600360C
Brake Disc


FORD TRANSIT '55- Autobus
FORD TRANSIT Autobus (72E, 73E)
FORD TRANSIT Autobus (T_...)
FORD TRANSIT Autobus (V_...)
FORD TRANSIT Furgonato (72E, 71E)
FORD TRANSIT Furgonato (81E)

OE

1117075
1539549
5022674
5022677
6041696
6166056

Brake Disc Thickness [mm]: 14,3
Brake Disc Type: Solid
Colour: Black
Fitting Position: Front Axle
Minimum Thickness [mm]: 12,9
Number of Holes: 5
Outer Diameter [mm]: 270
Surface: Painted
Tightening Torque [Nm]: 11,5

600361C
Brake Disc


FORD TRANSIT Autobus (T_...)
FORD TRANSIT Furgonato (T_...)
FORD TRANSIT Pianale piatto/Telaio (T_...)

OE

5022676
6135249
6166055
86VB1125AB
86VX1125AB

Brake Disc Thickness [mm]: 14,3
Brake Disc Type: Solid
Fitting Position: Front Axle
Minimum Thickness [mm]: 12,9
Number of Holes: 5
Outer Diameter [mm]: 254
Supplementary Article/Supplementary Info 2:
Without screws
Tightening Torque [Nm]: 11,5

600362C
Brake Disc


FORD ESCORT '91 Express (AVL)
FORD ESCORT '95 Furgonato (AVL)
FORD ESCORT IV (GAF, AWF, ABFT)
FORD ESCORT V (GAL)
FORD ESCORT V Station wagon (GAL, AVL)
FORD ESCORT VI Tre volumi (GAL)

OE

1072464
1107767
5022652
5022653
6183975
6183976

Brake Disc Thickness [mm]: 10
Brake Disc Type: Solid
Fitting Position: Front Axle
Minimum Thickness [mm]: 8
Number of Holes: 4
Outer Diameter [mm]: 240
Tightening Torque [Nm]: 10

600363C
Brake Disc


FORD TOURNEO CUSTOM Autobus
FORD TRANSIT Autobus
FORD TRANSIT CUSTOM Autobus
FORD TRANSIT CUSTOM Furgonato
FORD TRANSIT Furgonato
FORD TRANSIT Pianale piatto/Telaio

OE

2168838
2221678
BK211125GA
BK211125HA

Brake Disc Thickness [mm]: 33
Brake Disc Type: Internally Vented
Centering Diameter [mm]: 93,1
Height [mm]: 55,4
Inner Diameter [mm]: 136
Minimum Thickness [mm]: 30
Number of Holes: 5
Outer Diameter [mm]: 288
Pitch Circle [mm]: 116
Surface: Coated
Wheel Bolt Bore [mm]: 10

Brake system

600365C
Brake Disc


FORD TOURNEO CUSTOM Autobus
 FORD TRANSIT Autobus
 FORD TRANSIT CUSTOM Autobus
 FORD TRANSIT CUSTOM Furgonato
 FORD TRANSIT Furgonato
 FORD TRANSIT Pianale piatto/Telaio

OE

2168836
 2171541
 BK211125EA
 BK211125FA

Brake Disc Thickness [mm]: 33
 Brake Disc Type: Internally Vented
 Centering Diameter [mm]: 93,1
 Height [mm]: 55,3
 Inner Diameter [mm]: 136
 Minimum Thickness [mm]: 30
 Number of Holes: 5
 Outer Diameter [mm]: 308
 Pitch Circle [mm]: 116
 Surface: Coated
 Wheel Bolt Bore [mm]: 10

600366C
Brake Disc


VOLVO XC60

OE

31423214
 31423305

Brake Disc Thickness [mm]: 28
 Brake Disc Type: Internally Vented
 Centering Diameter [mm]: 63,5
 Fitting Position: Front Axle
 Height [mm]: 52
 Minimum Thickness [mm]: 26
 Number of Holes: 5
 Outer Diameter [mm]: 324

600424C
Brake Disc


OPEL ASCONA C (81_, 86_, 87_, 88_)
 OPEL ASCONA C 2 volumi /Coda spiovente (84_, 89_)
 OPEL ASTRA F (56_, 57_)
 OPEL ASTRA F 2 volumi /Coda spiovente (53_, 54_, 58_, 5)

OE

569030
 90008005
 90008031
 90111242
 93182290
 93182311

Brake Disc Thickness [mm]: 12,5
 Brake Disc Type: Solid
 Fitting Position: Front Axle
 Minimum Thickness [mm]: 9,7
 Number of Holes: 6
 Outer Diameter [mm]: 235,9
 Tightening Torque [Nm]: 11,5

600425C
Brake Disc


OPEL INSIGNIA Tre volumi
 SUBARU IMPREZA Station wagon (GD, GG)
 SUBARU IMPREZA Tre volumi (GD, GG)

OE

26300FE000
 26300FE010
 26300FE011

Brake Disc Thickness [mm]: 30
 Brake Disc Type: Vented
 Centering Diameter [mm]: 58
 Fitting Position: Front Axle
 Height [mm]: 52,7
 Minimum Thickness [mm]: 28
 Number of Holes: 5
 Outer Diameter [mm]: 326
 Tightening Torque [Nm]: 13

600428C
Brake Disc


OPEL INSIGNIA
 OPEL INSIGNIA A Country Tourer (G09)
 OPEL INSIGNIA Station wagon
 OPEL INSIGNIA Tre volumi
 SAAB 9-5 (YS3G)

OE

13501940
 13502215
 569080
 569274
 569335

Brake Disc Thickness [mm]: 30
 Brake Disc Type: Vented
 Fitting Position: Front Axle
 Height [mm]: 51
 Minimum Thickness [mm]: 28
 Number of Holes: 5
 Outer Diameter [mm]: 337
 Supplementary Article/Supplementary Info 2:
 Without screws
 Tightening Torque [Nm]: 15

Brake system

600574C
Brake Disc


MERCEDES-BENZ CLASSE S (W220)
MERCEDES-BENZ CLASSE S Coupé (C215)

OE

2204210812
2204212512
A2204210812
A2204212512
A220421251264

Brake Disc Thickness [mm]: 32
Brake Disc Type: Vented
Centering Diameter [mm]: 67
Fitting Position: Front Axle
Height [mm]: 76
Minimum Thickness [mm]: 30
Number of Holes: 5
Outer Diameter [mm]: 330
Tightening Torque [Nm]: 150

600575C
Brake Disc


MERCEDES-BENZ CLASSE S (W221)
OPEL INSIGNIA Tre volumi

OE

2214210612
2214211012
2214211712
43380
A2214210612
A2214211012

Brake Disc Thickness [mm]: 32
Brake Disc Type: Perforated / Vented
Centering Diameter [mm]: 67
Fitting Position: Front Axle
Height [mm]: 64,5
Minimum Thickness [mm]: 30
Number of Holes: 5
Outer Diameter [mm]: 335
Supplementary Article/Supplementary Info 2:
Without screws

600576C
Brake Disc


MERCEDES-BENZ T1 Autobus (601)
MERCEDES-BENZ T1 Autobus (602)
MERCEDES-BENZ T1 Furgonato (601)
MERCEDES-BENZ T1 Furgonato (602)
MERCEDES-BENZ T1 Pianale piatto/Telaio (601)
MERCEDES-BENZ T1 Pianale piatto/Telaio (602)

OE

6014200072
6014200272
6014200272SK1
6014210412
6014215012
6014215112

Brake Disc Thickness [mm]: 16
Brake Disc Type: Solid
Brake System: Perrot 4x44
Fitting Position: Front Axle
Minimum Thickness [mm]: 13
Number of Holes: 5
Outer Diameter [mm]: 280
Tightening Torque [Nm]: 110

600577C
Brake Disc


MERCEDES-BENZ CLASSE S (W220)

OE

2204210912
A2204210912
A220421091264

Brake Disc Thickness [mm]: 28
Brake Disc Type: Vented
Centering Diameter [mm]: 67
Fitting Position: Front Axle
Height [mm]: 76
Minimum Thickness [mm]: 26
Number of Holes: 5
Outer Diameter [mm]: 312
Tightening Torque [Nm]: 10

600578C
Brake Disc


MERCEDES-BENZ CLA Coupé (C117)
MERCEDES-BENZ CLA Shooting Brake (X117)
MERCEDES-BENZ CLASSE A (W176)
MERCEDES-BENZ CLASSE B (W246, W242)
MERCEDES-BENZ CLASSE GLA (X156)

OE

2464212712
246421271207
A2464212712

Brake Disc Thickness [mm]: 30
Brake Disc Type: Vented
Fitting Position: Front Axle
Height [mm]: 51
Minimum Thickness [mm]: 28
Number of Holes: 5
Outer Diameter [mm]: 320
Pitch Circle [mm]: 112

Brake system

600672C
Brake Disc


CITROEN 2 CV
CITROEN ACADIANE
CITROEN AMI
CITROEN AMI Break
CITROEN DYANE
CITROEN MEHARI

OE
95599322
AM45123

Brake Disc Thickness [mm]: 7
Brake Disc Type: Solid
Colour: Black
Fitting Position: Front Axle
Minimum Thickness [mm]: 5
Number of Holes: 6
Outer Diameter [mm]: 244
Surface: Painted
Tightening Torque [Nm]: 7,5

600673C
Brake Disc


CITROEN C4 Tre volumi
LADA 110
LADA 111
LADA 112
LADA KALINA 2 volumi /Coda spiovente (2192)
LADA KALINA Station wagon (2194)

OE
21100350107000
21100350107001
21100350107002
21103501070
21120350107000

Brake Disc Thickness [mm]: 20
Brake Disc Type: Vented
Centering Diameter [mm]: 58,5
Colour: Black
Fitting Position: Front Axle
Height [mm]: 42,6
Minimum Thickness [mm]: 18
Number of Holes: 4
Outer Diameter [mm]: 239
Surface: Painted

600674C
Brake Disc


ALFA ROMEO 146 (930)
CITROEN VISA
PEUGEOT 205 I (741A/C)
PEUGEOT 205 I Cabriolet (741B, 20D)
PEUGEOT 205 II (20A/C)
PEUGEOT 407 (6D_)

OE
424690
4246A6
91517694
95669225

Brake Disc Thickness [mm]: 20,5
Brake Disc Type: Vented
Fitting Position: Front Axle
Minimum Thickness [mm]: 18,5
Number of Holes: 4
Outer Diameter [mm]: 247
Tightening Torque [Nm]: 8,5

600675C
Brake Disc


CITROEN AX (ZA-_)
CITROEN SAXO (S0, S1)
CITROEN SAXO Hatchback van (S3_)
MEGA CLUB
PEUGEOT 106 I (1A, 1C)
PEUGEOT 106 II (1)

OE
169004
4246F8
4246G0
4249C5
95027199
95661810

Brake Disc Thickness [mm]: 8
Brake Disc Type: Solid
Colour: Black
Fitting Position: Front Axle
Minimum Thickness [mm]: 7
Number of Holes: 3
Outer Diameter [mm]: 238
Surface: Painted
Tightening Torque [Nm]: 8,5

600722C
Brake Disc


RENAULT MASCOTT Furgonato (FH_)
RENAULT MASCOTT Pianale piatto/Telaio (UH_, HH_)
RENAULT TRUCKS MASCOTT Cassone / Furgonato / Promiscuo
RENAULT TRUCKS MASCOTT Pianale

OE
5010260604
Z001635

Brake Disc Thickness [mm]: 22
Brake Disc Type: Vented
Brake System: Brembo
Fitting Position: Front Axle
Minimum Thickness [mm]: 20,4
Number of Holes: 10
Outer Diameter [mm]: 290
Tightening Torque [Nm]: 120

Brake system

60084C
Brake Disc


DACIA SOLENZA

OE

6001539659

 Brake Disc Thickness [mm]: 20
 Brake Disc Type: Vented
 Centering Diameter [mm]: 61
 Fitting Position: Front Axle
 Height [mm]: 51
 Minimum Thickness [mm]: 19
 Number of Holes: 4
 Outer Diameter [mm]: 235,5
 Tightening Torque [Nm]: 9

60085C
Brake Disc

 LDV MAXUS Autobus
 LDV MAXUS Furgonato

OE

545110027

 Brake Disc Thickness [mm]: 24
 Brake Disc Type: Vented
 Centering Diameter [mm]: 80
 Fitting Position: Front Axle
 Height [mm]: 70,5
 Minimum Thickness [mm]: 22
 Number of Holes: 5
 Outer Diameter [mm]: 294
 Tightening Torque [Nm]: 10,5

600964C
Brake Disc


AUDI Q5 (8R)

OE

 8R0615301C
 8R0615301E
 8R0615301G

 Bore [mm]: 68
 Brake Disc Thickness [mm]: 30
 Brake Disc Type: Vented
 Fitting Position: Front Axle
 Height [mm]: 52,4
 Minimum Thickness [mm]: 28
 Number of Holes: 5
 Outer Diameter [mm]: 320
 Pitch Circle [mm]: 112

600965C
Brake Disc

 AUDI 100 (43, C2)
 AUDI 100 (44, 44Q, C3)
 AUDI 100 (C1)
 AUDI 100 Avant (43, C2)
 AUDI 100 Coupe (C1)
 AUDI 80 (89, 89Q, 8A, B3)

OE

 431615301
 443615301

 Brake Disc Thickness [mm]: 13
 Brake Disc Type: Solid
 Fitting Position: Front Axle
 Minimum Thickness [mm]: 11
 Number of Holes: 4
 Outer Diameter [mm]: 256
 Tightening Torque [Nm]: 11

600966C
Brake Disc

 AUDI 100 (43, C2)
 AUDI 100 (44, 44Q, C3)
 AUDI 100 Avant (43, C2)
 AUDI 100 Avant (44, 44Q, C3)
 AUDI 80 (89, 89Q, 8A, B3)
 AUDI 90 (89, 89Q, 8A, B3)

OE

 431615301
 431615301A
 443615301A
 443615301B
 443615301D

 Brake Disc Thickness [mm]: 22
 Brake Disc Type: Vented
 Fitting Position: Front Axle
 Minimum Thickness [mm]: 20
 Number of Holes: 4
 Outer Diameter [mm]: 256
 Supplementary Article/Supplementary Info 2:
 Without screws
 Tightening Torque [Nm]: 11

Brake system

600971C

Brake Disc



VW TRANSPORTER IV Autobus (70XB, 70XC, 7DB, 7DW)
VW TRANSPORTER IV Furgonato (70XA)
VW TRANSPORTER IV Pianale piatto/Telaio (70XD)

OE

701615301A
701615301D

Brake Disc Thickness [mm]: 24
Brake Disc Type: Vented
Centering Diameter [mm]: 68,1
Colour: Black
Fitting Position: Front Axle
Height [mm]: 64,7
Minimum Thickness [mm]: 20
Number of Holes: 5
Outer Diameter [mm]: 280
Surface: Painted
Tightening Torque [Nm]: 11,5

600972C

Brake Disc



AUDI A4 (8E2, B6)
AUDI A4 (8EC, B7)
AUDI A4 Avant (8E5, B6)
AUDI A4 Avant (8ED, B7)
AUDI A4 Cabriolet (8H7, B6, 8HE, B7)
AUDI A6 (4B2, C5)

OE

3B0615301B
4B0615301A
4B0615301C
8D0615301J
8E0615301R
L8E0615301R

Brake Disc Thickness [mm]: 25
Brake Disc Type: Vented
Colour: Black
Fitting Position: Front Axle
Minimum Thickness [mm]: 23
Number of Holes: 10
Outer Diameter [mm]: 312
Surface: Painted
Tightening Torque [Nm]: 12

600974C

Brake Disc



PORSCHE CAYENNE (955)
VW TOUAREG (7LA, 7L6, 7L7)

OE

7L6615302D
7L6615302J
7L6615302N
7L6615302P
95535140200
95535140240

Bore [mm]: 85
Brake Disc Thickness [mm]: 32
Brake Disc Type: Vented
Centering Diameter [mm]: 85
Fitting Position: Left Front
Height [mm]: 68,5
Minimum Thickness [mm]: 30
Number of Holes: 5
Outer Diameter [mm]: 330
Paired article numbers: 60-00-0957C
Paired article numbers: 600957C
Paired article numbers: DI-0957C
Pitch Circle [mm]: 130
Surface: Painted
Tightening Torque [Nm]: 160

602059C-KIT

Brake Disc



LEXUS LS (UCF10)
LEXUS LS (UCF30)
LEXUS LS (UVF4_, USF4_)

OE

4351250010
4351250250

Brake Disc Thickness [mm]: 34
Brake Disc Type: Externally Vented
Centering Diameter [mm]: 62
Directional:
Full Set:
Height [mm]: 60,3
Hole Arrangement / Number: 05/12
Minimum Thickness [mm]: 31
Outer Diameter [mm]: 357
Pitch Circle [mm]: 120
Supplementary Article/Supplementary Info 2:
Without wheel hub
Supplementary Article/Supplementary Info 2:
Without wheel studs
Surface: Coated

Brake system

60290C
Brake Disc


LEXUS LS (UCF20)

OE

 4351250130
 4351250150
 4351250151
 4351250152

 Brake Disc Thickness [mm]: 28
 Brake Disc Type: Vented
 Centering Diameter [mm]: 62
 Fitting Position: Front Axle
 Height [mm]: 53,5
 Minimum Thickness [mm]: 26
 Number of Holes: 5
 Outer Diameter [mm]: 315

610242C
Brake Disc

 IVECO DAILY III Autobus
 IVECO DAILY III Cassone / Furgonato /
 Promiscuo
 IVECO DAILY III Pianale piatto/Telaio

OE

 002994066
 007185410
 02994066
 042471034
 042575665
 07182300

 Brake Disc Thickness [mm]: 16
 Brake Disc Type: Solid
 Brake System: Brembo 1x52
 Fitting Position: Rear Axle
 Minimum Thickness [mm]: 14,8
 Number of Holes: 5
 Outer Diameter [mm]: 276
 Tightening Torque [Nm]: 130

610335C
Brake Disc

 FORD TOURNEO CUSTOM Autobus
 FORD TRANSIT Autobus
 FORD TRANSIT CUSTOM Autobus
 FORD TRANSIT CUSTOM Furgonato
 FORD TRANSIT Furgonato
 FORD TRANSIT Pianale piatto/Telaio

OE

 2021562
 BK212A097HA

 Brake Disc Thickness [mm]: 16
 Brake Disc Type: Solid
 Centering Diameter [mm]: 96
 Height [mm]: 69
 Inner Diameter [mm]: 150
 Minimum Thickness [mm]: 13
 Number of Holes: 5
 Number of Teeth, ABS ring: 48
 Outer Diameter [mm]: 288
 Pitch Circle [mm]: 160
 Supplementary Article/Supplementary Info 2:
 With integrated sensor ring
 Supplementary Article/Supplementary Info 2:
 Without wheel bearing
 Supplementary Article/Supplementary Info 2:
 Without wheel hub
 Supplementary Article/Supplementary Info 2:
 Without wheel studs
 Surface: Coated

610414C
Brake Disc

 CHRYSLER SEBRING (JS)
 DODGE AVENGER
 DODGE CALIBER
 JEEP COMPASS (MK49)
 JEEP PATRIOT (MK74)
 OPEL INSIGNIA

OE

 15105515AA
 5105515AA

 Brake Disc Thickness [mm]: 10
 Brake Disc Type: Solid
 Centering Diameter [mm]: 80
 Fitting Position: Rear Axle
 Height [mm]: 60,3
 Minimum Thickness [mm]: 8,5
 Number of Holes: 5
 Outer Diameter [mm]: 262
 Tightening Torque [Nm]: 129

Brake system

610415C
Brake Disc


OPEL VECTRA B (36_)
OPEL VECTRA B 2 volumi /Coda spiovente (38_)
OPEL VECTRA B Station wagon (31_)

OE

0569117
569117
569209
90512909
93182288

Brake Disc Thickness [mm]: 10
Brake Disc Type: Solid
Centering Diameter [mm]: 57
Colour: Black
Fitting Position: Rear Axle
Height [mm]: 69,2
Minimum Thickness [mm]: 8
Number of Holes: 4
Outer Diameter [mm]: 270
Supplementary Article/Supplementary Info 2:
With screws
Surface: Painted
Tightening Torque [Nm]: 15

610536C
Brake Disc


MERCEDES-BENZ CLASSE C (W205)
MERCEDES-BENZ CLASSE C Cabriolet (A205)
MERCEDES-BENZ CLASSE C Coupé (C205)
MERCEDES-BENZ CLASSE C T-Model (S205)

OE

0004230512
A0004230512

Brake Disc Thickness [mm]: 12
Brake Disc Type: Solid
Centering Diameter [mm]: 69
Fitting Position: Rear Axle
Height [mm]: 48,5
Minimum Thickness [mm]: 10,3
Number of Holes: 5
Outer Diameter [mm]: 300
Tightening Torque [Nm]: 150

610539C
Brake Disc


MERCEDES-BENZ CLASSE S (W220)
MERCEDES-BENZ CLASSE S Coupé (C215)

OE

2104210812
2204230212
A2204230212
A220423021264
D1662

Brake Disc Thickness [mm]: 22
Brake Disc Type: Vented
Centering Diameter [mm]: 67
Fitting Position: Rear Axle
Height [mm]: 58,5
Minimum Thickness [mm]: 19,4
Number of Holes: 5
Outer Diameter [mm]: 300
Supplementary Article/Supplementary Info 2:
Without screws
Tightening Torque [Nm]: 15

610540C
Brake Disc


MERCEDES-BENZ CLASSE S (W221)
MERCEDES-BENZ CLASSE S (W222, V222, X222)
MERCEDES-BENZ CLASSE S Coupé (C216)
MERCEDES-BENZ SL (R230)

OE

2214230412
2214231012
221423101207
A2214230412
A2214231012
A221423101207

Brake Disc Thickness [mm]: 24
Brake Disc Type: Vented
Centering Diameter [mm]: 67
Fitting Position: Rear Axle
Height [mm]: 56
Minimum Thickness [mm]: 21,4
Number of Holes: 5
Outer Diameter [mm]: 320
Tightening Torque [Nm]: 15

610636C
Brake Disc


CITROEN C6 (TD_)

OE

424911
9687990780

Brake Disc Thickness [mm]: 22
Brake Disc Type: Vented
Centering Diameter [mm]: 71
Fitting Position: Rear Axle
Height [mm]: 35
Minimum Thickness [mm]: 20
Number of Holes: 5
Outer Diameter [mm]: 302

Brake system

610637C

Brake Disc



PEUGEOT 3008

OE

1611840880
4249.45
4249.46

Brake Disc Thickness [mm]: 12
Brake Disc Type: Solid
Centering Diameter [mm]: 56
Fitting Position: Rear Axle
Height [mm]: 73,2
Minimum Thickness [mm]: 10
Number of Holes: 4
Outer Diameter [mm]: 268
Supplementary Article/Supplementary Info 2:
Without screws
Supplementary Article/Supplementary Info 2:
Without wheel bearing set
Tightening Torque [Nm]: 10

610638C

Brake Disc



CITROEN C4 II (B7)
CITROEN DS4
PEUGEOT 308 (4A_, 4C_)
PEUGEOT 308 CC
PEUGEOT 308 SW

OE

424965
424966

Brake Disc Thickness [mm]: 9
Brake Disc Type: Solid
Brake Type: Brake Disc with Bearing
Centering Diameter [mm]: 56
Colour: Black
Fitting Position: Rear Axle
Height [mm]: 73,2
Minimum Thickness [mm]: 7
Number of Holes: 4
Outer Diameter [mm]: 249
Supplementary Article/Supplementary Info 2:
with wheel bearing set
Surface: Painted
Tightening Torque [Nm]: 90

610639C

Brake Disc



CITROEN C4 Coupé (LA_)
CITROEN C4 Grand Picasso I (UA_)
CITROEN C4 I (LC_)
PEUGEOT 207 SW (WK_)
PEUGEOT 307 (3A/C)
PEUGEOT 307 Break (3E)

OE

4246 Z9
4249 34

Brake Disc Thickness [mm]: 9
Brake Disc Type: Solid
Brake System: Bosch
Centering Diameter [mm]: 56
Fitting Position: Rear Axle
Height [mm]: 67,2
Minimum Thickness [mm]: 7
Number of Holes: 4
Outer Diameter [mm]: 249
Pitch Circle [mm]: 108
Supplementary Article/Supplementary Info 2:
Without ABS sensor ring
Supplementary Article/Supplementary Info 2:
Without wheel bearing set
Tightening Torque [Nm]: 9

Brake system

610718C
Brake Disc


RENAULT MEGANE I Grandtour (KA0/1_)
RENAULT MEGANE Scenic (JA0/1_)
RENAULT SCÉNIC I (JA0/1_)

OE

230584
7701206327
7701206328
D1428

Brake Disc Thickness [mm]: 11
Brake Disc Type: Solid
Brake Type: Brake Disc with Bearing
Centering Diameter [mm]: 52,3
Fitting Position: Rear Axle
Height [mm]: 82,2
Minimum Thickness [mm]: 9,5
Number of Holes: 4
Outer Diameter [mm]: 275
Pitch Circle [mm]: 100
Supplementary Article/Supplementary Info 2:
with wheel bearing set
Tightening Torque [Nm]: 12

610719C
Brake Disc


RENAULT SCÉNIC I (JA0/1_)

OE

7701205846
8671019317

Brake Disc Thickness [mm]: 10,5
Brake Disc Type: Solid
Centering Diameter [mm]: 61
Colour: Black
Fitting Position: Rear Axle
Height [mm]: 44,3
Minimum Thickness [mm]: 9,5
Number of Holes: 5
Outer Diameter [mm]: 265
Surface: Painted
Tightening Torque [Nm]: 8

610720C
Brake Disc


RENAULT LAGUNA II (BG0/1_)
RENAULT LAGUNA II Grandtour (KG0/1_)
RENAULT SCÉNIC II (JM0/1_)

OE

7001713008
7701472838
7701713008
8200209774
8200367094
8200655249

Brake Disc Thickness [mm]: 11
Brake Disc Type: Solid
Fitting Position: Rear Axle
Minimum Thickness [mm]: 9,5
Number of Holes: 5
Outer Diameter [mm]: 274
Supplementary Article/Supplementary Info 2:
Without wheel bearing set
Tightening Torque [Nm]: 12

610721C
Brake Disc


RENAULT AVANTIME (DE0_)
RENAULT ESPACE III (JE0_)

OE

6025304073
6025304079
6025370406
8671012048

Brake Disc Thickness [mm]: 10,5
Brake Disc Type: Solid
Centering Diameter [mm]: 66
Colour: Black
Fitting Position: Rear Axle
Height [mm]: 54,3
Minimum Thickness [mm]: 9,5
Number of Holes: 5
Outer Diameter [mm]: 265
Supplementary Article/Supplementary Info 2:
With screws
Surface: Painted

Brake system

610722C

Brake Disc



RENAULT MEGANE I Grandtour (KA0/1_)
RENAULT MEGANE Scenic (JA0/1_)
RENAULT SCÉNIC I (JA0/1_)

OE
230584
7701206327
D1428

Brake Disc Thickness [mm]: 11
Brake Disc Type: Solid
Fitting Position: Rear Axle
Minimum Thickness [mm]: 9
Number of Holes: 4
Outer Diameter [mm]: 275
Tightening Torque [Nm]: 11

610723C

Brake Disc



RENAULT MEGANE II Station wagon (KM0/1_)
RENAULT SCÉNIC II (JM0/1_)

OE
432004943R
7701207898
8671018107

Brake Disc Thickness [mm]: 10
Brake Disc Type: Solid
Centering Diameter [mm]: 55,2
Fitting Position: Rear Axle
Height [mm]: 82
Minimum Thickness [mm]: 9
Number of Holes: 4
Outer Diameter [mm]: 270
Supplementary Article/Supplementary Info 2:
Without ABS sensor ring
Supplementary Article/Supplementary Info 2:
Without wheel bearing set
Tightening Torque [Nm]: 11

610724C

Brake Disc



NISSAN NOTE (E11)
RENAULT CLIO Grandtour (KR0/1_)
RENAULT CLIO I (B/C57_, 5/357_)
RENAULT CLIO III (BR0/1, CR0/1)
RENAULT CLIO III Furgonato (SB_, SR_)
RENAULT MEGANE II (BM0/1_, CM0/1_)

OE
77 01 207 823
82 00 038 305
86 60 001 811
86 71 018 106

Brake Disc Thickness [mm]: 8
Brake Disc Type: Solid
Centering Diameter [mm]: 52,3
Fitting Position: Rear Axle
Height [mm]: 80
Minimum Thickness [mm]: 7
Number of Holes: 4
Outer Diameter [mm]: 240
Pitch Circle [mm]: 100
Supplementary Article/Supplementary Info 2:
Without ABS sensor ring
Supplementary Article/Supplementary Info 2:
Without wheel bearing set
Surface: Painted
Tightening Torque [Nm]: 8

610725C

Brake Disc



ALPINA B6 (E21)
BMW 5 (E28)
BMW 6 (E24)

OE
34211121387
342111242968
34211152571
34211162968
34211163140

Brake Disc Thickness [mm]: 10
Brake Disc Type: Solid
Fitting Position: Rear Axle
Minimum Thickness [mm]: 8,4
Number of Holes: 5
Outer Diameter [mm]: 284
Tightening Torque [Nm]: 8,5

Brake system

610726C
Brake Disc


RENAULT MASCOTT Furgonato (FH_)
 RENAULT MASCOTT Pianale piatto/Telaio (UH_, HH_)
 RENAULT TRUCKS MASCOTT Cassone / Furgonato / Promiscuo
 RENAULT TRUCKS MASCOTT Pianale

OE

5001864712
 5001864712S
 5010260609

Brake Disc Thickness [mm]: 22
 Brake Disc Type: Vented
 Brake System: Brembo
 Fitting Position: Rear Axle
 Minimum Thickness [mm]: 20,4
 Number of Holes: 8
 Outer Diameter [mm]: 290
 Tightening Torque [Nm]: 120

610936C
Brake Disc


AUDI A6 Allroad (4FH, C6)

OE

4F0615601G

Brake Disc Thickness [mm]: 12
 Brake Disc Type: Solid
 Centering Diameter [mm]: 66
 Fitting Position: Rear Axle
 Height [mm]: 42,4
 Minimum Thickness [mm]: 10
 Number of Holes: 5
 Outer Diameter [mm]: 302
 Tightening Torque [Nm]: 120

610940C
Brake Disc


AUDI A8 (4E_)
 VW PHAETON (3D_)

OE

3D0615601D
 4E0615601A
 4E0615601K

Brake Disc Thickness [mm]: 22
 Brake Disc Type: Vented
 Centering Diameter [mm]: 68
 Fitting Position: Rear Axle
 Height [mm]: 42,4
 Minimum Thickness [mm]: 20
 Number of Holes: 5
 Outer Diameter [mm]: 310
 Supplementary Article/Supplementary Info 2:
 Without screws
 Tightening Torque [Nm]: 120

610941C
Brake Disc


AUDI A6 (4B2, C5)
 AUDI A6 Avant (4B5, C5)
 VW PASSAT (3B2)
 VW PASSAT (3B3)
 VW PASSAT Variant (3B5)
 VW PASSAT Variant (3B6)

OE

4B3615601
 4B3615601B

Brake Disc Thickness [mm]: 22
 Brake Disc Type: Vented
 Centering Diameter [mm]: 68
 Fitting Position: Rear Axle
 Height [mm]: 53,8
 Minimum Thickness [mm]: 20
 Number of Holes: 5
 Outer Diameter [mm]: 269

610942C
Brake Disc


AUDI Q7 (4L)
 PORSCHE CAYENNE
 PORSCHE CAYENNE (955)
 VW TOUAREG (7LA, 7L6, 7L7)

OE

7L8615601
 7L8615601A
 7L8615601D
 7L8615601E
 95535240150
 95535240151

Brake Disc Thickness [mm]: 28
 Brake Disc Type: Vented
 Centering Diameter [mm]: 85
 Colour: Black
 Fitting Position: Rear Axle
 Height [mm]: 73,5
 Minimum Thickness [mm]: 26
 Number of Holes: 5
 Outer Diameter [mm]: 358
 Surface: Painted
 Tightening Torque [Nm]: 160

Brake system

610943C
Brake Disc


AUDI Q2
SEAT ATECA
SKODA KAROQ (NU7)
SKODA OCTAVIA IV Combi (NX5)
VW T-ROC (A11)

OE

5Q0615601
5Q0615601B
5QD615601C
5QN615601A

Brake Disc Thickness [mm]: 10,0
Brake Disc Type: Solid
Centering Diameter [mm]: 65,0
Colour: Black
Fitting Position: Rear Axle
Height [mm]: 58,8
Minimum Thickness [mm]: 8,0
Number of Bores: 5
Outer Diameter [mm]: 272
Pitch Circle [mm]: 112,0
Surface: Painted

610270C-KIT
Brake Disc


LEXUS LS (.F5_)
TOYOTA MIRAI (JPD2_)

OE

4243150110
4243250020

Brake Disc Thickness [mm]: 25
Brake Disc Type: Vented
Centering Diameter [mm]: 62
Fitting Position: Rear Axle
Full Set:
Height [mm]: 66
Number of Holes: 5
Outer Diameter [mm]: 335
Tightening Torque [Nm]: 110

61717C
Brake Disc


SUBARU IMPREZA 2 volumi /Coda spiovente (GR, GH, G3)
SUBARU IMPREZA Tre volumi (GJ)
SUBARU IMPREZA Tre volumi (GR)

OE

26700FG010

Brake Disc Thickness [mm]: 20
Brake Disc Type: Vented
Centering Diameter [mm]: 58
Fitting Position: Rear Axle
Height [mm]: 63,3
Minimum Thickness [mm]: 18
Number of Holes: 5
Number of mounting bores: 4
Outer Diameter [mm]: 316
Pitch Circle [mm]: 114,3

61L15C
Brake Disc


LAND ROVER RANGE ROVER IV (LG)
LAND ROVER RANGE ROVER SPORT (LW)

OE

LR033303
LR099038
LR161899

Brake Disc Thickness [mm]: 25
Brake Disc Type: Vented
Colour: Black
Fitting Position: Rear Axle
Height [mm]: 49
Hub Diameter 1 [mm]: 79
Minimum Thickness [mm]: 22
Outer Diameter [mm]: 365
Pitch Circle [mm]: 120
Rim Hole Number: 5
Surface: Painted

550337
Brake Shoe Set


FORD ESCORT '91 Express (AVL)
FORD ESCORT '95 Furgonato (AVL)
FORD ESCORT V Station wagon (GAL, AVL)
FORD ESCORT VI Station wagon (GAL)

OE

1544634
5027753
6500945
650945
91AB2200MA
92AX2200CA

Brake System: LUCAS GIRLING
Diameter [mm]: 228,6
Fitting Position: Rear Axle
Width [mm]: 45

Brake system

550345
Brake Shoe Set


FORD SIERRA (GBG, GB4)
 FORD SIERRA 2 volumi /Coda spiovente (GBC)
 FORD SIERRA 2 volumi /Coda spiovente (GBC,
 GBG)
 PANTHER KALLISTA

OE
 0449726030
 5020560
 5021303
 6096058
 6159641

Brake System: BENDIX
 Diameter [mm]: 203,2
 Fitting Position: Rear Axle
 Width [mm]: 38

55041
Brake Shoe Set


OE
 1213888
 384296
 384481

Fitting Position: Rear Axle
 Inner Br. Drum Diam. [mm]: 160
 Width [mm]: 35

55044
Brake Shoe Set


MERCEDES-BENZ CLASSE A (W168)
 MERCEDES-BENZ CLASSE C (W202)
 MERCEDES-BENZ CLASSE C (W203)
 MERCEDES-BENZ CLASSE C Coupe (CL203)
 MERCEDES-BENZ CLASSE C Station wagon
 (S202)

OE
 0509004080
 0980103790

Fitting Position: Rear Axle
 Inner Br. Drum Diam. [mm]: 200
 Width [mm]: 50

55045
Brake Shoe Set


OE
 384294

Fitting Position: Rear Axle
 Inner Br. Drum Diam. [mm]: 200
 Width [mm]: 50

55046
Brake Shoe Set


OE
 202425/1
 20964/1

Fitting Position: Rear Axle
 Inner Br. Drum Diam. [mm]: 200
 Width [mm]: 50

550916
Brake Shoe Set


MITSUBISHI Canter

OE
 MB060596
 MB162045
 MB162427
 MB162665
 MB295178
 MB295179

Brake System: AKEBONO
 Diameter [mm]: 320
 Fitting Position: Front Axle
 Fitting Position: Rear Axle
 Width [mm]: 75

Brake system

550919
Brake Shoe Set


ISUZU D-MAX (8DH)
 ISUZU D-MAX (TFR, TFS)
 ISUZU D-MAX Pianale piatto/Telaio
 ISUZU D-MAX Pianale piatto/Telaio (8DH)

OE
 5878322570

Fitting Position: Rear Axle
 Inner Br. Drum Diam. [mm]: 295
 Width [mm]: 50

55274
Brake Shoe Set


LEXUS GS (GRL1_, GWL1_)
 LEXUS IS III (GSE3_, AVE3_)
 TOYOTA MIRAI (JPD1_)
 TOYOTA PRIUS PHV (_W3_)
 TOYOTA PRIUS PLUS (ZVW4_)

OE
 4653030040
 4654047020
 4655047010
 4655047020
 4659047010
 4659047020

Fitting Position: Rear Axle
 Inner Br. Drum Diam. [mm]: 190
 Width [mm]: 27

55716
Brake Shoe Set


SUBARU LEONE I (AB)
 SUBARU LEONE I Hatchback
 SUBARU LEONE I Station wagon

OE
 625300111
 625301111
 625301310
 725161760
 725178250

Brake System: AKEBONO
 Diameter [mm]: 180
 Fitting Position: Rear Axle
 Width [mm]: 30

55927
Brake Shoe Set


OE
 4026647
 4049682
 4364766
 4423029
 4761805
 K04026647

Brake System: KELSEY-HAYNES
 Diameter [mm]: 254
 Fitting Position: Rear Axle
 Width [mm]: 63,5

55K32
Brake Shoe Set


DAEWOO LEGANZA (KLAV)
 DAEWOO NUBIRA (J150)
 DAEWOO NUBIRA (KLAJ)
 DAEWOO NUBIRA Station wagon (J150)
 DAEWOO NUBIRA Tre volumi (J150)
 DAEWOO NUBIRA Tre volumi (KLAJ)

OE
 583053SA20
 583053SA30
 58305F6A10
 96298281
 96298282
 B521030

Brake System: TRW
 Diameter [mm]: 167
 Fitting Position: Rear Axle
 Width [mm]: 24

55K33
Brake Shoe Set


HYUNDAI GRAND SANTA FÉ
 HYUNDAI SANTA FÉ III (DM)
 KIA SORENTO II (XM)

OE
 583052MA00
 583052WA00
 583053MA00
 583053MA03

Diameter [mm]: 190
 Fitting Position: Rear Axle
 Width [mm]: 27

Brake system

55L14 Brake Shoe Set



AUSTIN MAESTRO (XC)
AUSTIN MONTEGO (XE)
AUSTIN MONTEGO Station wagon (XE)
MG MAESTRO
MG MONTEGO
ROVER MAESTRO

OE
GBS1106
GBS817
GBS90820
GBS90828
GBS90828AF

Brake System: LUCAS GIRLING
Diameter [mm]: 203,2
Fitting Position: Rear Axle
Width [mm]: 38

55W12 Brake Shoe Set



CADILLAC ESCALADE

OE

Brake System: BOSCH/BENDIX
Diameter [mm]: 283
Fitting Position: Rear Axle
Width [mm]: 70

55W14 Brake Shoe Set



CHEVROLET C1500 Pick-up

OE

12477878
15591391
15634849
15662505
15665563
372379

Brake System: BOSCH/BENDIX
Diameter [mm]: 330
Fitting Position: Front Axle
Fitting Position: Rear Axle
Width [mm]: 89

500147 Brake Pad Set, disc brake



BMW 3 (E30)
BMW 3 Cabriolet (E30)
BMW 3 Touring (E30)
BMW Z1
MERCEDES-BENZ 190 (W201)
SAAB 9000 2 volumi /Coda spiovente

OE

0004208920
0014201020
34 11 1 154 443
34111154442
89 61 815

Brake System: LUCAS GIRLING
Fitting Position: Front Axle
Height [mm]: 49,5
Length [mm]: 95
Thickness [mm]: 17,5
WVA Number: 20890
WVA Number: 20891

500151 Brake Pad Set, disc brake



ALFA ROMEO 1750-2000
ALFA ROMEO 75 (162B)
ALFA ROMEO 90 (162)
ALFA ROMEO ALFETTA (116)
ALFA ROMEO ALFETTA GT (116)
ALFA ROMEO GIULIA

OE

0060 724 237
0060 727 290
0060 778 260
0060 778 290
10 548 260 030 125
11 600 260 030 8

Brake System: ATE
Fitting Position: Rear Axle
Height [mm]: 53,2
Length [mm]: 55,7
Thickness [mm]: 14,8
WVA Number: 20174
WVA Number: 20175
WVA Number: 20641
WVA Number: 20642

Brake system

500259
Brake Pad Set, disc brake


ALFA ROMEO AR 8 Furgonato (280)
 ALFA ROMEO AR 8 Pianale piatto/Telaio (280)
 IVECO DAILY I Autobus
 IVECO DAILY I Cassone / Furgonato / Promiscuo
 IVECO DAILY I Pianale piatto/Telaio
 IVECO DAILY IV Cassone / Furgonato /

OE

1906039
 1906159

Brake System: BREMBO
 Fitting Position: Front Axle
 Height [mm]: 73,1
 Length [mm]: 109,7
 Number of Wear Indicators: 2
 Thickness [mm]: 18
 Warning Contact Length [mm]: 130
 Wear Warning Contact: Incl. wear warning contact
 WVA Number: 29041

500289
Brake Pad Set, disc brake


OPEL FRONTERA B (6B_)

OE

16 05 620
 16 05 978
 1605002
 1605084
 93 169 003
 93 173 154

Brake System: SUMITOMO
 Fitting Position: Front Axle
 Height [mm]: 58,5
 Length [mm]: 137,6
 Thickness [mm]: 17
 WVA Number: 21845
 WVA Number: 23250
 WVA Number: 23251

500361
Brake Pad Set, disc brake


FORD FIESTA Furgonato (FVD)
 FORD FIESTA II (FBD)

OE

5015917
 5016917
 5018193
 5018898
 5023993
 6132471

Brake System: ATE
 Fitting Position: Front Axle
 Height [mm]: 44
 Length [mm]: 141,3
 Thickness [mm]: 17,5
 WVA Number: 20857
 WVA Number: 20858

500376
Brake Pad Set, disc brake


FORD FOCUS Cassone / Furgonato / Promiscuo (DNW)
 ZASTAVA YUGO
 ZASTAVA YUGO FLORIDA

OE

46602617
 72320156NBK
 72320159NBK

Brake System: LUCAS GIRLING
 Fitting Position: Front Axle
 Height [mm]: 63,4
 Length [mm]: 89,9
 Number of Wear Indicators: 2
 Thickness [mm]: 16,5
 Warning Contact Length [mm]: 273
 Wear Warning Contact: Incl. wear warning contact
 WVA Number: 21533

500575
Brake Pad Set, disc brake


MERCEDES-BENZ 190 (W201)

OE

000 420 01 20
 000 420 88 20
 000 420 90 20
 001 420 01 20
 460 420 01 20
 86 60 004 470

Brake System: ATE
 Fitting Position: Rear Axle
 Height [mm]: 54,4
 Length [mm]: 61,7
 Thickness [mm]: 13
 WVA Number: 20687
 WVA Number: 20758
 WVA Number: 21215

Brake system

500576
Brake Pad Set, disc brake


LAND ROVER DISCOVERY III (TAA)
 LAND ROVER DISCOVERY IV (LA)
 LAND ROVER RANGE ROVER III (LM)
 LAND ROVER RANGE ROVER SPORT (LS)
 LAND ROVER RANGE ROVER SPORT (LW)
 MERCEDES-BENZ PULLMANN (W100)

OE

LR-012993
 LR-015519
 LR-032060
 PAD-1733

Brake System: TRW
 Fitting Position: Rear Axle
 Height [mm]: 46,5
 Length [mm]: 116,5
 Thickness [mm]: 17,1
 WVA Number: 24192

500739
Brake Pad Set, disc brake


NISSAN TRADE Cassone / Furgonato /
 Promiscuo
 NISSAN TRADE Furgonato
 NISSAN TRADE Pianale piatto/Telaio
 RENAULT MASTER I Autobus (T_)
 RENAULT MASTER I Furgonato (T_)

OE

069052941
 41060G490A
 5000295329
 5000815574
 5000823566
 5001834527

Bolt [mm]: 12
 Brake System: BENDIX
 Fitting Position: Front Axle
 Height [mm]: 61,6
 Length [mm]: 166,7
 Number of Wear Indicators: 2
 Thickness [mm]: 17
 Warning Contact Length [mm]: 250
 Wear Warning Contact: Incl. wear warning
 contact
 WVA Number: 29071
 WVA Number: 29984
 WVA Number: 29985

5009116
Brake Pad Set, disc brake


VW ATLAS (CA1)

OE

3QF698151

Brake System: TRW
 Fitting Position: Front Axle
 Height [mm]: 74,5
 Thickness [mm]: 19,3
 Width [mm]: 179,1
 WVA Number: 22769


502033
Brake Pad Set, disc brake


LEXUS GS (GRL1_, GWL1_)
 LEXUS LS (UCF30)
 LEXUS LS (UVF4_, USF4_)

OE

044650W150
 044650W151
 044650W191

Brake System: Brembo
 Height [mm]: 87
 Number of Wear Indicators: 2
 Thickness [mm]: 16,8
 Wear Warning Contact: With integrated wear
 warning contact
 Width [mm]: 189,9
 WVA Number: 24607

50L17
Brake Pad Set, disc brake



JAGUAR F-TYPE Cabriolet
 JAGUAR F-TYPE Coupé
 JAGUAR XF (_J05_, CC9)
 JAGUAR XF SPORTBRAKE (CC9)
 JAGUAR XJ (X35_, _J12_, _J24_)
 JAGUAR XK Cabriolet (_J43_)


OE

C2D3801
 C2P26236
 EX532K021BA
 T2R22312
 T2R7248


Brake System: ATE
 Fitting Position: Front Axle
 Height [mm]: 79,2
 Length 1 [mm]: 193
 Length [mm]: 193,2
 Thickness/Strength 1 [mm]: 17,9
 Thickness/Strength 2 [mm]: 18,7
 WVA Number: 24474
 WVA Number: 24475


Brake system

50W29 Brake Pad Set, disc brake		
	CADILLAC SRX	<p>OE 20872587 20983943</p> <p>Brake System: MANDO Brake Type: Disc Brake Fitting Position: Front Axle Height [mm]: 68,4 Length [mm]: 176,1 Thickness [mm]: 16,6 WVA Number: 22077 WVA Number: 22078 WVA Number: 22079</p>

68022 Master Cylinder, brakes		
	GREAT WALL STEED 5 Pick-up GREAT WALL STEED Pick-up	<p>OE 3540120P00</p>

68023 Master Cylinder, brakes		
	GREAT WALL HOVER H6	<p>OE 3540102XKZ16A</p>

510125 Brake Pad Set, disc brake		
	ALPINA ROADSTER (Z8) BMW 3 (E46) BMW 3 Cabriolet (E46) BMW 3 Coupe (E46) BMW 3 Touring (E46) BMW 5 (E39)	<p>OE 34 21 2 413 040 34 21 6 753 850 34 21 6 758 870 34 21 6 761 285</p> <p>Brake System: ATE Fitting Position: Rear Axle Height 1 [mm]: 58,2 Height [mm]: 59,2 Length 1 [mm]: 122 Length [mm]: 123,1 Thickness [mm]: 17,3 WVA Number: 23447</p>

510126 Brake Pad Set, disc brake		
	ALFA ROMEO ALFETTA (116) ALFA ROMEO ALFETTA GT (116) ALFA ROMEO GIULIA ALFA ROMEO GIULIA GT ALFA ROMEO GIULIETTA (116) ALFA ROMEO GT	<p>OE 2 701 662 2 714 772 2 715 860 2 716 62 2 716 686 2 717 023</p> <p>Brake System: ATE Fitting Position: Rear Axle Height [mm]: 56,3 Length [mm]: 61,4 Thickness [mm]: 15 WVA Number: 20755</p>

Brake system

510127
Brake Pad Set, disc brake


BMW 5 (G30)
BMW 7 (G11, G12)
BMW 8 (G15)
BMW 8 Cabriolet (G14)
BMW 8 Gran Coupe (G16, F93)
BMW X5 (G05)

OE

34 20 7 883 269
34 20 7 883 273
34 20 8 092 823
34 20 8 093 737
34 21 6 876 905
34 21 6 885 187

Brake System: Trw
Fitting Position: Rear Axle
Height 2 [mm]: 80,5
Height [mm]: 74,8
Length [mm]: 116,1
Thickness [mm]: 18
WVA Number: 22039
WVA Number: 22040

510128
Brake Pad Set, disc brake


MINI MINI COUNTRYMAN (R60)
MINI MINI PACEMAN (R61)

OE

34 21 2 444 446
34 21 9 804 735
34 21 9 804 739
34 21 9 808 172
34 21 9 808 706

Brake System: Trw
Brake Type: Disc Brake
Fitting Position: Rear Axle
Height 2 [mm]: 51,1
Height [mm]: 44,7
Length [mm]: 95,3
Thickness [mm]: 16,9

510222
Brake Pad Set, disc brake


ALFA ROMEO 164 (164)
ALFA ROMEO 33 (905)
ALFA ROMEO RZ
ALFA ROMEO SZ
AUDI 100 (43, C2)
AUDI 100 (44, 44Q, C3)

OE

0060 743 565
0060 743 578
0060 760 120
16 416 260 030 130
16 420 224 130 100
16 420 260 030 030

Brake System: LUCAS GIRLING
Fitting Position: Rear Axle
Height [mm]: 66,9
Length [mm]: 87
Thickness [mm]: 16,5
WVA Number: 21143
WVA Number: 21144

510223
Brake Pad Set, disc brake


DAF 55
IVECO DAILY Cassone / Furgonato / Promiscuo

OE

42579529

Fitting Position: Rear Axle
Height [mm]: 57,5
Thickness [mm]: 20
Width [mm]: 128,6

510327
Brake Pad Set, disc brake


FORD FOCUS IV
FORD FOCUS IV Tre volumi (HM)
FORD FOCUS IV Turnier (HP)
FORD GALAXY
FORD GALAXY MK III VAN (CK)
FORD KUGA III (DFK)

OE

2 209 329
2 247 444
2 367 295
24 937 19
BRF-1954
JX6Z-2200-D

Axle Version: Rear
Brake System: Ate - Teves
Fitting Position: Rear Axle
Height 2 [mm]: 53,5
Height [mm]: 48,7
Thickness [mm]: 14,6
Wear Warning Contact: Incl. wear warning contact
Width [mm]: 123,15

Brake system

510328
Brake Pad Set, disc brake


FORD GALAXY (WGR)
SEAT ALHAMBRA (7V8, 7V9)
VW SHARAN (7M8, 7M9, 7M6)
VW TRANSPORTER IV Autobus (70XB, 70XC, 7DB, 7DW)
VW TRANSPORTER IV Furgonato (70XA)

OE

1 205 697
1 133448
1386603
5M21-2M008-BB
7D0 698 451 F
7D0698451C

Brake System: LUCAS GIRLING
Fitting Position: Rear Axle
Height [mm]: 51
Length [mm]: 94,9
Number of Wear Indicators: 2
Thickness [mm]: 16,5
Warning Contact Length [mm]: 210
Wear Warning Contact: Incl. wear warning contact
WVA Number: 23223
WVA Number: 23446

510938
Brake Pad Set, disc brake


VW TRANSPORTER IV Autobus (70XB, 70XC, 7DB, 7DW)
VW TRANSPORTER IV Furgonato (70XA)
VW TRANSPORTER IV Pianale piatto/Telaio (70XD)

OE

7M3698451D
7M3698451F

Brake System: LUCAS GIRLING
Fitting Position: Rear Axle
Height [mm]: 57,4
Length [mm]: 94,9
Number of Wear Indicators: 2
Thickness [mm]: 16
Warning Contact Length [mm]: 210
Wear Warning Contact: Incl. wear warning contact
WVA Number: 23980

510939
Brake Pad Set, disc brake


AUDI A4 (8EC, B7)
AUDI A4 Avant (8ED, B7)
AUDI A4 Cabriolet (8H7, B6, 8HE, B7)
AUDI A6 (4F2, C6)
AUDI A6 Avant (4F5, C6)
AUDI A8 (4E_)

OE

3D0 698 451
3D0 698 451 A
4E4 698 451
4E4 698 451 A
4F0 698 451 K

Brake System: LUCAS GIRLING
Fitting Position: Rear Axle
Height [mm]: 58,6
Length [mm]: 116,2
Thickness [mm]: 17,5
WVA Number: 23854
WVA Number: 23882
WVA Number: 23883

510940
Brake Pad Set, disc brake


SEAT ALTEA (5P1)
SEAT ALTEA XL (5P5, 5P8)
SEAT IBIZA IV (6L1)
SEAT IBIZA V SPORTCOUPE (6J1, 6P1)
SEAT LEON (1P1)
SKODA FABIA (6Y2)

OE

6Q0 698 451
6Q0 698 451 B
JZW 698 451
JZW 698 451 F

Brake System: LUCAS GIRLING
Fitting Position: Rear Axle
Height [mm]: 52,9
Length [mm]: 87
Number of Wear Indicators: 1
Thickness [mm]: 17
Warning Contact Length [mm]: 260
Wear Warning Contact: Incl. wear warning contact
WVA Number: 23553
WVA Number: 23556

51155
Brake Pad Set, disc brake


INFINITI J30
INFINITI Q45 I
INFINITI Q45 II (FY33)
NISSAN MAXIMA QX (A32)
NISSAN MAXIMA QX (A33)

OE

44060-4U090
440600P691
440600P692
440604U090
4406060U85
4406060U86

Brake System: SUMITOMO
Fitting Position: Rear Axle
Height [mm]: 35,3
Length [mm]: 108,7
Thickness [mm]: 15
WVA Number: 23367

Brake system

51156
Brake Pad Set, disc brake


INFINITI EX
 INFINITI G Coupé
 INFINITI G Tre volumi
 INFINITI M (Y51)
 INFINITI Q50
 INFINITI Q60 Cabriolet

OE

44 06 054 35R
 8660005142
 D4060-1BN0A
 D4060-1GZ0C
 D4060-1MB0A
 D4060-3JY0A

Brake System: Akebono
 Brake Type: Disc Brake
 Fitting Position: Rear Axle
 Height [mm]: 39,5
 Length [mm]: 105,5
 Thickness [mm]: 14,2

512007
Brake Pad Set, disc brake


LEXUS LC
 LEXUS LC Cabriolet (_Z10_)
 LEXUS LS (_F5_)

OE

0446611010
 044661101079
 0446611020
 044661102079

Brake System: Akebono
 Height [mm]: 76
 Observe mounting information:
 Supplementary Article/Supplementary Info:
 With accessories
 Thickness [mm]: 16,3
 Wear Warning Contact: Prepared for wear indicator
 Weight [kg]: 1,1
 Width [mm]: 111,1
 WVA Number: 22836

51236
Brake Pad Set, disc brake


TOYOTA YARIS (_P21_, _PA1_, _PH1_)

OE

04465-K0020

Axle Version: Rear
 Brake System: Akebono
 Fitting Position: Rear Axle
 Height [mm]: 48,8
 Thickness [mm]: 16,5
 Width [mm]: 125,1

51237
Brake Pad Set, disc brake


TOYOTA PRIUS PHV (_W3_)
 TOYOTA PRIUS PHV (_W52_)
 TOYOTA PRIUS PLUS (ZVW4_)
 TOYOTA URBAN CRUISER (NSP1_, NLP1_,
 ZSP1_, NCP11_)

OE

04466-02330
 04466-21020
 04466-47020
 04466-47030
 04466-47040
 04466-47060

Brake System: AKEBONO
 Fitting Position: Rear Axle
 Height [mm]: 42,5
 Length [mm]: 98,6
 Thickness [mm]: 15
 WVA Number: 25016
 WVA Number: 25017
 WVA Number: 25018

51419
Brake Pad Set, disc brake


HONDA CIVIC IV Tre volumi (ED)
 HONDA CIVIC V Fastback (MB)
 HONDA CIVIC V Hatchback (EG)
 HONDA CIVIC V Tre volumi (EG, EH)
 HONDA CIVIC VI Aerodeck (MB, MC)
 HONDA CIVIC VI Coupé (EJ, EM1)

OE

06430-SAA-E50
 43022-S04-E00
 43022-S04-E01
 43022-S04-E02
 43022-S04-E03
 43022-SAA-E51

Brake System: AKEBONO
 Fitting Position: Rear Axle
 Height [mm]: 37
 Length [mm]: 89
 Thickness [mm]: 12,6
 WVA Number: 21738
 WVA Number: 21739

Brake system

56513C

Brake Drum



MITSUBISHI SPACE RUNNER (N1_W, N2_W)
MITSUBISHI SPACE WAGON (D0_V/W)
MITSUBISHI SPACE WAGON (N3_W, N4_W)

OE
MB587937

Centering Diameter [mm]: 90
Fitting Position: Rear Axle
Inner Br. Drum Diam. [mm]: 228,5
Inner Brake Drum Height [mm]: 47
Inner Diameter [mm]: 90
Number of Holes: 4
Total Br. Drum Height [mm]: 62

56823C

Brake Drum



SUZUKI VITARA (ET, TA)
SUZUKI VITARA Cabrio (ET, TA)

OE
4351160A10

Centering Diameter [mm]: 100
Fitting Position: Rear Axle
Inner Br. Drum Diam. [mm]: 220
Inner Brake Drum Height [mm]: 41
Inner Diameter [mm]: 100
Number of Holes: 5
Total Br. Drum Height [mm]: 61

Clutch

1672168

Cable, manual transmission



FIAT IDEA
LANCIA MUSA (350)

OE
55207641
55224825
55228850

Fitting Position: Left

1670276

Cable, manual transmission



FIAT BRAVO II (198)
LANCIA DELTA III (844)

OE
55211803
55213298
55225098

Length 1 [mm]: 1200
Length 2 [mm]: 920

85016

Slave Cylinder, clutch



GREAT WALL STEED 5 Pick-up

OE
ZM015A16010201

Diameter [in]: 13/16"
Diameter [mm]: 20,63
Mounting Bores Distance [mm]: 35
Thread Size: M10

Clutch

850500
Clutch Actuator


MITSUBISHI COLT VI (Z3_A, Z2_A)
SMART FORFOUR (454)

OE

454 257 05 79
A 454 257 05 79
MN900584
SMN900584

850501
Clutch Actuator


SMART FORFOUR 2 volumi /Coda spiovente (453)
SMART FORTWO Cabriolet (453)
SMART FORTWO Coupé (453)

OE

4539063001

850502
Clutch Actuator


SMART FORTWO Cabrio (451)
SMART FORTWO Coupé (451)

OE

451 250 00 62
A 451 250 00 62

852000
Clutch Actuator

TOYOTA COROLLA Tre volumi (E15_)
TOYOTA YARIS (SCP9_, NSP9_, KSP9_, NCP9_, ZSP9_)

OE

31360-52042
31360-52043
31360-52044

852001
Clutch Actuator

TOYOTA AURIS (NRE15_, ZZE15_, ADE15_, ZRE15_, NDE15_)
TOYOTA AURIS (NZE18_, ZRE18_)
TOYOTA VERSO S (NLP12_, NCP12_, NSP12_)
TOYOTA YARIS (SCP9_, NSP9_, KSP9_, NCP9_, ZSP9_)

OE

31363-52020
31363-52041

852002
Clutch Actuator

TOYOTA AURIS (NRE15_, ZZE15_, ADE15_, ZRE15_, NDE15_)
TOYOTA COROLLA (ZZE12_, NDE12_, ZDE12_)
TOYOTA COROLLA Station wagon (_E12J_, _E12T_)
TOYOTA COROLLA Tre volumi (E15_)

OE

3136312010
3136312030
3136312040

For OE number: 3136312040

Clutch

852003 Clutch Actuator

TOYOTA COROLLA (ZZE12_, NDE12_, ZDE12_)
 TOYOTA COROLLA Station wagon (_E12J_,
 E12T)
 TOYOTA COROLLA Tre volumi (E15_)
 TOYOTA COROLLA Tre volumi (NRE18_, ZRE17_,
 ZRE18_, NDE18_)

OE

3136012010
 3136012030
 3136064010
 3136064011

For OE number: 3136012030

852004 Clutch Actuator



CITROEN C1 (PM_, PN_)
 PEUGEOT 107
 TOYOTA AYGO (PAB4_, KGB4_)
 TOYOTA AYGO (WNB1_, KGB1_)
 TOYOTA YARIS (SCP9_, NSP9_, KSP9_, NCP9_,
 ZSP9_)

OE

1612909880
 3136052030
 3136052070
 3137052021

For OE number: 3136052030

852005 Clutch Actuator



CITROEN C2 (JM_)
 CITROEN C3 I (FC_)
 CITROEN C3 Pluriel (HB_)
 PEUGEOT 1007 (KM_)
 PEUGEOT 207 (WA_, WC_)

OE

2182 33
 2182 52
 96 493 945 80
 96 563 820 80

85M02 Clutch Actuator

SMART CABRIO (450)
 SMART CITY-COUPE (450)
 SMART ROADSTER (452)

OE

0003226V014000000
 0003226V016000000
 4310021600
 A4310021600

95H37 Master Cylinder, clutch



HYUNDAI H-1 / STAREX
 HYUNDAI H-1 Cargo (TQ)
 HYUNDAI H-1 Furgonato

OE

4160047000

Diameter [in]: 5/8
 Diameter [mm]: 15,87
 Mounting Bores Distance [mm]: 63
 Thread Size: M10

95L01 Master Cylinder, clutch



LAND ROVER DISCOVERY I (LJ, LG)
 LAND ROVER RANGE ROVER I (AE, AN, HAA, HAB,
 HAM, HBM, RE, RN)

OE

AEU1714

Diameter [mm]: 17,78
 Mounting Bores Distance [mm]: 56

Clutch

95L02 Master Cylinder, clutch




LAND ROVER DISCOVERY I (LJ, LG)
LAND ROVER RANGE ROVER I (AE, AN, HAA, HAB,
HAM, HBM, RE, RN)

OE
ANR2186
ANR2651

Bore [mm]: 24,5
Mounting Bores Distance [mm]: 56
Thread Size: 7/16 - M11

154W07 Clutch Cable



CHEVROLET MATIZ (M200, M250)

OE
96495487

Length 1 [mm]: 795
Length 2 [mm]: 1080
Length 3 [mm]: 790
Length [mm]: 1115

92036 Clutch Kit



GREAT WALL TENGZI C20R 2 volumi /Coda
spiovente

OE
1601021001
1601100EG01
1601200EG01B1

Centering Diameter [mm]: 23
Diameter [mm]: 210
Number of Teeth: 21

Cooling System

350283 Water Pump



IVECO DAILY Cassone / Furgonato / Promiscuo
IVECO DAILY CITYS Autobus
IVECO DAILY III Autobus
IVECO DAILY III Cassone / Furgonato /
Promiscuo
IVECO DAILY III Pianale piatto/Telaio

OE
504360207
504369725

Socket Height [mm]: 82

38008 Thermostat, coolant



DACIA DOKKER
DACIA DUSTER
DACIA LODGY
DACIA LOGAN II
DACIA LOGAN MCV II
DACIA SANDERO II

OE
11 06 027 70R
11 06 084 31R
11060-00Q01
11060-00Q02
11060-00Q0Y
1106000Q01

Opening Temperature [°C]: 83
Supplementary Article/Supplementary Info 2:
with sensor
Supplementary Article/Supplementary Info 2:
With thermostat
Supplementary Article/Supplementary Info:
with seal

Cooling System

380126 Thermostat, coolant



BMW 1 (F20)
BMW 1 (F21)
BMW 2 Cabriolet (F23)
BMW 2 Coupé (F22)
BMW 3 (F30, F35, F80)
BMW 3 GRAN TURISMO (F34)

OE

11 53 7 588 257
11 53 7 633 476
11 53 7 633 477
11 53 8 635 689
11 53 8 636 594
11 53 8 636 595

Number of ports: 2
Opening Temperature [°C]: 108
Outer Diameter [mm]: 38,0
Weight [kg]: 0,27

380133 Thermostat, coolant




BMW 3 (E46)
BMW 3 Cabriolet (E46)
BMW 3 Compact (E46)
BMW 3 Coupe (E46)
BMW 3 Touring (E46)
BMW 5 (E39)

OE

11712247723

Opening Temperature [°C]: 70

380134 Thermostat, coolant



BMW 1 (F20)
BMW 1 (F21)
BMW 2 Coupé (F22)
BMW 3 (E90)
BMW 3 (F30, F35, F80)
BMW 3 Cabriolet (E93)

OE

1151 8516 203

Opening Temperature [°C]: 87

380137 Thermostat, coolant



BMW 5 (E60)
BMW 5 Touring (E61)
BMW 6 (E63)
BMW 6 Cabriolet (E64)
BMW 7 (E65, E66, E67)

OE

1712 7507 982
1721 7559 962

Opening Temperature [°C]: 82

380513 Thermostat, coolant



MERCEDES-BENZ CLASSE A (W169)
MERCEDES-BENZ CLASSE B (W245)

OE

6402000415
6402000515
6462000415
A6402000415
A6402000515
A6462000415

Opening Temperature [°C]: 85
Supplementary Article/Supplementary Info:
with seal

380713 Thermostat, coolant



RENAULT CLIO III (BR0/1, CR0/1)

OE

8200525397
8200772994

Number of seals: 1
Opening Temperature [°C]: 75
Supplementary Article/Supplementary Info:
With gaskets/seals

Cooling System

380937 Thermostat, coolant



AUDI A1 (8X1, 8XF)
AUDI A1 Sportback (8XA, 8XK)
AUDI A3 (8V1)
AUDI A3 Cabriolet (8V7)
AUDI A3 Limousine (8VS)
AUDI A3 Sportback (8VA)

OE
04E 121 113 G

Opening Temperature [°C]: 87
Supplementary Article/Supplementary Info:
with seal

380943 Thermostat, coolant



AUDI A1 (8X1, 8XF)
AUDI A1 Sportback (8XA, 8XK)
SEAT IBIZA V (6J5, 6P5)
SEAT IBIZA V SPORTCOUPE (6J1, 6P1)
SEAT IBIZA V ST (6J8, 6P8)
SEAT LEON (5F1)

OE
04E121113C
04E121113K

Opening Temperature [°C]: 80

380951 Thermostat, coolant



AUDI A4 (8K2, B8)
AUDI A4 Avant (8K5, B8)
AUDI A5 (8T3)
AUDI A5 Sportback (8TA)
AUDI Q7 (4L)
VW PHAETON (3D_)

OE
059121111N

Opening Temperature [°C]: 95

380956 Thermostat, coolant



VW AMAROK (2H_, S1B)
VW AMAROK Pianale piatto/Telaio (S1B)
VW CRAFTER 30-35 Autobus (2E_)
VW CRAFTER 30-50 Furgonato (2E_)
VW CRAFTER 30-50 Pianale piatto/Telaio (2F_)

OE
03L 121 111 AB
03L 121 111 H
03L121111AB
03L121111H

Opening Temperature [°C]: 87
Supplementary Article/Supplementary Info:
with seal

380961 Thermostat, coolant




AUDI A3 Cabriolet (8V7)
AUDI A4 (8EC, B7)
AUDI A4 Avant (8ED, B7)
AUDI A6 (4F2, C6)
AUDI A6 Avant (4F5, C6)
SEAT EXEO (3R2)

OE
06D 121 111 G
06D121111G

Opening Temperature [°C]: 87
Supplementary Article/Supplementary Info:
with seal

38H19 Thermostat, coolant



LEXUS GS (GRS19_, UZS19_, GWS19_)
LEXUS GS (UZS161, JZS160)
LEXUS LS (UCF20)
LEXUS LS (UCF30)
LEXUS LX (UZJ100)
LEXUS SC (UZZ40_)

OE
8AH1-15-171A
8AH1-15-171B
8AH115171
90916-03094
90916-03100
90916-03117

Housing Type: Without housing
Opening Temperature [°C]: 82

Electrics

1510700

ABS Sensor



RENAULT CLIO V (BF_)

OE

47 91 073 47R
47 91 095 72R

Fitting Position: Front Axle left and right

1511030

ABS Sensor



NISSAN MURANO III (Z52)

OE

47900-5AA0A

Cable Length [mm]: 1270
Fitting Position: Rear Axle Right

1512034

ABS Sensor



TOYOTA SIENNA (ASL3_, GSL3_)

OE

89542-08040
89542-08050

Fitting Position: Front Axle Right

1514000

ABS Sensor



HONDA ODYSSEY (RB_)

OE

57470-SFJ-W01
57470-SHJ-A02

Fitting Position: Right Rear
Paired article numbers: 151-04-4001
Paired article numbers: 1514001
Paired article numbers: ABS-4001

1514001

ABS Sensor



HONDA ODYSSEY (RB_)

OE

57475-SFJ-W01
57475-SHJ-A02

Fitting Position: Left Rear
Paired article numbers: 151-04-4000
Paired article numbers: 1514000
Paired article numbers: ABS-4000

1514003

ABS Sensor



HONDA ODYSSEY (RB_)

OE

57470-SHJ-A05
57470-SLE-003

Fitting Position: Rear Axle Right
Paired article numbers: 151-04-4004
Paired article numbers: 1514004
Paired article numbers: ABS-4004

Electrics

1514004
ABS Sensor


HONDA ODYSSEY (RB_)

OE

 57475-SHJ-A05
57475-SLE-003

 Fitting Position: Rear Axle Left
Paired article numbers: 151-04-4003
Paired article numbers: 1514003
Paired article numbers: ABS-4003

151702
ABS Sensor


SUBARU OUTBACK (BM, BR)

OE

27540AJ04A

Fitting Position: Rear Axle Right

151K62
ABS Sensor


HYUNDAI ELANTRA Tre volumi (AD)

OE

59810-F2300

 Connector Shape: Square
Fitting Position: Front Axle Left
Paired article numbers: 151-0K-K63
Paired article numbers: 151K63
Paired article numbers: ABS-K63

151K63
ABS Sensor


HYUNDAI ELANTRA Tre volumi (AD)

OE

59830-F2300

 Fitting Position: Front Axle Right
Number of mounting bores: 3
Paired article numbers: 151-0K-K62
Paired article numbers: 151K62
Paired article numbers: ABS-K62
Sensor Type: Active sensor

151K64
ABS Sensor


HYUNDAI XG (XG)

OE

95680-39601

 Braking / Drive Dynamics: For vehicles with ABS
Fitting Position: Rear Axle Right
Paired article numbers: 151-0K-K65
Paired article numbers: 151K65
Paired article numbers: ABS-K65
Rated Voltage [V]: 12

BO-0216KJM
Coil, ignition

 ALFA ROMEO MITO (955)
FIAT 500 (312)
FIAT 500 C (312)
FIAT DOBLO (119)
FIAT DOBLO Cargo (223)
FIAT FIORINO Cassone / Furgonato / Promiscuo

OE

 1535713
1671690
5135 419
55 19 57 75
55 19 57 76
55 20 01 12

 Ignition Coil: Coupling Type SAE
Number of Inlets / Outlets: 4
Number of Poles: 6

Electrics

1320202
Ignition Cable Kit

 ALFA ROMEO 145 (930)
 ALFA ROMEO 146 (930)

OE

 60597355
 60597943

 Length 1 [mm]: 810
 Length 2 [mm]: 870
 Length 3 [mm]: 810
 Length 4 [mm]: 750
 Number of circuits: 4
 Outer Diameter [mm]: 7

1320203
Ignition Cable Kit


ALFA ROMEO 155 (167)

OE

 60566481
 60566483

 Length 1 [mm]: 550
 Length 2 [mm]: 580
 Length 3 [mm]: 610
 Length 4 [mm]: 670
 Length 5 [mm]: 550
 Length 6 [mm]: 580
 Length 7 [mm]: 610
 Length 8 [mm]: 690
 Number of circuits: 8
 Outer Diameter [mm]: 7

1320223
Ignition Cable Kit


FIAT PANDA (141A_)

OE

 110-5013
 1105013
 7604977

 Length 1 [mm]: 370
 Length 2 [mm]: 430
 Length 3 [mm]: 490
 Length 4 [mm]: 550
 Length 5 [mm]: 500
 Number of circuits: 5
 Outer Diameter [mm]: 7


1320233
Ignition Cable Kit

 FIAT REGATA (138)
 FIAT RITMO II (138A)
 FIAT TEMPRA (159)
 FIAT TEMPRA S.W. (159)
 LANCIA DELTA I (831AB0)

OE

 7596561
 7604227

 Length 1 [mm]: 290
 Length 2 [mm]: 320
 Length 3 [mm]: 410
 Length 4 [mm]: 530
 Length 5 [mm]: 530
 Number of circuits: 5
 Outer Diameter [mm]: 7

1320306
Ignition Cable Kit

 FIAT DUNA (146 B)
 FIAT FIORINO (127)
 FIAT FIORINO (147)
 FIAT FIORINO Furgonato (146)
 FIAT FIORINO Pick up (146)
 FORD TOURNEO CONNECT

OE

 4371000
 7597720

 Length 1 [mm]: 310
 Length 2 [mm]: 370
 Length 3 [mm]: 370
 Length 4 [mm]: 370
 Length 5 [mm]: 410
 Number of circuits: 5
 Outer Diameter [mm]: 7

Electrics

1320308
Ignition Cable Kit


VOLVO S40 I (VS)
VOLVO V40 Station wagon (VW)

OE
1275603
134958

Length 1 [mm]: 460
Length 2 [mm]: 460
Number of circuits: 2
Outer Diameter [mm]: 7

1320309
Ignition Cable Kit


VOLVO 850 (LS)
VOLVO 850 Station wagon (LW)
VOLVO C70 I Cabriolet
VOLVO C70 I Coupé
VOLVO S70 (LS)
VOLVO V70 I (LV)

OE
9135701

Length 1 [mm]: 830
Length 2 [mm]: 770
Length 3 [mm]: 620
Length 4 [mm]: 530
Length 5 [mm]: 440
Number of circuits: 5
Outer Diameter [mm]: 7

1320310
Ignition Cable Kit


RENAULT SAFRANE II (B54_)
VOLVO 850 (LS)
VOLVO 850 Station wagon (LW)
VOLVO C70 I Cabriolet
VOLVO C70 I Coupé
VOLVO S70 (LS)

OE
134549
9135700

Length 1 [mm]: 470
Length 2 [mm]: 570
Length 3 [mm]: 650
Length 4 [mm]: 780
Length 5 [mm]: 860
Length 6 [mm]: 570
Number of circuits: 6
Outer Diameter [mm]: 7

1320702
Ignition Cable Kit


RENAULT 19 I (B/C53_)
RENAULT 19 II (B/C53_)
RENAULT 19 II Chamade (L53_)
RENAULT CLIO I (B/C57_, 5/357_)
RENAULT RAPID Furgonato (F40_, G40_)

OE
60 25 003 095
6025003095
77 00 726 626
77 00 850 463
77 01 349 467
7700726626

Length 1 [mm]: 420
Length 2 [mm]: 430
Length 3 [mm]: 480
Length 4 [mm]: 520
Length 5 [mm]: 600
Number of circuits: 5
Outer Diameter [mm]: 7

1320707
Ignition Cable Kit


RENAULT 18 (134_)
RENAULT CLIO I (B/C57_, 5/357_)
RENAULT RAPID Furgonato (F40_, G40_)
VOLVO 340-360 (343, 345)
VOLVO 340-360 Tre volumi (344)

OE
134439
77 00 749 521
77 00 857 045
7700749521
7700857045


Length 1 [mm]: 410
Length 2 [mm]: 410
Length 3 [mm]: 410
Length 4 [mm]: 410
Length 5 [mm]: 420
Number of circuits: 5
Outer Diameter [mm]: 7

1320712
Ignition Cable Kit


RENAULT ESPACE II (J/S63_)

OE
7700720783

Electrics

1320715
Ignition Cable Kit


RENAULT LAGUNA I (B56_, 556_)
 RENAULT LAGUNA I Grandtour (K56_)
 RENAULT SAFRANE II (B54_)
 VOLVO S40 I (VS)
 VOLVO V40 Station wagon (VW)

OE
 1275284
 1275284-6
 12752846
 134560
 74 31 275 284
 7431275284


Length 1 [mm]: 350
 Length 2 [mm]: 390
 Length 3 [mm]: 510
 Length 4 [mm]: 510
 Number of circuits: 4
 Outer Diameter [mm]: 7

132423
Ignition Cable Kit


LAND ROVER FREELANDER (LN)
 LAND ROVER FREELANDER Soft Top
 MG MG TF
 MG MG ZR
 MG MG ZS
 MG MG ZS Hatchback

OE
 134373
 GHT 291
 GHT291
 NGC 000 040
 NGC000040

Length 1 [mm]: 440
 Length 2 [mm]: 440
 Number of circuits: 2
 Outer Diameter [mm]: 7

132424
Ignition Cable Kit


MG MG TF
 MG MG ZR
 MG MGF (RD)
 ROVER 200 (RF)
 ROVER 200 2 volumi /Coda spiovente (XW)
 ROVER 25 (RF)

OE
 134287
 GHT284
 NGC 000 090
 NGC000090

Length 1 [mm]: 510
 Length 2 [mm]: 540
 Length 3 [mm]: 680
 Length 4 [mm]: 730
 Length 5 [mm]: 490
 Number of circuits: 5
 Outer Diameter [mm]: 7

132615
Ignition Cable Kit


PIAGGIO PORTER Pianale piatto/Telaio

OE
 1990187790000
 1990187D88000

39001
Starter


DAIHATSU HIJET Furgonato (S85)
 DAIHATSU HIJET Pick-up
 PIAGGIO PORTER Autobus
 PIAGGIO PORTER Furgonato
 PIAGGIO PORTER Pianale piatto/Telaio

OE
 28100 87551
 28100 87551 000

Clamp: M8
 Flange [mm]: 74
 Number of mounting bores: 2
 Number of Teeth: 8
 Rated Power [kW]: 0,8
 Rotation Direction: Clockwise rotation
 Voltage [V]: 12

153501
Sensor, crankshaft pulse


MITSUBISHI OUTLANDER II (CW_W)
 SMART FORTWO Cabrio (451)
 SMART FORTWO Coupé (451)

OE
 006 153 39 28
 1865A069
 A006 153 39 28

Number of ports: 3

Electrics

153804

Sensor, crankshaft pulse



OPEL AGILA (B) (H08)
SUZUKI GRAND VITARA II (JT)
SUZUKI KIZASHI (FR)
SUZUKI SPLASH

OE
093194164
095512953
33220-50M00
33220-50M00-000
33220-51K00
47 00 346

Length [mm]: 55
Number of ports: 3
Outer Diameter [mm]: 15
Supplementary Article/Supplementary Info 2:
With seal
Weight [kg]: 0,023

156926

Water Pump, window cleaning



AUDI A4 (8K2, B8)
AUDI A4 Allroad (8KH, B8)
AUDI A4 Avant (8K5, B8)
AUDI A5 (8T3)
AUDI A5 Cabriolet (8F7)
AUDI A5 Sportback (8TA)

OE
67637217792
8K0955681

Number of ports: 2
Pump Type: Dual Pump
Supplementary Article/Supplementary Info 2:
For windscreen cleaning system
Voltage [V]: 12
Weight [kg]: 0,122

Engine

6PE001

Camshaft



CITROEN BERLINGO (K9)
CITROEN BERLINGO Furgonato (K9)
CITROEN C-ELYSEE
CITROEN C3 AIRCROSS II
CITROEN C3 AIRCROSS II VAN (2C_, 2R_)
CITROEN C3 III (SX)

OE
39175858
9825017880

Additionally required articles (article numbers): KDK-0603
Fitting Position: Exhaust Side
Paired article numbers: 16PE002
Paired article numbers: 6PE002
Paired article numbers: AA-PE002
Timing Chain Size: 7 mm

6PE002

Camshaft



CITROEN BERLINGO (K9)
CITROEN BERLINGO Furgonato (K9)
CITROEN C-ELYSEE
CITROEN C3 AIRCROSS II
CITROEN C3 AIRCROSS II VAN (2C_, 2R_)
CITROEN C3 III (SX)

OE
39175857
9825013780

Additionally required articles (article numbers): KDK-0603
Fitting Position: Intake Side
Paired article numbers: 16PE001
Paired article numbers: 6PE001
Paired article numbers: AA-PE001
Timing Chain Size: 7 mm

6PE003

Camshaft



CITROEN BERLINGO (K9)
CITROEN BERLINGO Furgonato (K9)
CITROEN C-ELYSEE
CITROEN C3 AIRCROSS II
CITROEN C3 AIRCROSS II VAN (2C_, 2R_)
CITROEN C3 III (SX)

OE
2646854
9828655580
JX6Q-6A273-BA

Additionally required articles (article numbers): KDK-0603-8
Fitting Position: Exhaust Side
Paired article numbers: 16PE004
Paired article numbers: 6PE004
Paired article numbers: AA-PE004
Timing Chain Size: 8 mm

Engine

6PE004
Camshaft


CITROEN BERLINGO (K9)
 CITROEN BERLINGO Furgonato (K9)
 CITROEN C-ELYSEE
 CITROEN C3 AIRCROSS II
 CITROEN C3 AIRCROSS II VAN (2C_, 2R_)
 CITROEN C3 III (SX)

OE
 2646852
 9828655380
 JX6Q-6A270-BA

Additionally required articles (article numbers): KDK-0603-8
 Fitting Position: Intake Side
 Paired article numbers: 16PE003
 Paired article numbers: 6PE003
 Paired article numbers: AA-PE003
 Timing Chain Size: 8 mm

162201
Accelerator Cable


TOYOTA YARIS (SCP1_, NLP1_, NCP1_)

OE
 781800D040

Length 1/ Length 2 [mm]: 1350/1135

3SS000
Connecting Rod


SSANGYONG ACTYON I
 SSANGYONG ACTYON SPORTS I (QJ)
 SSANGYONG KYRON
 SSANGYONG REXTON (GAB_)
 SSANGYONG REXTON W
 SSANGYONG RODIUS

OE
 6640300020
 6640300220

Inner Diameter [mm]: 30
 Inner Diameter [mm]: 54,5

1500504
EGR Valve


CHRYSLER 300 C (LX)
 CHRYSLER 300 C Touring (LX)
 JEEP COMMANDER (XK)
 JEEP GRAND CHEROKEE IV (WK, WK2)
 MERCEDES-BENZ CLASSE C (W204)
 MERCEDES-BENZ CLASSE C T-Model (S204)

OE
 6421401060
 A6421401060

Conductor Number: 5
 For article number: 83.1046AS
 Operating Mode: Electric
 Standard: ARMAN

1500505
EGR Valve


MERCEDES-BENZ CLASSE A (W169)
 MERCEDES-BENZ CLASSE B (W245)

OE
 A 640 140 19 60

Operating Mode: Electric
 Supplementary Article/Supplementary Info:
 with seal
 Valve Type: Control Valve

150206
EGR Valve


TOYOTA AURIS (NRE15_, ZZE15_, ADE15_, ZRE15_, NDE15_)
 TOYOTA IQ (KPJ1_, NGJ1_, KGJ1_, NUJ1_)
 TOYOTA URBAN CRUISER (NSP1_, NLP1_, ZSP1_, NCP11_)
 TOYOTA VERSO S (NLP12_, NCP12_, NSP12_)

OE
 2580033010
 2580033011

For article number: 83.967AS
 Standard: ARMAN

Engine

157F116

Oil Pump



ALFA ROMEO GIULIETTA (940)
ALFA ROMEO MITO (955)
FIAT BRAVO II (198)
FIAT DOBLO Cassone / Furgonato / Promiscuo (263)
FIAT DOBLO MPV / Space wagon (152, 263)

OE

16100-79J80
55207179
55269804
55271883
55277857
6 46 107

Supplementary Article/Supplementary Info 2:
With shaft oil seal
Supplementary Article/Supplementary Info:
with seal

157-F012

Oil Pump



CITROEN JUMPER Autobus
CITROEN JUMPER Furgonato
CITROEN JUMPER Pianale piatto/Telaio
FIAT DUCATO Autobus (250)
FIAT DUCATO Furgonato (250)
FIAT DUCATO Pianale piatto/Telaio (250)

OE

1719368
9677507180
BK2Q-6L630-AA

Additionally required articles (article numbers): OP315
For OE number: 1719368

1570P14

Oil Pump



OPEL ADAM
OPEL ASTRA GTC J
OPEL ASTRA J
OPEL ASTRA J Sports Tourer
OPEL ASTRA J Tre volumi
OPEL CORSA D

OE

0638127
12688813
12691509
25197591
25199425
25199823

157VW36

Oil Pump



AUDI A1 (8X1, 8XF)
AUDI A1 Sportback (8XA, 8XK)
AUDI A3 (8P1)
AUDI A3 Cabriolet (8P7)
AUDI A3 Sportback (8PA)
SEAT ALTEA (5P1)

OE

03F 115 105D

157VW37

Oil Pump



VW AMAROK (2H_, S1B)
VW AMAROK Pianale piatto/Telaio (S1B)

OE

03L 115 105 C

Number of Teeth: 33

122H22

Belt Pulley, crankshaft



HYUNDAI ACCENT Tre volumi (HC)
HYUNDAI i10 (IA)
HYUNDAI i10 Tre volumi
HYUNDAI i20 (GB)
HYUNDAI i20 ACTIVE (GB)
HYUNDAI i20 Coupe

OE

23124-03800
23124-03801

Inner Diameter [mm]: 25
Outer Diameter [mm]: 147
Parameter: 6 PK
Supplementary Article/Supplementary Info 2:
For crankshaft
Weight [kg]: 1,258
Width [mm]: 41

Engine

122K16
Belt Pulley, crankshaft


HYUNDAI ACCENT IV Tre volumi (RB)
 HYUNDAI i30 (GD)
 HYUNDAI i30 (PDE)
 HYUNDAI i30 CW (GD)
 HYUNDAI i40 (VF)
 HYUNDAI i40 CW (VF)

OE

23124-2A801
 23124-2A803
 23124-2A804

Diameter [mm]: 154
 Height [mm]: 42
 Number of grooves: 5

VVTJ-0142
Camshaft Adjuster


SUZUKI SWIFT IV (FZ, NZ)

OE

12740-54GE1
 12740-54GE1 S3
 1274054GE1
 12761-54G00
 12761-54G00 S3
 12831-69G10

Chain Type: Closed chain
 Number of Chain Links: 162
 Weight [kg]: 0,883

XX-COPERCHIO
Rocker Cover


CITROEN BERLINGO (K9)
 CITROEN BERLINGO Furgonato (K9)
 CITROEN C-ELYSEE
 CITROEN C3 AIRCROSS II
 CITROEN C3 AIRCROSS II VAN (2C_, 2R_)
 CITROEN C3 III (SX)

OE

9830580480

JHY020S
Cylinder Head


HYUNDAI i20
 HYUNDAI i20 (PB, PBT)
 HYUNDAI i30 (FD)
 HYUNDAI i30 (GD)
 HYUNDAI i30 Coupé
 HYUNDAI i30 CW (FD)

OE

221002A200
 96RU52AF00

Engine Timing Control

10X580
V-Belt


LIGIER BE UP
 LIGIER X-TOO MAX
 LIGIER XTOO (LXT)

OE

0112990
 112990

Length [mm]: 580
 Parameter: 10X580
 Width [mm]: 10

Engine Timing Control

KJK0310

Timing Chain Kit



FORD RANGER (TKE)
FORD TRANSIT Autobus
FORD TRANSIT Furgonato
FORD TRANSIT Pianale piatto/Telaio

OE
1704089
1717658
1754585
6C1Q6256AC
6C1Q6306AB
6C1Q6K261AB

Chain Type: Roller chain
Chain Type: Simplex
Fitting Position: Upper
Number of Chain Links: 132
Number of Parts [parts]: 11
Supplementary Article/Supplementary Info:
With gaskets/seals
Supplementary Article/Supplementary Info:
with gears

KJK0603

Timing Chain Kit



CITROEN BERLINGO (K9)
CITROEN BERLINGO Furgonato (K9)
CITROEN C-ELYSEE
CITROEN C3 AIRCROSS II
CITROEN C3 AIRCROSS II VAN (2C_ 2R_)
CITROEN C3 III (SX)

OE
3557000
9823920080
9823954880
9826028980

Additionally required articles (article numbers): AA-PE001
Additionally required articles (article numbers): AA-PE002
Chain Type: Roller chain
Chain Type: Simplex
Fitting Position: Cylinder Head
Fitting Position: Upper
Machine Width [mm]: 7
Number of Chain Links: 44
Number of Parts [parts]: 3
Supplementary Article/Supplementary Info 2:
With gear
Supplementary Article/Supplementary Info:
Without gaskets/seals

KJK0603-8

Timing Chain Kit



CITROEN BERLINGO (K9)
CITROEN BERLINGO Furgonato (K9)
CITROEN C-ELYSEE
CITROEN C3 AIRCROSS II
CITROEN C3 AIRCROSS II VAN (2C_ 2R_)
CITROEN C3 III (SX)

OE
2191039
2646850
2646864
3557000
9823920080
9830146880

Additionally required articles (article numbers): AA-PE003
Additionally required articles (article numbers): AA-PE004
Chain Type: Roller chain
Chain Type: Simplex
Number of Chain Links: 44
Supplementary Article/Supplementary Info 2:
With gear
Supplementary Article/Supplementary Info:
Without gaskets/seals
Timing Chain Size: 8 MM

KJK138

Timing Chain Kit



NISSAN MICRA IV (K13)
NISSAN NOTE (E12)

OE
130218AA0A
13021ED000
13021EE50A
13021EE50D
130241751R
13024CJ00A

Chain Type: Low-noise chain
Chain Type: Simplex
Fitting Position: Upper
Number of Chain Links: 152
Number of Chain Links: 56
Number of Parts [parts]: 11
Supplementary Article/Supplementary Info:
With gaskets/seals
Supplementary Article/Supplementary Info:
with gears

Engine Timing Control

KJK229
Timing Chain Kit


TOYOTA HIACE VI Autobus (_H3_)
TOYOTA HILUX Pick-up (GUN1_)
TOYOTA LAND CRUISER 150 (KDJ15_, GRJ15_)

OE

135060E010
135070E010
1350711010
135190E010
135210E010
135230E010

Fitting Position: Upper
Number of Chain Links: 116
Number of Chain Links: 62
Number of Parts [parts]: Not available

KJK307
Timing Chain Kit


MAZDA 3 (BM)
MAZDA 3 Tre volumi (BM)
MAZDA 6 Station wagon (GJ, GH)
MAZDA 6 Tre volumi (GJ, GH)
MAZDA CX-5 (KE, GH)
MAZDA CX-5 (KF)

OE

SH0111730
SH0112500
SH0211316
SH0211760
SH0212201
SH0212425

Number of Chain Links: 108
Number of Chain Links: 58
Number of Parts [parts]: 10

KJK701
Timing Chain Kit


SUBARU BRZ
SUBARU FORESTER (SH)
SUBARU FORESTER (SJ)
SUBARU LEGACY V Station wagon (BM, BR)
SUBARU OUTBACK
SUBARU XV

OE

13142AA090
13142AA160

Fitting Position: Upper
Number of Chain Links: 130
Number of Parts [parts]: With roof rails
Supplementary Article/Supplementary Info:
with gears

KJKH08
Timing Chain Kit


HYUNDAI i30 (FD)
HYUNDAI i30 Coupé
HYUNDAI i30 CW (GD)
HYUNDAI i40 (VF)
HYUNDAI i40 CW (VF)
HYUNDAI ix35 (LM, EL, ELH)

OE

231212B710
243212B600
243212B620
244102B600
244102B610
244102B700

Number of Chain Links: 124
Number of Parts [parts]: 5

KJKS03
Timing Chain Kit


SSANGYONG KORANDO

OE

6710500116
6710500211
6710520016
6710520101
6711800159
6719970294

Chain Type: Simplex
Number of Chain Links: 112
Number of Chain Links: 60
Number of Parts [parts]: 7

128407
Tensioner Lever, v-ribbed belt


HONDA CIVIC VII Hatchback (EU, EP, EV)
OPEL ASTRA H (L48)
OPEL ASTRA H Furgonato (L70)
OPEL ASTRA H GTC (L08)
OPEL ASTRA H Station wagon (L35)
OPEL ASTRA H Tre volumi (L69)

OE

31160PLZD00

Diameter [mm]: 70
Height [mm]: 24

Engine Timing Control


128408
Tensioner Lever, v-ribbed belt


HONDA CIVIC VII Hatchback (EU, EP, EV)
 OPEL ASTRA H (L48)
 OPEL ASTRA H Furgonato (L70)
 OPEL ASTRA H GTC (L08)
 OPEL ASTRA H Station wagon (L35)
 OPEL ASTRA H Tre volumi (L69)

OE
 31160PLZD00
 6204663
 98005564

Diameter [mm]: 70
 Height [mm]: 26

Filter

FA-158JM
Air Filter


MITSUBISHI ASX (VSX_, VSE_)
 NISSAN JUKE (F16_)
 NISSAN MICRA V
 RENAULT CAPTUR II
 RENAULT CLIO V (BF_)

OE
 16546-5FN1A
 165465FN1A
 MQ 000139

Filter Type: Filter Insert
 Height [mm]: 53
 Length [mm]: 226
 Width [mm]: 129

FA-2009JM
Air Filter


CITROEN C1 II
 PEUGEOT 108
 TOYOTA AYGO (PAB4_, KGB4_)
 TOYOTA C-HR VAN (_X1_)
 TOYOTA CH-R (NGX1, NGX5_, ZYX1_)
 TOYOTA COROLLA (_E21_)

OE
 16 124 967 80
 16 163 688 80
 1612496780
 1616368880
 17801-0M030
 17801-21060

Filter Type: Filter Insert
 Height [mm]: 38
 Length [mm]: 178
 Width [mm]: 117

202026
Air Filter


LEXUS LC
 LEXUS LC Cabriolet (_Z10_)
 LEXUS LS (_F5_)

OE
 17801-38060

Filter Type: Filter Insert
 Fitting Position: Left
 Fitting Position: Right
 Height [mm]: 49
 Length [mm]: 187
 Weight [kg]: 0,197
 Width [mm]: 178

FAA-015JM
Filter, interior air


CITROEN BERLINGO (B9)
 CITROEN BERLINGO (K9)
 CITROEN BERLINGO Furgonato (B9)
 CITROEN BERLINGO Furgonato (K9)
 CITROEN BERLINGO Pianale piatto/Telaio (B9)
 CITROEN C4 Grand Picasso I (UA_)


OE
 3638979
 6447 XG
 6479 93
 87139-YZZ91
 95525903
 98 014 481 80

Filter Type: Activated Carbon Filter
 Height [mm]: 32
 Length [mm]: 293
 Quantity Unit: Kit
 Width [mm]: 96

Filter

FAA-022JM

Filter, interior air




CADILLAC SRX
CHEVROLET AVEO 2 volumi /Coda spiovente (T300)
CHEVROLET AVEO Tre volumi (T300)
CHEVROLET CRUZE (J300)
CHEVROLET CRUZE 2 volumi /Coda spiovente

OE
13271191
13503675
1808246
52420930
95527473
J13271191

Filter Type: Activated Carbon Filter
Height [mm]: 36
Length [mm]: 240
Width [mm]: 204

FAA-026JM

Filter, interior air



FORD C-MAX II
FORD C-MAX II Van
FORD FOCUS III
FORD FOCUS III Cassone / coda spiovente
FORD FOCUS III Tre volumi
FORD FOCUS III Turnier

OE
1709 013
1776 360
2504 776
31369455
31404958
AV6N 19G244 AA

Filter Type: Activated Carbon Filter
Height [mm]: 36
Length [mm]: 260
Width [mm]: 202

FC-0201JM

Fuel filter



FIAT DOBLO (119)
FIAT DOBLO Cassone / Furgonato / Promiscuo (263)
FIAT DOBLO MPV / Space wagon (152, 263)
FIAT DOBLO Pianale piatto/Telaio (263)
FIAT FIORINO Cassone / Furgonato / Promiscuo

OE
1578143
55702102
570309110108
570309110112
71772778
71772815

Diameter 1/ Diameter 2 [mm]: IN : 10 OUT : 8
Filter Type: In-Line Filter
Height [mm]: 205
Outer Diameter [mm]: 90

FC-138JM

Fuel filter



NISSAN QASHQAI
NISSAN QASHQAI (J11, J11_)
NISSAN X-TRAIL (T32)
RENAULT KADJAR
RENAULT KOLEOS II

OE
16400HV80A
164A0HV80A

Filter Type: Filter Insert
Fitted Diameter [mm]: 38,5
Height [mm]: 158,7
Height [mm]: 159
Inner Diameter [mm]: 18
Outer Diameter 1 [mm]: 98,2
Outer Diameter [mm]: 93,4
Outer Diameter [mm]: 98

FC-295JM

Fuel filter



MAZDA 3 (BK)
MAZDA 3 Tre volumi (BK)
MAZDA 323 F VI (BJ)
MAZDA 323 S VI (BJ)
MAZDA 6 (GG)
MAZDA 6 2 volumi /Coda spiovente (GH)

OE
23390-33010
23390-33020
23390-33030
23390-33060
23390-64450
23390-YZZAA

Filter Type: Screw-on Filter
Fitted Diameter [mm]: 65
Inner Thread [mm]: IN:3/4 x 16 OUT
Length [mm]: 124
Outer Diameter [mm]: 72

FC-320JM

Fuel filter



FORD C-MAX (DM2)
FORD FIESTA V (JHL, JD_)
FORD FIESTA Van
FORD FIESTA VI
FORD FIESTA VI Van
FORD FOCUS C-MAX

OE
1386 037
1386037
30783135
5M5Q 9155AA
Y603-13-480
Y603-13-480-9A

Diameter 1/ Diameter 2 [mm]: 10
Filter Type: In-Line Filter
Length [mm]: 107
Outer Diameter [mm]: 98

Filter

30538S

Fuel filter



FUSO (MITSUBISHI) CANTER
IRISBUS DAILY TOURYS
IVECO DAILY Cassone / Furgonato / Promiscuo
IVECO DAILY CITYS Autobus
IVECO DAILY Pianale piatto/Telaio
IVECO DAILY V Cassone / Furgonato /

OE

500054702
5801350522
5801354114
MK667920
ML239124

Filter Type: Filter Insert
Height [mm]: 164
Inner Diameter 1 [mm]: 11,5
Inner Diameter [mm]: 27
Outer Diameter [mm]: 67,3

FCE-020JM

Fuel filter



CHEVROLET CRUZE
CHEVROLET CRUZE (J300)
CHEVROLET CRUZE 2 volumi /Coda spiovente (J305)
CHEVROLET CRUZE Station Wagon (J308)
CHEVROLET MALIBU (V300)

OE

05818085
13263262
58 18 085

Filter Type: Filter Insert
Fitted Diameter [mm]: 39
Inner Diameter [mm]: 25
Length [mm]: 90
Outer Diameter [mm]: 78

FCE-033JM

Fuel filter



AUDI A3 (8P1)
AUDI A3 Sportback (8PA)
SEAT ALTEA (5P1)
SEAT ALTEA XL (5P5, 5P8)
SEAT LEON (1P1)
SEAT TOLEDO III (5P2)

OE

1K0 127 177 B
1K0 127 434 B
1K0127177B
1K0127434B
3C0127400D

Filter Type: Filter Insert
Fitted Diameter [mm]: 27
Inner Diameter [mm]: 19
Length [mm]: 114
Outer Diameter [mm]: 83
Technical Information Number:
MANN+HUMMEL system

FCE-096JM

Fuel filter



CITROEN BERLINGO (K9)
CITROEN BERLINGO Furgonato (K9)
CITROEN C-ELYSEE
CITROEN C3 AIRCROSS II
CITROEN C3 AIRCROSS II VAN (2C_ 2R_)
CITROEN C3 III (SX)

OE

093479473
3559103
3559106
93479473
98 202 263 80
9816182880

Filter Type: Filter Insert
Height [mm]: 66
Inner Diameter [mm]: 49
Outer Diameter [mm]: 95
Seal Diameter [mm]: 100
Supplementary Article/Supplementary Info 2:
With seal
Weight [kg]: 0,135

FCE-102JM

Fuel filter



MERCEDES-BENZ CLA (C118)
MERCEDES-BENZ CLA Shooting Brake (X118)
MERCEDES-BENZ CLASSE B (W247)
MERCEDES-BENZ CLASSE C (W205)
MERCEDES-BENZ CLASSE C (W206)
MERCEDES-BENZ CLASSE C Cabriolet (A205)

OE

654 092 00 05
654 092 01 00
6540920005
6540920100
A654 092 00 05
A654 092 01 00

Filter Type: Filter Insert
Height [mm]: 67,3
Outer Diameter [mm]: 107,6

FCE-103JM

Fuel filter



CITROEN JUMPER Autobus
CITROEN JUMPER Furgonato
CITROEN JUMPER Pianale piatto/Telaio
PEUGEOT BOXER Autobus
PEUGEOT BOXER Furgonato
PEUGEOT BOXER Pianale piatto/Telaio

OE

1638149580
1674210980
77368556
77368658

Diameter 3 [mm]: 9,3
Diameter [mm]: 78
Filter Type: Filter Insert
Height [mm]: 112,8
Inner Diameter 2 [mm]: 21

Filter

FCE-191JM

Fuel filter



FIAT TALENTO Furgonato
 FIAT TALENTO Kombi
 FIAT TALENTO Pianale piatto/Telaio
 MERCEDES-BENZ CLASSE X (470)
 MERCEDES-BENZ CLASSE X Pianale
 piatto/Telaio (470)

OE

000 090 02 00
 16 40 035 60R
 16 40 312 19R
 16 40 330 36R
 16 40 388 99R
 16 40 394 75R

Filter Type: Filter Insert
 Height [mm]: 144
 Outer Diameter 1 [mm]: 32
 Outer Diameter [mm]: 84
 Supplementary Article/Supplementary Info:
 with seal

3ECO105

Fuel filter



AUDI Q7 (4M)
 AUDI Q8 (4MN)
 VW TOUAREG (CR7)

OE

4M0 127 434 E
 4M0 127 434 H
 9A7.127.434.08

Filter Type: Filter Insert

3ECO106

Fuel filter



RENAULT ESPACE V
 RENAULT GRAND SCÉNIC IV
 RENAULT MEGANE IV
 RENAULT MEGANE IV Grandtour (K9A/M_)
 RENAULT SCÉNIC IV
 RENAULT TALISMAN

OE

164000637R
 165571618R

Filter Type: Filter Insert

3ECO191

Fuel filter



FIAT TALENTO Furgonato
 FIAT TALENTO Kombi
 FIAT TALENTO Pianale piatto/Telaio
 MERCEDES-BENZ CLASSE X (470)
 MERCEDES-BENZ CLASSE X Pianale
 piatto/Telaio (470)

OE

000 090 02 00
 16 40 035 60R
 16 40 312 19R
 16 40 330 36R
 16 40 388 99R
 16 40 394 75R

Filter Type: Filter Insert
 Height [mm]: 144
 Outer Diameter 1 [mm]: 32
 Outer Diameter [mm]: 84
 Supplementary Article/Supplementary Info:
 with seal

10034S

Oil Filter



GIOTTI VICTORIA GLADIATOR Furgonato

OE

1012100C0300

Filter Type: Screw-on Filter
 Fitted Diameter [mm]: 70
 Height [mm]: 68
 Thread Size: M18X,15

FO-051JM

Oil Filter



AUDI A1 (8X1, 8XF)
 AUDI A1 Sportback (8XA, 8XK)
 AUDI A3 (8P1)
 AUDI A3 Cabriolet (8P7)
 AUDI A3 Sportback (8PA)
 SEAT ALHAMBRA (710)

OE

03C 115 561 D
 03C 115 561 H

Bypass Valve Opening Pressure [bar]: 2,0
 Filter Type: Screw-on Filter
 Height [mm]: 97
 Outer Diameter [mm]: 76
 Supplementary Article/Supplementary Info 2:
 With two anti-return valves
 Thread Size: 3/4-16 UNF-1B

Filter

100900

Oil Filter



AUDI A1 (8X1, 8XF)
AUDI A1 CITY CARVER (GBH)
AUDI A1 Sportback (8XA, 8XK)
AUDI A1 Sportback (GBA)
AUDI A3 (8V1)
AUDI A3 Cabriolet (8V7)

OE

04E 115 561 AC
04E 115 561 B
04E 115 561 H
4E 115 561 AC
4E 115 561 B
4E 115 561 H

Filter Type: Screw-on Filter
For OE number: 04E 115 561 H
Height [mm]: 79
Outer Diameter [mm]: 76
Seal Diameter [mm]: 72
Weight [kg]: 0,315

FO-121JM

Oil Filter



DACIA LOGAN (LS_)
DACIA LOGAN II
DACIA LOGAN MCV II
DACIA SANDERO
DACIA SANDERO II
NISSAN KUBISTAR (X76)

OE

15208-00QAG
1520800QAG
7700112686
7700869029
8200257642
8671005907

Filter Type: Screw-on Filter
Fitted Diameter [mm]: 62
Inner Thread [mm]: M 20 X 1,5
Length [mm]: 59,5
Outer Diameter [mm]: 69

FOE-106JM

Oil Filter



DODGE CALIBER
INFINITI Q30
INFINITI Q50
INFINITI Q70 (Y51)
INFINITI QX30
JEEP COMPASS (MK49)

OE

1121840425
15209-HG00A
15209HG00A
651 180 00 09
651 180 01 09
651 180 03 09

Filter Type: Filter Insert
Fitted Diameter [mm]: 46,5
Inner Diameter [mm]: 32
Length [mm]: 115,5
Outer Diameter [mm]: 64,5

FOE-139JM

Oil Filter



CITROEN BERLINGO (B9)
CITROEN BERLINGO (MF)
CITROEN BERLINGO Furgonato (B9)
CITROEN BERLINGO Furgonato (M_)
CITROEN BERLINGO Pianale piatto/Telaio (B9)
CITROEN C-ELYSEE

OE

11 42 7 805 978
1109 AY
1109 S5
1109 T3
1109 Y1
1109 Y2

Filter Type: Filter Insert
Inner Diameter 1 [mm]: 20
Inner Diameter [mm]: 25,5
Length [mm]: 82,2
Outer Diameter [mm]: 64,6
Specification: con Guarnizione nera
Specification: per veicoli EURO 4/5

FOE-148JM

Oil Filter



CITROEN BERLINGO (K9)
CITROEN BERLINGO Furgonato (K9)
CITROEN C-ELYSEE
CITROEN C3 AIRCROSS II
CITROEN C3 III (SX)
CITROEN C3 III Van (SX_, SY_)

OE

03557009
155254505
16 247 977 80
16 806 824 80
1624797780
1680682480

Diameter [mm]: 64
Filter Type: Filter Insert
Fitted Diameter [mm]: 45
Height [mm]: 70,5
Inner Diameter 1 [mm]: 23,5
Inner Diameter [mm]: 31,5
Supplementary Article/Supplementary Info 2:
With seal

FOE-157JM

Oil Filter



AUDI A4 (8W2, B9)
AUDI A4 Avant (8W5, B9)
AUDI A5 Cabriolet
AUDI A5 Sportback (F5A)
AUDI A6 (C8, 4A2)
AUDI A6 Avant (C8, 4A5)

OE

05L 115 466
05L 115 562

Filter Type: Filter Insert

Filter

TECO165

Oil Filter



NISSAN NAVARA Pick-up (D23)
RENAULT ALASKAN

OE

16403-4KV0A
164034KV0A

Filter Type: Filter Insert
Gasket inner diameter: 75
Gasket outer diameter: 81
Height [mm]: 162
Inner Diameter [mm]: 11,0
Outer Diameter [mm]: 81,5
Supplementary Article/Supplementary Info 2:
With seal
Weight [kg]: 0,13

TECO166

Oil Filter



KIA SPORTAGE V (NQ5)

OE

26350-2J000

Filter Type: Filter Insert
Gasket inner diameter: 73,5
Gasket outer diameter: 79,9
Height [mm]: 64
Inner Diameter [mm]: 25
Outer Diameter [mm]: 66
Supplementary Article/Supplementary Info:
With add-on material
Supplementary Article/Supplementary Info:
with seal

FO-M02JM

Oil Filter



SMART FORTWO Cabrio (451)
SMART FORTWO Coupé (451)

OE

1230A040
132 180 00 10
132 180 01 10
A 132 180 01 10

Bypass Valve Opening Pressure [bar]: 1,0
Filter Type: Screw-on Filter
Gasket inner diameter: 54
Gasket outer diameter: 62
Height [mm]: 58
Outer Diameter [mm]: 66
Part number of the recommended special tools: LS 6/1
Supplementary Article/Supplementary Info 2:
With one anti-return valve
Thread Size: M 20 X 1.5

FTJ166

Hydraulic Filter, automatic transmission



HONDA ACCORD VIII (CU)
HONDA ACCORD VIII Station wagon
HONDA CR-V II (RD_)
HONDA CR-V III (RE)
HONDA CR-V IV (RE)
OPEL ASTRA CLASSIC (L48)

OE

0703478
0703478S1
25420RXH003
703478S1
90444592
90444592S1

Filter Type: Screen Filter

FTJ171

Hydraulic Filter, automatic transmission



TOYOTA AURIS (NZE18_, ZRE18_)
TOYOTA AURIS TOURING SPORTS (ADE18_,
ZWE18_, ZRE18_)
TOYOTA CH-R (NGX1, NGX5_, ZYX1_)
TOYOTA COROLLA Tre volumi (NRE18_, ZRE17_,
ZRE18_, NDE18_)

OE

35168-12091
35330-12050

Filter Type: Screen Filter

Filter

FTJ179 Hydraulic Filter, automatic transmission



SUBARU FORESTER (SJ)
SUBARU IMPREZA 2 volumi /Coda spiovente (GP)
SUBARU IMPREZA 2 volumi /Coda spiovente (GT_)
SUBARU IMPREZA Tre volumi (GJ)

OE
31835-AA030

Filter Type: Filter Insert
Height [mm]: 60,5
Inner Diameter [mm]: 23,2
Outer Diameter 1 [mm]: 54,5
Outer Diameter 2 [mm]: 50

FTJ180 Hydraulic Filter, automatic transmission



LEXUS UX (_AA1_, _AH1_)
TOYOTA C-HR VAN (_X1_)
TOYOTA CAMRY (_V7_, _VA7_, _VH7_)
TOYOTA CH-R (NGX1, NGX5_, ZYX1_)
TOYOTA COROLLA (_E21_)
TOYOTA COROLLA Station wagon (_E21_)

OE
35330-12080
35330-12090

Filter Type: Filter Insert
Specification: CAMBIO AUTOMATICO A

FTJ181 Hydraulic Filter, automatic transmission



TOYOTA HILUX Pick-up (GUN1_)
TOYOTA LAND CRUISER 150 (KDJ15_, GRJ15_)

OE
35168-71010
35168-71010 S1
35330-71010
35330-71010 S1

Filter Type: Screen Filter
Height [mm]: 72
Length [mm]: 217
Supplementary Article/Supplementary Info 2: with oil pan gasket
Weight [kg]: 0,405
Width [mm]: 167

Joints

AC-0004 Propshaft, axle drive



PIAGGIO PORTER Pianale piatto/Telaio

OE
CM038106

Length [cm]: 623
Outer Diameter 1 [mm]: 51

AC-0104 Propshaft, axle drive



AUDI Q7 (4L)
PORSCHE CAYENNE (955)
VW TOUAREG (7LA, 7L6, 7L7)

OE
7L0 521 101 H
7L0521101
7L0521101A
7L0521101B
7L0521101C
7L0521101D

Length [mm]: 632

Joins

AC-0105

Propshaft, axle drive



NISSAN SERENA (C23M)
NISSAN VANETTE CARGO Autobus (HC 23)
NISSAN VANETTE CARGO Furgonato (HC 23)

OE

370007C003
370009C504

Length [mm]: 833
Outer Diameter 1 [mm]: 50
Outer Diameter 2 [mm]: 35
Pitch Circle [mm]: 81,2

AC-0106

Propshaft, axle drive



NISSAN SERENA (C23M)
NISSAN VANETTE CARGO Autobus (HC 23)
NISSAN VANETTE CARGO Furgonato (HC 23)

OE

370007C001
370008C801
370009C001

Length [mm]: 673
Outer Diameter 1 [mm]: 50
Outer Diameter 2 [mm]: 35
Pitch Circle [mm]: 81,2

AC-0107

Propshaft, axle drive



NISSAN SERENA (C23M)
NISSAN VANETTE CARGO Autobus (HC 23)
NISSAN VANETTE CARGO Furgonato (HC 23)

OE

370007C002
370008C802
370009C002

Length [mm]: 769
Outer Diameter 1 [mm]: 50
Outer Diameter 2 [mm]: 35
Pitch Circle [mm]: 81,2

AC-0109

Propshaft, axle drive



NISSAN X-TRAIL (T30)

OE

370008H310
370008H510
370008H800

Length [mm]: 2035
Outer Diameter 1 [mm]: 50
Outer Diameter 2 [mm]: 50
Pitch Circle [mm]: 81,3
Pitch Circle 2 [mm]: 81,3

AC-0110

Propshaft, axle drive



HYUNDAI ix35 (LM, EL, ELH)

OE

49300-2S000

Length [mm]: 1980
Outer Diameter 1 [mm]: 16
Outer Diameter 2 [mm]: 45
Pitch Circle [mm]: 90
Pitch Circle 2 [mm]: 90

AC-0111

Propshaft, axle drive



MERCEDES-BENZ CLASSE M (W163)

OE

1634100301
1634100301-39
A1634100301
A1634100301-39

Fitting Position: Front
Length [mm]: 766
Outer Diameter 1 [mm]: 69,85
Outer Diameter 2 [mm]: 100
Pitch Circle [mm]: 95,18
Pitch Circle 2 [mm]: 86
Transmission Type: Automatic Transmission

Joins

AC-0112

Propshaft, axle drive



MERCEDES-BENZ CLASSE GL (X164)
 MERCEDES-BENZ CLASSE M (W164)
 MERCEDES-BENZ CLASSE R (W251, V251)

OE

1644100501
 1644100701
 A1644100501
 A1644100701

Length [mm]: 620
 Outer Diameter 1 [mm]: 95
 Outer Diameter 2 [mm]: 95
 Pitch Circle [mm]: 81,2
 Pitch Circle 2 [mm]: 81,2

AC-0113

Propshaft, axle drive



MERCEDES-BENZ CLASSE C (W204)
 MERCEDES-BENZ CLASSE GLK (X204)
 MERCEDES-BENZ CLASSE S (W221)
 MERCEDES-BENZ CLASSE S (W222, V222, X222)
 MERCEDES-BENZ CLASSE S Coupé (C217)
 MERCEDES-BENZ CLS (C218)

OE

2044101801
 2044102601
 2044106701
 204410670180
 2044106801
 2214101701

Length [mm]: 660
 Outer Diameter 1 [mm]: 96
 Pitch Circle [mm]: 78

AC-0114

Propshaft, axle drive



BMW 1 (E87)

OE

26117545280
 26117550770

Length [mm]: 1443

AC-0115

Propshaft, axle drive



BMW 3 (E90)
 BMW 3 Coupé (E92)
 BMW 3 Touring (E91)
 BMW X1 (E84)

OE

26207529294
 26207620520
 26207629987
 26208628042
 26209488491

Length [mm]: 738
 Outer Diameter 1 [mm]: 47
 Outer Diameter 2 [mm]: 47
 Pitch Circle [mm]: 77
 Pitch Circle 2 [mm]: 77

AC-0116

Propshaft, axle drive



BMW 5 (E60)
 BMW 5 Touring (E61)

OE

26207534636
 26209488490

Fitting Position: Front
 Length [mm]: 644
 Outer Diameter 1 [mm]: 47
 Outer Diameter 2 [mm]: 47
 Pitch Circle [mm]: 77
 Pitch Circle 2 [mm]: 77
 Transmission Type: Automatic Transmission
 Transmission Type: Manual Transmission

AC-0117

Propshaft, axle drive



BMW X3 (E83)

OE

26203401609

Length [mm]: 702
 Outer Diameter 1 [mm]: 47
 Outer Diameter 2 [mm]: 47
 Pitch Circle [mm]: 84
 Pitch Circle 2 [mm]: 84

Joints

AC-0118

Propshaft, axle drive



BMW X5 (E53)

OE

26201229606
26207508629

External Teeth, diff.side: 27
Outer Diameter 1 [mm]: 10
Overall Length [mm]: 774
Pitch Circle [mm]: 78

AC-0119

Propshaft, axle drive



JEEP GRAND CHEROKEE II (WJ, WG)

OE

52099499
52099499AD
52099499AF
52099499AG

Length 1 [mm]: 804
Length 2 [mm]: 840
Outer Diameter 1 [mm]: 100
Outer Diameter 2 [mm]: 100
Pitch Circle [mm]: 86
Pitch Circle 2 [mm]: 86

AC-0120

Propshaft, axle drive



JEEP CHEROKEE (KJ)
JEEP GRAND CHEROKEE II (WJ, WG)

OE

52099498AB
52099498AD
52099498AE

Length 1 [mm]: 805
Length 2 [mm]: 835
Outer Diameter 1 [mm]: 100
Outer Diameter 2 [mm]: 100
Pipe [mm]: 47
Pitch Circle [mm]: 86
Pitch Circle 2 [mm]: 86

AC-0121

Propshaft, axle drive



DODGE CALIBER
JEEP COMPASS (MK49)
JEEP PATRIOT (MK74)

OE

05273310AA
05273310AB
5273310AA
5273310AB
K05273310AA
K05273310AB

Length [mm]: 2020
Outer Diameter 1 [mm]: 46
Outer Diameter 2 [mm]: 42,7
Pitch Circle [mm]: 77,8

620101

Joint Kit, drive shaft



MINI MINI (R50, R53)
MINI MINI (R56)
MINI MINI Cabriolet (R52)
MINI MINI Cabriolet (R57)
MINI MINI CLUBMAN (R55)
MINI MINI Coupé (R58)

OE

31607585381
31607585382
31607596059
31607596060
31608605466
31608605467

External Teeth, wheel side: 26
Internal Teeth, wheel side: 26
Length [mm]: 145,5
Seal Diameter [mm]: 54
Thread Size: M22X1,5

620203

Joint Kit, drive shaft



FIAT PANDA (169)
FIAT PANDA (519, 312, 319)
FIAT PANDA Van (141_)
FIAT PANDA Van (169)
FIAT PANDA VAN (312, 519)

OE

55193595
55197051
55222107
55264146
552641461
552641462

Fitting Position: Transmission End
Length [mm]: 21
Number of splines on input shaft: 20
Outer Diameter [mm]: 86

Joins

620204 Joint Kit, drive shaft



CITROEN JUMPER Autobus
CITROEN JUMPER Furgonato
CITROEN JUMPER Pianale piatto/Telaio
FIAT DUCATO Autobus (250)
FIAT DUCATO Furgonato (250)
FIAT DUCATO Pianale piatto/Telaio (250)

OE
1349787080
1349790080
1355333080
1355334080
1357488080
1369959080

External Teeth, wheel side: 35
For OE number: 46308370
Internal Teeth, wheel side: 29
Length [mm]: 198
Seal Diameter [mm]: 71,5
Technical Information Number: Groove Type
Inner
Thread Size: M33X1,5

620205 Joint Kit, drive shaft




ALFA ROMEO 146 (930)
ALFA ROMEO 155 (167)
FIAT BARCHETTA (183)
FIAT BRAVA (182)
FIAT BRAVO I (182)
FIAT COUPE (FA/175)

OE
164001704701
5890430
60584659
60810018
60810224
7081660

External Teeth, wheel side: 25
Internal Teeth, wheel side: 25
Length [mm]: 143
Seal Diameter [mm]: 52
Technical Information Number: Groove Type
Inner
Thread Size: M24X1,5

620206 Joint Kit, drive shaft



FIAT DOBLO (119)
FIAT DOBLO Cargo (223)

OE
46307543
46307678

External Teeth, diff.side: 24
Int. teeth, diff.side, conn.to transm.: 24
Length [mm]: 479,5
Seal Diameter [mm]: 29,7

620208 Joint Kit, drive shaft



FIAT DOBLO MPV / Space wagon (152, 263)
FIAT STILO (192)
FIAT STILO Multi Wagon (192)
LANCIA DELTA III (844)

OE
46308070
46308922
60802035
71783512
71783514
71783876

External Teeth, wheel side: 25
Internal Teeth, wheel side: 26
Length [mm]: 149
Seal Diameter [mm]: 51
Thread Size: M24X1,5

620209 Joint Kit, drive shaft



FIAT REGATA (138)
FIAT REGATA Weekend
FIAT RITMO Cabriolet
FIAT RITMO I (138A)
FIAT RITMO II (138A)
FIAT UNO (146A/E)

OE
4393155
4393157
737319
7373193
7573193
7608632

External Teeth, wheel side: 22
Internal Teeth, wheel side: 25
Length [mm]: 154
Seal Diameter [mm]: 48,1
Technical Information Number: Groove Type
Inner
Thread Size: M20X1,5

620210 Joint Kit, drive shaft



OPEL CORSA D Van

OE
26119537

External Teeth, wheel side: 22
Internal Teeth, wheel side: 21
Length [mm]: 134
Seal Diameter [mm]: 51
Thread Size: M22X1,5

Joins

620211 Joint Kit, drive shaft



FIAT STRADA Pick-up (178E)

OE
46307366

External Teeth, wheel side: 22
Internal Teeth, wheel side: 22
Length [mm]: 150
Seal Diameter [mm]: 51
Thread Size: M22X1,5

620213 Joint Kit, drive shaft



ALFA ROMEO 156 (932)
ALFA ROMEO 156 Sportwagon (932)
FIAT STILO (192)
FIAT STILO Multi Wagon (192)
LANCIA DELTA III (844)
LANCIA LYBRA (839AX)

OE
46307522
60801882

External Teeth, diff.side: 25
Int. teeth, diff.side, conn.to transm.: 186
Length [mm]: 186
Seal Diameter [mm]: 32
Technical Information Number: TJ

620214 Joint Kit, drive shaft



ALFA ROMEO 156 (932)
ALFA ROMEO 156 Sportwagon (932)
FIAT STILO (192)
FIAT STILO Multi Wagon (192)
LANCIA DELTA III (844)
LANCIA LYBRA (839AX)

OE
46307865
60802017

External Teeth, diff.side: 25
Int. teeth, diff.side, conn.to transm.: 26
Length [mm]: 485
Seal Diameter [mm]: 29,8
Technical Information Number: TJ

620215 Joint Kit, drive shaft



ALFA ROMEO 145 (930)
ALFA ROMEO 146 (930)
ALFA ROMEO 155 (167)
ALFA ROMEO 166 (936)
ALFA ROMEO GTV (916C_)
ALFA ROMEO SPIDER (916S_)

OE
42601388
42601892

For OE number: 42601892
Int. teeth, diff.side, conn.to transm.: 25
Length [mm]: 32
Technical Information Number: VL

620217 Joint Kit, drive shaft



ALFA ROMEO 146 (930)
ALFA ROMEO 155 (167)
ALFA ROMEO 164 (164)
FIAT BARCHETTA (183)
FIAT BRAVA (182)
FIAT BRAVO I (182)

OE
60605055
60811033
7627971
7646402
7652958
7656949

External Teeth, wheel side: 25
Internal Teeth, wheel side: 25
Length [mm]: 143
Number of Teeth, ABS ring: 44
Seal Diameter [mm]: 52
Technical Information Number: Groove Type Inner
Thread Size: M24X1,5

620218 Joint Kit, drive shaft



ALFA ROMEO 156 (932)
ALFA ROMEO 156 Sportwagon (932)
ALFA ROMEO GT (937)
LANCIA LYBRA (839AX)
LANCIA LYBRA SW (839BX)

OE
46307301
46307309
46307901
7081591
77366004

External Teeth, wheel side: 25
Internal Teeth, wheel side: 25
Length [mm]: 143,3
Seal Diameter [mm]: 58,8
Thread Size: M24X1,5

Joins

620219 Joint Kit, drive shaft



ALFA ROMEO 159 (939)
ALFA ROMEO 159 Sportwagon (939)

OE

46308266
46308722
46308801
71771186

External Teeth, wheel side: 30
Internal Teeth, wheel side: 26
Length [mm]: 157,5
Seal Diameter [mm]: 61
Thread Size: M24X1,5

620220 Joint Kit, drive shaft



ALFA ROMEO 159 (939)
ALFA ROMEO 159 Sportwagon (939)
ALFA ROMEO BRERA
ALFA ROMEO SPIDER (939)

OE

4630798
46308235
46308710
46308798
50500529
50517138

External Teeth, wheel side: 30
Internal Teeth, wheel side: 27
Length [mm]: 158
Seal Diameter [mm]: 61
Thread Size: M24X1,5

620221 Joint Kit, drive shaft



FIAT FIORINO Furgonato (146)
FIAT FIORINO Pick up (146)
FIAT PALIO (178BX)
FIAT PALIO Weekend (178DX)
FIAT SIENA (178_)

OE

46307047
46307420
7079221
71720788
7758266

External Teeth, wheel side: 22
Internal Teeth, wheel side: 20
Length [mm]: 151,5
Seal Diameter [mm]: 52
Thread Size: M22X1,5

620223 Joint Kit, drive shaft



FIAT BRAVA (182)
FIAT BRAVO I (182)
FIAT MAREA (185)
FIAT MAREA Weekend (185)
FIAT PUNTO (176)
FIAT PUNTO Cabriolet (176C)

OE

46307080
7631082
7659161

External Teeth, wheel side: 22
Internal Teeth, wheel side: 20
Length [mm]: 127,5
Number of Teeth, ABS ring: 44
Seal Diameter [mm]: 46,8
Thread Size: M22X1,5

620224 Joint Kit, drive shaft




CITROEN JUMPER Autobus
CITROEN JUMPER Furgonato
CITROEN JUMPER Pianale piatto/Telaio
FIAT DUCATO Autobus (250)
FIAT DUCATO Furgonato (250)
FIAT DUCATO Pianale piatto/Telaio (250)

OE

1349786080
1349789080
3272PA
3272PC
3273PJ
3273PK

External Teeth, wheel side: 35
Internal Teeth, wheel side: 27
Length [mm]: 193,5
Seal Diameter [mm]: 71,5
Technical Information Number: Groove Type Inner
Thread Size: M33X1,5

620226 Joint Kit, drive shaft



FIAT CINQUECENTO (170)
FIAT CINQUECENTO VAN (170)
FIAT PANDA (169)
FIAT PANDA (519, 312, 319)
FIAT PANDA VAN (312, 519)
FIAT PUNTO (188)

OE

55183134
7672181

External Teeth, diff.side: 22
Int. teeth, diff.side, conn.to transm.: 19
Length [mm]: 150
Seal Diameter [mm]: 36

Joints

620227 Joint Kit, drive shaft



ALFA ROMEO MITO (955)
FIAT 500 (312)
FIAT 500 C (312)
FIAT 500L
FIAT GRANDE PUNTO (199)
FIAT IDEA

OE

51787864
51905706
51905707
51929168

External Teeth, diff.side: 22
Int. teeth, diff.side, conn.to transm.: 21
Length [mm]: 154,5
Seal Diameter [mm]: 36

620228 Joint Kit, drive shaft



OPEL COMBO Cassone / Furgonato / Promiscuo (X12)

OE

55209968

External Teeth, diff.side: 24
Int. teeth, diff.side, conn.to transm.: 24
Length [mm]: 479,5
Seal Diameter [mm]: 29,7

620229 Joint Kit, drive shaft



FIAT LINEA (323)
FIAT PANDA (169)
FIAT PANDA (519, 312, 319)
FIAT PANDA VAN (312, 519)
FIAT STILO (192)
FIAT TIPO (356)

OE

46307884
46775436
55182803
7702606

External Teeth, diff.side: 22
Int. teeth, diff.side, conn.to transm.: 22
Length [mm]: 155
Seal Diameter [mm]: 36

620230 Joint Kit, drive shaft



ALFA ROMEO 159 (939)
ALFA ROMEO 159 Sportwagon (939)
FIAT BRAVO Van (198)
LANCIA DELTA III (844)

OE

55221323
55256720
71771199

External Teeth, diff.side: 25
Int. teeth, diff.side, conn.to transm.: 26
Length [mm]: 169,5
Seal Diameter [mm]: 32

620231 Joint Kit, drive shaft



FIAT BRAVO II (198)
FIAT CROMA (194)
LANCIA DELTA III (844)

OE

55199295
71791757

External Teeth, diff.side: 25
Int. teeth, diff.side, conn.to transm.: 26
Length [mm]: 172
Seal Diameter [mm]: 34,9

620232 Joint Kit, drive shaft



FIAT CROMA (194)

OE

51742366

External Teeth, diff.side: 25
Int. teeth, diff.side, conn.to transm.: 26
Length [mm]: 543
Seal Diameter [mm]: 34,9

Joins

620233 Joint Kit, drive shaft



FIAT FIORINO Cassone / Furgonato / Promiscuo (225)
FIAT FIORINO MPV / Space wagon (225_)
FIAT QUBO (225)

OE
55197717

External Teeth, diff.side: 25
Int. teeth, diff.side, conn.to transm.: 23
Length [mm]: 497
Seal Diameter [mm]: 34,9

620234 Joint Kit, drive shaft



FIAT DOBLO Cassone / Furgonato / Promiscuo (263)
FIAT DOBLO MPV / Space wagon (152, 263)
FIAT DOBLO Pianale piatto/Telaio (263)

OE
55214684

External Teeth, diff.side: 25
Int. teeth, diff.side, conn.to transm.: 26
Length [mm]: 542
Seal Diameter [mm]: 29,7

620235 Joint Kit, drive shaft



ALFA ROMEO 166 (936)
LANCIA KAPPA SW (838B)

OE
46307299
60815163

External Teeth, wheel side: 27
Internal Teeth, wheel side: 28
Length [mm]: 146,5
Seal Diameter [mm]: 59
Thread Size: M24X1,5

620238 Joint Kit, drive shaft



CITROEN EVASION (22, U6)
FIAT SCUDO Combinato (220P)
FIAT SCUDO Furgonato (220L)
FIAT SCUDO Pianale piatto/Telaio (220_)
LANCIA ZETA (220)
PEUGEOT EXPERT (224)

OE
9619947580
9619947588
9619947680
9619947688
9621456388
9621456488

External Teeth, wheel side: 27
Internal Teeth, wheel side: 34
Length [mm]: 137
Number of Teeth, ABS ring: 48
Seal Diameter [mm]: 59
Technical Information Number: Groove Type Inner
Thread Size: M24X1,5

620239 Joint Kit, drive shaft



ABARTH PUNTO EVO (199_)
ALFA ROMEO MITO (955)
FIAT 500L
FIAT BRAVO Van (198)
FIAT GRANDE PUNTO (199)
FIAT LINEA (323)

OE
46308463
46308551
46308629
46308706
46308759
46308915

External Teeth, wheel side: 25
Internal Teeth, wheel side: 25
Length [mm]: 145,5
Seal Diameter [mm]: 51,1
Thread Size: M24X1,5

620240 Joint Kit, drive shaft



ALFA ROMEO MITO (955)
FIAT GRANDE PUNTO (199)

OE
71745011
71789090

External Teeth, wheel side: 25
Internal Teeth, wheel side: 33
Length [mm]: 145,5
Seal Diameter [mm]: 51,1
Technical Information Number: Groove Type Inner
Thread Size: M24X1,5

Joints

620241 Joint Kit, drive shaft



CITROEN C8 (EA_, EB_)
FIAT ULYSSE (179AX)
LANCIA PHEDRA (179)
PEUGEOT 807 (E)

OE
1485695080
9645249280

External Teeth, wheel side: 27
Internal Teeth, wheel side: 29
Length [mm]: 152
Seal Diameter [mm]: 58
Thread Size: M24X1,5

620242 Joint Kit, drive shaft



ALFA ROMEO MITO (955)
CITROEN JUMPER Autobus
CITROEN JUMPER Furgonato
CITROEN JUMPER Pianale piatto/Telaio
FIAT DUCATO Autobus (250)
FIAT DUCATO Furgonato (250)

OE
1349788080
3272PG
46308335
46308488
46308499
46308787

External Teeth, diff.side: 41
Int. teeth, diff.side, conn.to transm.: 29
Length [mm]: 179
Seal Diameter [mm]: 43

620245 Joint Kit, drive shaft



ALFA ROMEO GIULIETTA (940)
ALFA ROMEO GIULIETTA Furgonato (940_)

OE
46308677
53345186
71771177

External Teeth, wheel side: 27
Internal Teeth, wheel side: 25
Length [mm]: 145,5
Seal Diameter [mm]: 59
Thread Size: M24X1,5

620246 Joint Kit, drive shaft



ALFA ROMEO GIULIETTA (940)
FIAT DOBLO Cassone / Furgonato / Promiscuo (263)
FIAT DOBLO Pianale piatto/Telaio (263)
LANCIA DELTA III (844)

OE
46308564
46308682
46308795
59259001
59259157
68189930AA

External Teeth, wheel side: 27
Internal Teeth, wheel side: 27
Length [mm]: 148,5
Seal Diameter [mm]: 59
Thread Size: M24X1,5

620247 Joint Kit, drive shaft



FIAT 500X
FIAT DOBLO Cassone / Furgonato / Promiscuo (263)
FIAT DOBLO MPV / Space wagon (152, 263)
FIAT DOBLO Pianale piatto/Telaio (263)
JEEP RENEGADE Fuoristrada chiuso

OE
374939
374945
46307834
46307934
46308648
46308773

External Teeth, wheel side: 27
Internal Teeth, wheel side: 26
Length [mm]: 147,5
Seal Diameter [mm]: 59
Thread Size: M24X1,5

620249 Joint Kit, drive shaft



CITROEN C5 III (RD_)
CITROEN C5 III Break (TD_)
CITROEN JUMPY
CITROEN JUMPY Furgonato
CITROEN JUMPY Pianale piatto/Telaio
FIAT SCUDO (270_)

OE
1497191088
1497192088
3272NK
3273NK
9686348580

External Teeth, wheel side: 28
Internal Teeth, wheel side: 34
Length [mm]: 147
Seal Diameter [mm]: 58,5
Technical Information Number: Groove Type Inner
Thread Size: M24X1,5

Joins

620250 Joint Kit, drive shaft



FIAT PANDA (519, 312, 319)
FIAT PANDA VAN (312, 519)
LANCIA YPSILON (312, 846)

OE
46308702
59259181

External Teeth, wheel side: 25
Fitting Position: Wheel Side
Internal Teeth, wheel side: 22
Length [mm]: 138,5
Seal Diameter [mm]: 51
Technical Information Number: Groove Type Inner
Thread Size: M24X1,5

620251 Joint Kit, drive shaft



FIAT PANDA (519, 312, 319)
FIAT PANDA VAN (312, 519)

OE
77366260

External Teeth, wheel side: 25
Internal Teeth, wheel side: 29
Machined: Without groove in internal component
Material: Elastomer
Outer Diameter [mm]: 72,3
Seal Diameter [mm]: 51
Standard: 8 Balls/Sfere
Thread Size: M24 x 1,5

620302 Joint Kit, drive shaft



FORD FIESTA V (JHL, JD_)
FORD FIESTA Van
FORD FUSION (JU_)
FORD KA
FORD KA + Tre volumi

OE
1142787
1537377
2S613A327AA
2S613A327AB
2S6W3A327AB
GG1122510A

External Teeth, wheel side: 25
Internal Teeth, wheel side: 20
Length [mm]: 141
Seal Diameter [mm]: 52,9
Thread Size: M22X1,5

620303 Joint Kit, drive shaft



FORD FOCUS (DAW, DBW)
FORD FOCUS Station wagon (DNW)

OE
1S4W3B413AA
4166906

External Teeth, wheel side: 25
Internal Teeth, wheel side: 24
Length [mm]: 147
Seal Diameter [mm]: 52,6
Thread Size: M22X1,5

620304 Joint Kit, drive shaft



FORD GALAXY (WGR)
FORD GALAXY MK I VAN (WGR)
SEAT ALHAMBRA (7V8, 7V9)
SEAT ALHAMBRA VAN (7V8, 7V9)
VW SHARAN (7M8, 7M9, 7M6)
VW SHARAN VAN (7M_)

OE
1111900
1202578
7M0407321B
7M0498099A
7M0498099AX
7M0498340AX

External Teeth, wheel side: 38
Internal Teeth, wheel side: 36
Length [mm]: 106,5
Number of Teeth, ABS ring: 48
Seal Diameter [mm]: 60
Technical Information Number: Groove Type Inner
Thread Size: M16X1,5

Joints

620305 Joint Kit, drive shaft



FORD TOURNEO CONNECT
FORD TRANSIT CONNECT (P65_, P70_, P80_)

OE

1329584
1329586
1383753
1451463
1477380
1501261

External Teeth, wheel side: 25
Internal Teeth, wheel side: 26
Length [mm]: 159
Seal Diameter [mm]: 53,3
Thread Size: M22X1,5

620306 Joint Kit, drive shaft



VOLVO S70 (LS)
VOLVO S80 II (AS)
VOLVO V70 II (SW)
VOLVO XC90 I

OE

30614441
31216176

Length [mm]: 22,6
Number of splines on input shaft: 19
Outer Diameter [mm]: 86

620307 Joint Kit, drive shaft



VOLVO XC90 I

OE

30713272
31216175

Length [mm]: 23,5
Number of splines on input shaft: 24
Outer Diameter [mm]: 78

620308 Joint Kit, drive shaft



FORD B-MAX (JK)
FORD B-MAX Van
FORD FIESTA V (JHL_, JD_)
FORD FIESTA VI
FORD FIESTA VI Van
FORD KA Van (RB)

OE

1539142
1763563
1802807
1837849
1840169
1840175

External Teeth, wheel side: 25
Internal Teeth, wheel side: 23
Length [mm]: 143
Seal Diameter [mm]: 53,3
Thread Size: M22X1,5

620309 Joint Kit, drive shaft



FORD B-MAX (JK)
FORD B-MAX Van
FORD FIESTA VI
FORD FIESTA VII
FORD FIESTA VII Van

OE

1763562
1790563
1837850
1840087
2112409
2118141

External Teeth, wheel side: 25
Internal Teeth, wheel side: 24
Length [mm]: 147
Seal Diameter [mm]: 53,2
Thread Size: M22X1,5

620310 Joint Kit, drive shaft



FORD C-MAX II
FORD FOCUS III
FORD FOCUS III Turnier
FORD GRAND C-MAX
FORD TOURNEO CONNECT / GRAND TOURNEO
CONNECT Kombi

OE

1692096
1692097
1840093
1909741
AV613A327CA
AV613A328CA

External Teeth, wheel side: 27
Internal Teeth, wheel side: 26
Length [mm]: 158,5
Seal Diameter [mm]: 63
Thread Size: M22X1,5

Joins

620311 Joint Kit, drive shaft



FORD C-MAX II
 FORD C-MAX II Van
 FORD FOCUS III
 FORD FOCUS III Cassone / coda spiovente
 FORD FOCUS III Tre volumi
 FORD FOCUS III Turnier

OE
 1797214
 1797218

External Teeth, wheel side: 27
 Internal Teeth, wheel side: 26
 Length [mm]: 155
 Seal Diameter [mm]: 62,8
 Thread Size: M22X1,5

620312 Joint Kit, drive shaft



FIAT 500 (312)
 FIAT 500 C (312)
 FIAT PANDA (169)
 FIAT PANDA (519, 312, 319)
 FIAT PANDA Van (141_)
 FIAT PANDA Van (169)

OE
 1538689
 9S513B414AA

External Teeth, wheel side: 22
 Internal Teeth, wheel side: 20
 Length [mm]: 61,5
 Outer Diameter [mm]: 65

620313 Joint Kit, drive shaft



FORD GALAXY (WA6)
 FORD MONDEO IV (BA7)
 FORD MONDEO IV Tre volumi (BA7)
 FORD MONDEO IV Turnier (BA7)
 FORD S-MAX
 FORD S-MAX (WA6)

OE
 1417222
 1437736
 1446223
 1446227
 1459738
 1460786

External Teeth, wheel side: 40
 Internal Teeth, wheel side: 28
 Length [mm]: 114
 Seal Diameter [mm]: 57,4
 Thread Size: M10X1,5
 Transmission Type: Automatic Transmission

62036 Joint Kit, drive shaft



DR DR 5

OE

Braking / Drive Dynamics: For vehicles with ABS
 External Teeth, wheel side: 26
 Fitting Position: Wheel Side
 Internal Teeth, wheel side: 25
 Number of Teeth, ABS ring: 48
 Overall Length [mm]: 161
 Seal Diameter [mm]: 55
 Thread Size: M22 X 1,5

620400 Joint Kit, drive shaft




FIAT CROMA (194)
 OPEL ASTRA GTC J
 OPEL ASTRA H (L48)
 OPEL ASTRA H Furgonato (L70)
 OPEL ASTRA H GTC (L08)
 OPEL ASTRA H Station wagon (L35)

OE
 0374843
 1603234
 1603275
 46308230
 93173410
 93182576

External Teeth, wheel side: 30
 Internal Teeth, wheel side: 26
 Length [mm]: 160
 Seal Diameter [mm]: 53,8
 Thread Size: M24X1,5

Joints

620401 Joint Kit, drive shaft



OPEL CORSA B (73_, 78_, 79_)
OPEL CORSA C (F08, F68)
OPEL CORSA C Furgonato (F08, W5L)

OE

0374053
0374368
26060699
26067600
374053
374368

External Teeth, wheel side: 22
Internal Teeth, wheel side: 28
Length [mm]: 150
Number of Teeth, ABS ring: 29
Seal Diameter [mm]: 52
Thread Size: M20X1

620402 Joint Kit, drive shaft




OPEL ASCONA C (81_, 86_, 87_, 88_)
OPEL ASCONA C 2 volumi /Coda spiovente (84_, 89_)
OPEL ASTRA F (56_, 57_)
OPEL ASTRA F 2 volumi /Coda spiovente (53_, 54_, 58_, 5)

OE

0374118
0374195
1603237
374048
374067
37408

External Teeth, diff.side: 34
Int. teeth, diff.side, conn.to transm.: 25
Length [mm]: 141,8
Seal Diameter [mm]: 35

620403 Joint Kit, drive shaft




OPEL ASTRA CLASSIC (L48)
OPEL ASTRA CLASSIC Station wagon
OPEL ASTRA CLASSIC Tre volumi
OPEL ASTRA H (L48)
OPEL ASTRA H Furgonato (L70)
OPEL ASTRA H GTC (L08)

OE

0374672
13296186
1603274
374672
93182543

External Teeth, wheel side: 33
Internal Teeth, wheel side: 24
Length [mm]: 157
Seal Diameter [mm]: 53
Thread Size: M22X1,5

620404 Joint Kit, drive shaft



OPEL ASCONA C (81_, 86_, 87_, 88_)
OPEL ASTRA G 2 volumi /Coda spiovente (F48_, F08_)
OPEL ASTRA G Cabriolet (F67)
OPEL ASTRA G CLASSIC (T98)
OPEL ASTRA G Coupe (F07_)

OE

0374003
374430
90538595
93176549

External Teeth, wheel side: 33
Internal Teeth, wheel side: 25
Length [mm]: 170
Seal Diameter [mm]: 52
Thread Size: M20X1

620405 Joint Kit, drive shaft



OPEL AGILA (A) (H00)

OE

4410185E50
4410285E50
4707438
93180229

External Teeth, wheel side: 25
Fitting Position: Front Axle
Fitting Position: Wheel Side
Internal Teeth, wheel side: 21
Length [mm]: 142,5
Number of Teeth, ABS ring: 43
Seal Diameter [mm]: 49
Thread Size: M18X1,5
Transmission Type: Manual Transmission, 5-speed

Joints

620406 Joint Kit, drive shaft



OPEL ASTRA CLASSIC (L48)
OPEL ASTRA H (L48)
OPEL ASTRA H Station wagon (L35)
OPEL ASTRA H Tre volumi (L69)
OPEL ASTRA J
OPEL ASTRA J Sports Tourer

OE

0374130
13296193
1603236
1603272
374130
374674

External Teeth, diff.side: 34
Int. teeth, diff.side, conn.to transm.: 25
Length [mm]: 101
Seal Diameter [mm]: 35

620407 Joint Kit, drive shaft




OPEL COMBO Cassone / Furgonato / Promiscuo
OPEL COMBO Tour
OPEL CORSA C (F08, F68)
OPEL MERIVA
OPEL TIGRA TwinTop

OE

0374403
09201725
374403
9201725

External Teeth, wheel side: 22
Internal Teeth, wheel side: 23
Length [mm]: 158,5
Number of Teeth, ABS ring: 29
Seal Diameter [mm]: 52
Thread Size: M20X1

620408 Joint Kit, drive shaft



OPEL COMBO Cassone / Furgonato / Promiscuo
OPEL COMBO Tour
OPEL CORSA C (F08, F68)
OPEL CORSA C Furgonato (F08, W5L)
OPEL MERIVA

OE

1603261
1603398
91380019
93180019
93187468

External Teeth, wheel side: 33
Internal Teeth, wheel side: 24
Length [mm]: 168
Number of Teeth, ABS ring: 29
Seal Diameter [mm]: 52
Thread Size: M20X1

620409 Joint Kit, drive shaft




OPEL ADAM
OPEL AGILA (A) (H00)
OPEL CORSA D
OPEL CORSA D Van
OPEL CORSA E
OPEL CORSA E Van

OE

1603321
1603413
93190195
95518274
95520771

External Teeth, diff.side: 22
Int. teeth, diff.side, conn.to transm.: 21
Length [mm]: 150,5
Seal Diameter [mm]: 35

620411 Joint Kit, drive shaft



OPEL ASTRA CLASSIC (L48)
OPEL ASTRA CLASSIC Station wagon
OPEL ASTRA CLASSIC Tre volumi
OPEL ASTRA H (L48)
OPEL ASTRA H Furgonato (L70)
OPEL ASTRA H GTC (L08)

OE

1603270
93182571
93182577
93185428

External Teeth, wheel side: 33
Internal Teeth, wheel side: 26
Length [mm]: 159,5
Seal Diameter [mm]: 52,5
Thread Size: M22X1,5

620412 Joint Kit, drive shaft



OPEL ASTRA CLASSIC (L48)
OPEL ASTRA CLASSIC Station wagon
OPEL ASTRA CLASSIC Tre volumi
OPEL ASTRA H (L48)
OPEL ASTRA H Furgonato (L70)
OPEL ASTRA H GTC (L08)

OE

13296181
1603273
374671
93182575

External Teeth, wheel side: 33
Internal Teeth, wheel side: 22
Length [mm]: 149,5
Seal Diameter [mm]: 53
Thread Size: M22X1,5

Joints

620413 Joint Kit, drive shaft




OPEL ASTRA J
OPEL ASTRA J Sports Tourer
OPEL ASTRA J Tre volumi

OE
0374646

External Teeth, wheel side: 33
Internal Teeth, wheel side: 23
Length [mm]: 153,5
Seal Diameter [mm]: 52,5
Technical Information Number: Original design
Thread Size: M22X1,5

620502 Joint Kit, drive shaft



MERCEDES-BENZ CLA Coupé (C117)
MERCEDES-BENZ CLA Shooting Brake (X117)
MERCEDES-BENZ CLASSE A (W176)
MERCEDES-BENZ CLASSE B (W246, W242)
MERCEDES-BENZ CLASSE GLA (X156)

OE
2463600075
2463600175
2463604001
2463605101
2463605201
A2463600075

External Teeth, wheel side: 30
Internal Teeth, wheel side: 27
Length [mm]: 114,5
Seal Diameter [mm]: 65
Thread Size: M16X1,5

620603 Joint Kit, drive shaft



CITROEN BERLINGO (MF)
CITROEN BERLINGO Furgonato (M_)
CITROEN C3 Picasso
CITROEN XSARA (N1)
CITROEN XSARA Break (N2)
CITROEN XSARA Cassone / coda spiovente

OE
3272FG
3272KL
3272LE
3272LP

External Teeth, wheel side: 25
For OE number: 3272FG
Internal Teeth, wheel side: 34
Length [mm]: 134
Number of Teeth, ABS ring: 48
Seal Diameter [mm]: 58,5
Technical Information Number: Groove Type Inner
Thread Size: M24X1,5

620604 Joint Kit, drive shaft



CITROEN NEMO Furgonato (AA_)
CITROEN NEMO Station wagon
PEUGEOT BIPPER (AA_)
PEUGEOT BIPPER Tepee

OE
1607735380
1608901980
3272SL
3273TC

External Teeth, wheel side: 25
Internal Teeth, wheel side: 22
Length [mm]: 141,5
Seal Diameter [mm]: 51
Thread Size: M24X1,5

620605 Joint Kit, drive shaft



CITROEN C2 (JM_)
CITROEN C3 I (FC_)
CITROEN C3 II
CITROEN C3 Pluriel (HB_)
PEUGEOT 1007 (KM_)
PEUGEOT 207 (WA_, WC_)

OE
3272EQ
3272ER
3272EX
3272FR
3272HY
3272KJ

External Teeth, wheel side: 21
Internal Teeth, wheel side: 22
Length [mm]: 140,5
Seal Diameter [mm]: 48
Technical Information Number: Groove Type Inner
Thread Size: M20X1,5

Joints

620606 Joint Kit, drive shaft



PEUGEOT 206 2 volumi /Coda spiovente (2A/C)
 PEUGEOT 206 SW (2E/K)
 PEUGEOT 206 Tre volumi
 PEUGEOT 206 Van
 PEUGEOT 206+ (T3E)

OE
 3272CS
 3272XJ
 3273CS

External Teeth, wheel side: 21
 Internal Teeth, wheel side: 21
 Length [mm]: 140
 Number of Teeth, ABS ring: 48
 Seal Diameter [mm]: 48,5
 Technical Information Number: Groove Type
 Inner
 Thread Size: M20X1,5

620607 Joint Kit, drive shaft



CITROEN BERLINGO (MF)
 CITROEN XSARA (N1)
 CITROEN XSARA Break (N2)
 CITROEN XSARA Cassone / coda spiovente
 CITROEN XSARA Coupe (N0)
 CITROEN XSARA Furgonato

OE
 3272FP
 32739Z

External Teeth, wheel side: 25
 Internal Teeth, wheel side: 34
 Length [mm]: 134
 Number of Teeth, ABS ring: 29
 Seal Diameter [mm]: 58,5
 Technical Information Number: Groove Type
 Inner
 Thread Size: M24X1,5

620609 Joint Kit, drive shaft



CITROEN BERLINGO (K9)
 CITROEN BERLINGO Furgonato (B9)
 CITROEN BERLINGO Furgonato (K9)
 CITROEN C4 CACTUS
 CITROEN C4 Grand Picasso II
 CITROEN C4 Picasso II

OE
 1610561580
 1611142680
 1612862980
 1613306680
 1617300580
 1631813280

External Teeth, wheel side: 28
 Internal Teeth, wheel side: 34
 Length [mm]: 149
 Seal Diameter [mm]: 59
 Technical Information Number: Groove Type
 Inner
 Thread Size: M22X1,5

620610 Joint Kit, drive shaft




CITROEN C3 AIRCROSS II
 CITROEN C3 AIRCROSS II VAN (2C_, 2R_)
 CITROEN C3 III (SX)
 CITROEN C3 III Van (SX_, SY_)
 CITROEN C3 Picasso
 CITROEN C4 CACTUS

OE
 1613489780
 1613732480
 3642355
 3642359
 3642360
 3642361

External Teeth, wheel side: 25
 Internal Teeth, wheel side: 34
 Length [mm]: 55,5
 Seal Diameter [mm]: 58,5
 Thread Size: M24X1,5

620611 Joint Kit, drive shaft



CITROEN C2 (JM_)
 CITROEN C3 I (FC_)
 CITROEN C3 II
 CITROEN C4 CACTUS
 CITROEN DS3
 CITROEN DS3 Cabriolet

OE
 3272NR
 3272PR
 3272VP
 3273NR
 3273WA

External Teeth, wheel side: 21
 Internal Teeth, wheel side: 34
 Length [mm]: 142
 Seal Diameter [mm]: 48,3
 Technical Information Number: Groove Type
 Inner
 Thread Size: M20X1,5

620612 Joint Kit, drive shaft



CITROEN C3 II
 CITROEN C3 III (SX)
 CITROEN C3 III Van (SX_, SY_)
 CITROEN C4 CACTUS
 CITROEN C4 CACTUS Van (0B_, 0P_)
 CITROEN DS3

OE
 1611524280
 9677476580
 9801048580
 9825391880

External Teeth, wheel side: 21
 Internal Teeth, wheel side: 34
 Length [mm]: 142
 Seal Diameter [mm]: 56
 Technical Information Number: Groove Type
 Inner
 Thread Size: M20X1,5

Joints

620613 Joint Kit, drive shaft



CITROEN C4 III
DS DS 3 CROSSBACK (U_)
OPEL CORSA F
OPEL MOKKA
PEUGEOT 2008 II (U_)
PEUGEOT 208 II (UB_, UP_, UW_, UJ_)

OE

1647577580
9824359680
9824878280
9825390980
9825391080
9825392880

External Teeth, wheel side: 25
Internal Teeth, wheel side: 34
Length [mm]: 140
Seal Diameter [mm]: 55,7
Technical Information Number: Groove Type
Inner
Thread Size: M24X1,5

620700 Joint Kit, drive shaft



RENAULT CLIO Grandtour (KR0/1_)
RENAULT CLIO III (BR0/1, CR0/1)
RENAULT CLIO III Furgonato (SB_, SR_)
RENAULT CLIO IV
RENAULT MODUS / GRAND MODUS (F/JPO_)
RENAULT TWINGO II (CN0_)

OE

8200341698
8200378880
8200482429
8200684084

External Teeth, wheel side: 23
Internal Teeth, wheel side: 28
Length [mm]: 138
Seal Diameter [mm]: 49
Technical Information Number: Groove Type
Inner
Thread Size: M20X1,5

620703 Joint Kit, drive shaft




DACIA LOGAN EXPRESS (FS_)
DACIA LOGAN MCV (KS_)
RENAULT CLIO Grandtour (KR0/1_)
RENAULT CLIO III (BR0/1, CR0/1)
RENAULT CLIO III Furgonato (SB_, SR_)

OE

820011225
8200261840
8200261841
8200482435
8200511225
8200557125

External Teeth, wheel side: 23
Internal Teeth, wheel side: 29
Length [mm]: 143
Seal Diameter [mm]: 49
Technical Information Number: Groove Type
Inner
Thread Size: M20X1,5

620704 Joint Kit, drive shaft



RENAULT GRAND SCÉNIC II (JM0/1_)
RENAULT SCÉNIC II (JM0/1_)

OE

8200216519
8200216523
8200432517
8200623806

External Teeth, wheel side: 25
Length [mm]: 146
Seal Diameter [mm]: 52,6
Technical Information Number: Groove Type
Inner
Thread Size: M20X1,5

620705 Joint Kit, drive shaft



DACIA DUSTER
DACIA DUSTER Furgonato
RENAULT CAPTUR
RENAULT FLUENCE (L30_)
RENAULT GRAND SCÉNIC II (JM0/1_)
RENAULT GRAND SCÉNIC III (JZ0/1_)

OE

8200198016
8200436366
8200790517
8201030262

External Teeth, wheel side: 25
Length [mm]: 149,5
Seal Diameter [mm]: 53
Technical Information Number: Groove Type
Inner
Thread Size: M20X1,5

620706 Joint Kit, drive shaft



RENAULT CAPTUR
RENAULT FLUENCE (L30_)
RENAULT MEGANE III 2 volumi /Coda spiovente (BZ0_)
RENAULT MEGANE III Coupé (DZ0/1_)
RENAULT MEGANE III Grandtour (KZ0/1)

OE

7711497435
8200724499
8200725499
8200725500
8201353624

External Teeth, wheel side: 25
Internal Teeth, wheel side: 33
Length [mm]: 148
Seal Diameter [mm]: 52,7
Technical Information Number: Groove Type
Inner
Thread Size: M20X1,5

Joints

620707 Joint Kit, drive shaft



DACIA DOKKER
 DACIA DOKKER Express
 DACIA LODGY
 RENAULT DOKKER
 RENAULT FLUENCE (L30_)
 RENAULT GRAND SCÉNIC III (JZ0/1_)

OE

391003112R
 391004751R
 391006276R
 391011406R
 391013387R
 391014021R

External Teeth, wheel side: 25
 Internal Teeth, wheel side: 23
 Length [mm]: 149
 Seal Diameter [mm]: 52,5
 Thread Size: M20X1,5

620708 Joint Kit, drive shaft



DACIA LOGAN (LS_)
 DACIA LOGAN MCV (KS_)
 DACIA SANDERO
 RENAULT LOGAN I (LS_)
 RENAULT SANDERO/STEPWAY I

OE

8200985010

External Teeth, wheel side: 21
 Internal Teeth, wheel side: 28
 Length [mm]: 137,5
 Seal Diameter [mm]: 49
 Technical Information Number: Groove Type Inner
 Thread Size: M20X1,5

620709 Joint Kit, drive shaft



DACIA LOGAN (LS_)
 DACIA LOGAN II
 DACIA LOGAN MCV II
 DACIA SANDERO
 DACIA SANDERO II
 LADA LARGUS (KS0_, RS0_, KSA_)

OE

391011434R
 391018662R
 391019117R

External Teeth, wheel side: 23
 Internal Teeth, wheel side: 28
 Length [mm]: 138
 Seal Diameter [mm]: 49
 Technical Information Number: Groove Type Inner
 Thread Size: M20X1,5

620710 Joint Kit, drive shaft



RENAULT TWINGO III
 SMART FORFOUR 2 volumi /Coda spiovente (453)
 SMART FORTWO Cabriolet (453)
 SMART FORTWO Coupé (453)

OE

396002941R
 396002998R
 396003780R
 396008196R
 4533503500
 4533503600

External Teeth, wheel side: 33
 Fitting Position: Rear Axle Left
 Fitting Position: Rear Axle Right
 Fitting Position: Wheel Side
 Internal Teeth, wheel side: 20
 Length [mm]: 96,5
 Seal Diameter [mm]: 49,2
 Thread Size: M10X1,5
 Transmission Type: Manual Transmission, 5-speed

620900 Joint Kit, drive shaft



AUDI A4 (8K2, B8)
 AUDI A4 Allroad (8KH, B8)
 AUDI A4 Avant (8K5, B8)
 AUDI A5 (8T3)
 AUDI A5 Cabriolet (8F7)
 AUDI A5 Sportback (8TA)

OE

8K0407305D
 8K0407305F
 8K0407305H
 8K0498099
 8K0498099C
 8K0498099CX

Bellows Material: Polychloroprene (Neoprene)
 External Teeth, wheel side: 42
 Length [mm]: 88,5
 Seal Diameter [mm]: 76,5
 Thread Size: M16X1,5

Joins

620901 Joint Kit, drive shaft																								
	AUDI 100 (43, C2) AUDI 100 (44, 44Q, C3) AUDI 100 (4A, C4) AUDI 100 Avant (43, C2) AUDI 100 Avant (44, 44Q, C3) AUDI 100 Avant (4A, C4)	<table border="1"> <thead> <tr> <th>OE</th> <th>Bore [mm]: 10,20</th> </tr> </thead> <tbody> <tr> <td>251 598 101 A</td> <td>Fitting Position: Transmission End</td> </tr> <tr> <td>431 498 103 C</td> <td>Int. teeth, diff.side, conn.to conn.shaft: 28</td> </tr> <tr> <td>431 498 103 CX</td> <td>Joint Diameter (mm): 108,0</td> </tr> <tr> <td>431 498 104 CX</td> <td>Joint Type: Disc Joint</td> </tr> <tr> <td>431498103C</td> <td>Length [mm]: 32,0</td> </tr> <tr> <td>443 498 103 A</td> <td>Machined: Without groove in internal component</td> </tr> <tr> <td></td> <td>Number of Bores: 6</td> </tr> <tr> <td></td> <td>Pitch Circle [mm]: 94,00</td> </tr> <tr> <td></td> <td>Supplementary Article/Supplementary Info 2: With screws</td> </tr> <tr> <td></td> <td>Thread Size: M10x1,5x48</td> </tr> </tbody> </table>	OE	Bore [mm]: 10,20	251 598 101 A	Fitting Position: Transmission End	431 498 103 C	Int. teeth, diff.side, conn.to conn.shaft: 28	431 498 103 CX	Joint Diameter (mm): 108,0	431 498 104 CX	Joint Type: Disc Joint	431498103C	Length [mm]: 32,0	443 498 103 A	Machined: Without groove in internal component		Number of Bores: 6		Pitch Circle [mm]: 94,00		Supplementary Article/Supplementary Info 2: With screws		Thread Size: M10x1,5x48
OE	Bore [mm]: 10,20																							
251 598 101 A	Fitting Position: Transmission End																							
431 498 103 C	Int. teeth, diff.side, conn.to conn.shaft: 28																							
431 498 103 CX	Joint Diameter (mm): 108,0																							
431 498 104 CX	Joint Type: Disc Joint																							
431498103C	Length [mm]: 32,0																							
443 498 103 A	Machined: Without groove in internal component																							
	Number of Bores: 6																							
	Pitch Circle [mm]: 94,00																							
	Supplementary Article/Supplementary Info 2: With screws																							
	Thread Size: M10x1,5x48																							
620902 Joint Kit, drive shaft																								
	SEAT CORDOBA (6K1, 6K2) SEAT CORDOBA (6K2) SEAT CORDOBA Vario (6K5) SEAT IBIZA II (6K1) SEAT IBIZA III (6K1) SEAT INCA (6K9)	<table border="1"> <thead> <tr> <th>OE</th> <th>External Teeth, wheel side: 22</th> </tr> </thead> <tbody> <tr> <td>171407311F</td> <td>For OE number: 191498099</td> </tr> <tr> <td>171407311J</td> <td>Internal Teeth, wheel side: 30</td> </tr> <tr> <td>171498099A</td> <td>Length [mm]: 129,5</td> </tr> <tr> <td>171498099C</td> <td>Seal Diameter [mm]: 53</td> </tr> <tr> <td>191407311</td> <td>Technical Information Number: Groove Type Inner</td> </tr> <tr> <td>191407311H</td> <td>Thread Size: M20X1,5</td> </tr> </tbody> </table>	OE	External Teeth, wheel side: 22	171407311F	For OE number: 191498099	171407311J	Internal Teeth, wheel side: 30	171498099A	Length [mm]: 129,5	171498099C	Seal Diameter [mm]: 53	191407311	Technical Information Number: Groove Type Inner	191407311H	Thread Size: M20X1,5								
OE	External Teeth, wheel side: 22																							
171407311F	For OE number: 191498099																							
171407311J	Internal Teeth, wheel side: 30																							
171498099A	Length [mm]: 129,5																							
171498099C	Seal Diameter [mm]: 53																							
191407311	Technical Information Number: Groove Type Inner																							
191407311H	Thread Size: M20X1,5																							
620903 Joint Kit, drive shaft																								
	SEAT AROSA (6H) VW LUPO (6X1, 6E1) VW POLO (6N1) VW POLO (6N2)	<table border="1"> <thead> <tr> <th>OE</th> <th>External Teeth, wheel side: 22</th> </tr> </thead> <tbody> <tr> <td>6X0498099</td> <td>Internal Teeth, wheel side: 30</td> </tr> <tr> <td>6X0498099X</td> <td>Length [mm]: 138,5</td> </tr> <tr> <td></td> <td>Seal Diameter [mm]: 53</td> </tr> <tr> <td></td> <td>Technical Information Number: Groove Type Inner</td> </tr> <tr> <td></td> <td>Thread Size: M20X1,5</td> </tr> </tbody> </table>	OE	External Teeth, wheel side: 22	6X0498099	Internal Teeth, wheel side: 30	6X0498099X	Length [mm]: 138,5		Seal Diameter [mm]: 53		Technical Information Number: Groove Type Inner		Thread Size: M20X1,5										
OE	External Teeth, wheel side: 22																							
6X0498099	Internal Teeth, wheel side: 30																							
6X0498099X	Length [mm]: 138,5																							
	Seal Diameter [mm]: 53																							
	Technical Information Number: Groove Type Inner																							
	Thread Size: M20X1,5																							
620905 Joint Kit, drive shaft																								
	AUDI A3 (8L1) SEAT CORDOBA (6K1, 6K2) SEAT CORDOBA (6K2) SEAT CORDOBA Vario (6K5) SEAT IBIZA II (6K1) SEAT IBIZA III (6K1)	<table border="1"> <thead> <tr> <th>OE</th> <th>Fitting Position: Transmission End</th> </tr> </thead> <tbody> <tr> <td>191498104</td> <td>For OE number: 191498104</td> </tr> <tr> <td>191498104A</td> <td>Int. teeth, diff.side, conn.to transm.: 33</td> </tr> <tr> <td>321498103C</td> <td>Length [mm]: 34</td> </tr> <tr> <td>321498103CV</td> <td></td> </tr> <tr> <td>321498103CX</td> <td></td> </tr> <tr> <td>357498104</td> <td></td> </tr> </tbody> </table>	OE	Fitting Position: Transmission End	191498104	For OE number: 191498104	191498104A	Int. teeth, diff.side, conn.to transm.: 33	321498103C	Length [mm]: 34	321498103CV		321498103CX		357498104									
OE	Fitting Position: Transmission End																							
191498104	For OE number: 191498104																							
191498104A	Int. teeth, diff.side, conn.to transm.: 33																							
321498103C	Length [mm]: 34																							
321498103CV																								
321498103CX																								
357498104																								
620906 Joint Kit, drive shaft																								
	AUDI 80 Avant (8C, B4) AUDI A2 (8Z0) AUDI A3 (8L1) AUDI A3 (8P1) AUDI A3 (8V1) AUDI A3 Cabriolet (8P7)	<table border="1"> <thead> <tr> <th>OE</th> <th>Fitting Position: Transmission End</th> </tr> </thead> <tbody> <tr> <td>191498103</td> <td>For OE number: 191498103</td> </tr> <tr> <td>191498103A</td> <td>Int. teeth, diff.side, conn.to transm.: 33</td> </tr> <tr> <td>191498103C</td> <td>Length [mm]: 34</td> </tr> <tr> <td>191498103CV</td> <td>Supplementary Article/Supplementary Info 2: With screws</td> </tr> <tr> <td>191498103CX</td> <td></td> </tr> <tr> <td>191498104C</td> <td></td> </tr> </tbody> </table>	OE	Fitting Position: Transmission End	191498103	For OE number: 191498103	191498103A	Int. teeth, diff.side, conn.to transm.: 33	191498103C	Length [mm]: 34	191498103CV	Supplementary Article/Supplementary Info 2: With screws	191498103CX		191498104C									
OE	Fitting Position: Transmission End																							
191498103	For OE number: 191498103																							
191498103A	Int. teeth, diff.side, conn.to transm.: 33																							
191498103C	Length [mm]: 34																							
191498103CV	Supplementary Article/Supplementary Info 2: With screws																							
191498103CX																								
191498104C																								

Joins

620907 Joint Kit, drive shaft




AUDI A2 (8Z0)
AUDI A3 (8L1)
AUDI A4 (8E2, B6)
AUDI TT (8N3)
AUDI TT Roadster (8N9)
SEAT CORDOBA (6L2)

OE

1J0407341D
1J0407341F
1J0498103K
1J0498103KV
1J0498103KX
JJ0498103K

Int. teeth, diff.side, conn.to transm.: 30
Length [mm]: 57,6
Technical Information Number: AAR

620908 Joint Kit, drive shaft



AUDI A3 (8L1)
AUDI A4 (8E2, B6)
AUDI A4 (8EC, B7)
AUDI A4 Avant (8E5, B6)
AUDI A4 Avant (8ED, B7)
AUDI A4 Cabriolet (8H7, B6, 8HE, B7)

OE

1308629
3M217L606EA
4E0498103
4E0498103X
7M3498103
7M3498103H

For OE number: 1308629
Int. teeth, diff.side, conn.to transm.: 34
Length [mm]: 82
Technical Information Number: Non-Original design
Technical Information Number: TJ

620909 Joint Kit, drive shaft



AUDI A4 (8E2, B6)
AUDI A4 (8EC, B7)
AUDI A4 Avant (8E5, B6)
AUDI A4 Avant (8ED, B7)
AUDI A4 B7 Cabriolet (8HE)
AUDI A4 Cabriolet (8H7, B6, 8HE, B7)

OE

8E0498099E
8E0498099EX
8E0498099F
8E0498099FX

External Teeth, wheel side: 38
Internal Teeth, wheel side: 27
Length [mm]: 97,5
Number of Teeth, ABS ring: 45
Seal Diameter [mm]: 59,5
Standard: Two
Technical Information Number: Original design
Thread Size: M16X1,5

620910 Joint Kit, drive shaft



SEAT CORDOBA (6L2)
SEAT IBIZA IV (6L1)
SKODA FABIA (6Y2)
VW POLO (9N_)

OE

6Q0407311D
6Q0498099F
6Q0498099FX

External Teeth, wheel side: 36
Internal Teeth, wheel side: 27
Length [mm]: 140
Seal Diameter [mm]: 50,75
Technical Information Number: Groove Type Inner
Thread Size: M16X1,5

620911 Joint Kit, drive shaft



SEAT CORDOBA (6K1, 6K2)
SEAT CORDOBA (6K2)
SEAT CORDOBA Vario (6K5)
SEAT IBIZA II (6K1)
SEAT INCA (6K9)
SEAT TOLEDO I (1L)

OE

191407311B
191407311C
191407311F
191407311J
191407311L
191497311J

External Teeth, wheel side: 22
Internal Teeth, wheel side: 30
Length [mm]: 139
Seal Diameter [mm]: 53,2
Technical Information Number: Groove Type Inner
Thread Size: M20X1,5

Joints

620912
Joint Kit, drive shaft


SKODA FAVORIT (781)
 SKODA FAVORIT Forman (785)
 SKODA FAVORIT Pick-up (787)
 SKODA FELICIA Cube Van (6U5)
 SKODA FELICIA I (6U1)
 SKODA FELICIA I Fun (797)

OE

115420170
 115420174
 115420214
 115420217
 441072651586
 441072651706

External Teeth, wheel side: 22
 Internal Teeth, wheel side: 22
 Length [mm]: 135,5
 Seal Diameter [mm]: 45
 Technical Information Number: Groove Type
 Inner
 Thread Size: M20X1,5

620913
Joint Kit, drive shaft


AUDI A3 (8P1)
 AUDI A3 (8V1)
 AUDI A3 Cabriolet (8P7)
 AUDI A3 Cabriolet (8V7)
 AUDI A3 Limousine (8VS)
 AUDI A3 Limousine (8YS)

OE

1K0498099F
 1K0498099G
 1K0498099GX
 1K0498099M
 1K0498099MX
 2Q0498099L

External Teeth, wheel side: 36
 Fitting Position: Wheel Side
 Internal Teeth, wheel side: 27
 Length [mm]: 105
 Seal Diameter [mm]: 59,5
 Thread Size: M16X1,5


620915
Joint Kit, drive shaft


SEAT AROSA (6H)
 SEAT CORDOBA (6K1, 6K2)
 SEAT CORDOBA (6K2)
 SEAT CORDOBA Vario (6K5)
 SEAT IBIZA II (6K1)
 SEAT IBIZA III (6K1)

OE

171407331C
 171407331E
 171407331L
 171498103B
 171498103D
 171498103DV

Int. teeth, diff.side, conn.to transm.: 33
 Length [mm]: 32

620916
Joint Kit, drive shaft


AUDI A1 (8X1, 8XF)
 AUDI A1 Sportback (8XA, 8XK)
 AUDI A3 (8L1)
 AUDI A3 (8P1)
 AUDI A3 (8V1)
 AUDI A3 Cabriolet (8P7)

OE

377498103E
 6R0498103
 6R0498103X
 6X0407331
 6X0498103

For OE number: 377498103E
 Int. teeth, diff.side, conn.to transm.: 33
 Length [mm]: 34
 Supplementary Article/Supplementary Info 2:
 with lock tab
 Supplementary Article/Supplementary Info 2:
 With screws
 Technical Information Number: Original
 design

620917
Joint Kit, drive shaft


AUDI 80 (89, 89Q, 8A, B3)
 AUDI 80 (8C, B4)
 AUDI 80 Avant (8C, B4)
 AUDI 90 (81, 85, B2)
 AUDI 90 (89, 89Q, 8A, B3)
 AUDI CABRIOLET (8G7, B4)

OE

893407305N
 893498099M
 893498099MX
 895407305B
 895498099A
 895498099H

External Teeth, wheel side: 33
 Internal Teeth, wheel side: 30
 Length [mm]: 93
 Number of Teeth, ABS ring: 45
 Seal Diameter [mm]: 53
 Technical Information Number: Groove Type
 Inner
 Thread Size: M14X1,5

Joints

620920 Joint Kit, drive shaft



VW FOX (5Z1, 5Z3)
VW POLO Tre volumi (9A4)

OE
6QE407311C
6QE498099B

External Teeth, wheel side: 36
Internal Teeth, wheel side: 30
Length [mm]: 123
Seal Diameter [mm]: 52
Technical Information Number: Groove Type Inner
Thread Size: M16X1,5

620921 Joint Kit, drive shaft




VW MULTIVAN V (7HM, 7HN, 7HF, 7EF, 7EM, 7EN)
VW TRANSPORTER V Autobus (7HB, 7HJ, 7EB, 7EJ, 7EF)
VW TRANSPORTER V Furgonato (7HA, 7HH, 7EA, 7EH)

OE
7H0407321
7H0407321C
7H0407321D
7H0498099A
7H0498099B
7H0498099BX

External Teeth, wheel side: 38
Internal Teeth, wheel side: 29
Length [mm]: 172,5
Seal Diameter [mm]: 63
Technical Information Number: Six balls
Thread Size: M20X1,5

620922 Joint Kit, drive shaft




AUDI A3 (8P1)
AUDI A3 (8V1)
AUDI A3 Cabriolet (8P7)
AUDI A3 Cabriolet (8V7)
AUDI A3 Limousine (8VS)
AUDI A3 Limousine (8YS)

OE
2Q0498099M
2Q0498099MX
5K0407311
5M0498099
5M0498099A
5M0498099AX

External Teeth, wheel side: 36
Length [mm]: 99,5
Seal Diameter [mm]: 59,5
Technical Information Number: Groove Type Inner
Thread Size: M16X1,5

620926 Joint Kit, drive shaft




AUDI A1 (8X1, 8XF)
AUDI A1 CITY CARVER (GBH)
AUDI A1 Sportback (8XA, 8XK)
AUDI A1 Sportback (GBA)
AUDI A3 (8L1)
AUDI A3 (8P1)

OE
1K0407331
1K0498103A
1K0498103AX

Fitting Position: Transmission End
For OE number: 1K0407331
Int. teeth, diff.side, conn.to transm.: 28
Length [mm]: 32
Technical Information Number: Non-Original design

620927 Joint Kit, drive shaft



AUDI A3 (8L1)
AUDI A4 (8E2, B6)
AUDI A4 Avant (8E5, B6)
AUDI A4 Cabriolet (8H7, B6, 8HE, B7)
AUDI A6 (4B2, C5)
AUDI A6 Avant (4B5, C5)

OE
1J0498103J
1J0498103JX
4B0198103
4B0498103
4B0498103X
8E0407272BA

For OE number: 1J0498103J
Int. teeth, diff.side, conn.to transm.: 34
Length [mm]: 82
Technical Information Number: Original design
Technical Information Number: TJ

620929 Joint Kit, drive shaft



SEAT ALHAMBRA (710)
VW CADDY III Furgonato (2KA, 2KH, 2CA, 2CH)
VW CADDY III Station wagon (2KB, 2KJ, 2CB, 2CJ)
VW PASSAT (362)
VW PASSAT Cassone / Furgonato / Promiscuo

OE
7N0 498 099 C
7N0 498 099 CX
7N0 498 099 X
7N0498099A
7N0498099AX
7N0498099B

External Teeth, wheel side: 36
Internal Teeth, wheel side: 28
Length [mm]: 105
Seal Diameter [mm]: 59,5
Technical Information Number: Groove Type Inner
Technical Information Number: Six balls
Thread Size: M16X1,5

Joints

620933 Joint Kit, drive shaft



AUDI A4 (8W2, B9)
AUDI A4 Avant (8W5, B9)
AUDI A5
AUDI A5 Cabriolet
AUDI A5 Sportback (F5A)
AUDI A6 (C8, 4A2)

OE
4M0407305A
8W0498099

External Teeth, wheel side: 42
Internal Teeth, wheel side: 29
Length [mm]: 94,0
Seal Diameter [mm]: 76,50
Technical Information Number: Eight balls
Technical Information Number: Groove Type Inner
Thread Size: M16X1,5

620934 Joint Kit, drive shaft



SEAT IBIZA V (KJ1)
SKODA FABIA IV (PJ3)
VW LOAD UP
VW POLO (AW1)
VW UP

OE
2Q0498099
2Q0498099X

External Teeth, wheel side: 36
Internal Teeth, wheel side: 23
Length [mm]: 130
Seal Diameter [mm]: 52
Technical Information Number: Groove Type Middle
Thread Size: M16X1,5

620935 Joint Kit, drive shaft



SKODA CITIGO
VW UP

OE
1S0498099A
1S0498099AX

External Teeth, wheel side: 22
Internal Teeth, wheel side: 23
Length [mm]: 136
Seal Diameter [mm]: 46
Technical Information Number: Groove Type Middle
Thread Size: M20X1,5

620936 Joint Kit, drive shaft



SEAT Mii (KF1_)
SKODA CITIGO
VW LOAD UP
VW UP

OE
1S0498099

External Teeth, wheel side: 22
Internal Teeth, wheel side: 26
Length [mm]: 131
Seal Diameter [mm]: 46
Thread Size: M20X1,5

621030 Joint Kit, drive shaft



NISSAN QASHQAI
NISSAN QASHQAI (J11, J11_)
NISSAN X-TRAIL (T32)
RENAULT KADJAR

OE
C92114EB0A

External Teeth, wheel side: 29
Internal Teeth, wheel side: 28
Length [mm]: 170
Seal Diameter [mm]: 62
Specification: Inner groove
Thread Size: M24x1,5

621032 Joint Kit, drive shaft



OE
391004BA1D
C92114ED0A

External Teeth, wheel side: 29
Internal Teeth, wheel side: 26
Length [mm]: 162,5
Seal Diameter [mm]: 62
Technical Information Number: Groove Type Inner
Thread Size: M24X1,5

Joins

622000 Joint Kit, drive shaft



OE

43420K0060
4346009U60
434708Z008

External Teeth, wheel side: 26
Internal Teeth, wheel side: 21
Length [mm]: 147,5
Seal Diameter [mm]: 55,6
Thread Size: M22X1,5

62490 Joint Kit, drive shaft




HONDA CIVIC VIII Tre volumi (FD, FA)

OE

44305SMJG01
44306SMJG01

External Teeth, wheel side: 28
Fitting Position: Wheel Side
Internal Teeth, wheel side: 35
Overall Length [mm]: 149
Seal Diameter [mm]: 63
Thread Size: M24X1,5

62626 Joint Kit, drive shaft



DAIHATSU TERIOS (J2_)

OE

43410B4010
43420B4010

External Teeth, wheel side: 24
Fitting Position: Wheel Side
Internal Teeth, wheel side: 22
Length [mm]: 171
Seal Diameter [mm]: 53,5

62850 Joint Kit, drive shaft



FIAT SEDICI
SUZUKI SX4 (EY, GY)
SUZUKI SX4 Tre volumi (GY)

OE

4410179JC0
4410280J10
4410280J11

External Teeth, wheel side: 28
Fitting Position: Front Axle Left
Internal Teeth, wheel side: 29
Length [mm]: 147
Outer Diameter [mm]: 73
Seal Diameter [mm]: 59,5
Specification: Inner groove
Thread Size: M22x1,5

62921 Joint Kit, drive shaft



JEEP GRAND CHEROKEE III (WH, WK)
JEEP GRAND CHEROKEE IV (WK, WK2)

OE

52104590AA
52104701AB
K52104590AA
K52104701AB

External Teeth, wheel side: 29
Fitting Position: Wheel Side
Internal Teeth, wheel side: 36
Overall Length [mm]: 171,5
Seal Diameter [mm]: 70
Thread Size: M24 X 2

62922 Joint Kit, drive shaft



DODGE NITRO
JEEP CHEROKEE (KK)

OE

5189278AA
5189279AA

External Teeth, wheel side: 32
Internal Teeth, wheel side: 35
Length [mm]: 179
Seal Diameter [mm]: 57
Specification: Outer groove
Thread Size: M24X2

Joins

62H43 Joint Kit, drive shaft



HYUNDAI MATRIX (FC)

OE

4950017100
4950117100

Braking / Drive Dynamics: For vehicles with ABS
External Teeth, wheel side: 25
Fitting Position: Wheel Side
Internal Teeth, wheel side: 23
Number of Teeth, ABS ring: 44
Overall Length [mm]: 151
Seal Diameter [mm]: 50

62H44 Joint Kit, drive shaft



HYUNDAI ATOS (MX)

OE

4950705A00

External Teeth, wheel side: 25
Fitting Position: Wheel Side
Internal Teeth, wheel side: 20
Length [mm]: 151
Number of Teeth, ABS ring: 38
Seal Diameter [mm]: 50
Specification: CON ANELLO ABS
Thread Size: M22X1,5

62H47 Joint Kit, drive shaft



HYUNDAI ACCENT IV Tre volumi (RB)

OE

495251R700
495261R700

External Teeth, wheel side: 25
Fitting Position: Front Axle
Fitting Position: Wheel Side
Internal Teeth, wheel side: 24
Length [mm]: 159
Number of Teeth, ABS ring: 48
Seal Diameter [mm]: 53
Thread Size: M22x1,5
Transmission Type: 9-Speed Dual-Clutch Transmission

62H48 Joint Kit, drive shaft



HYUNDAI i20 (GB)
HYUNDAI i20 ACTIVE (GB)
HYUNDAI i20 Coupe

OE

49525C7401
59526C7401

External Teeth, wheel side: 25
Fitting Position: Front Axle
Fitting Position: Wheel Side
Internal Teeth, wheel side: 23
Length [mm]: 151
Seal Diameter [mm]: 53
Thread Size: M22x1,5
Transmission Type: 6-Speed manual transmission, operated automatically

62H53 Joint Kit, drive shaft



HYUNDAI IONIQ
HYUNDAI KONA (OS)

OE

49525G4700
49525G5000
49525J9100
49525J9400
49526J9400
495L1CM000

External Teeth, wheel side: 27
Internal Teeth, wheel side: 24
Length [mm]: 154,5
Seal Diameter [mm]: 60
Specification: Middle groove
Thread Size: M22x1,5

Joins

62K26 Joint Kit, drive shaft



KIA CARNIVAL I (UP)
KIA CARNIVAL II (GQ)

OE

Braking / Drive Dynamics: For vehicles without ABS
External Teeth, wheel side: 28
Fitting Position: Wheel Side
Internal Teeth, wheel side: 24
Overall Length [mm]: 160
Seal Diameter [mm]: 56

62K28 Joint Kit, drive shaft



KIA CARNIVAL I (UP)
KIA CARNIVAL II (GQ)

OE

Braking / Drive Dynamics: For vehicles with ABS
External Teeth, wheel side: 28
Fitting Position: Wheel Side
Internal Teeth, wheel side: 24
Number of Teeth, ABS ring: 54
Overall Length [mm]: 156
Seal Diameter [mm]: 56

62K29 Joint Kit, drive shaft



KIA RIO II (JB)
KIA RIO II Tre volumi (JB)

OE

49500-1G100
49500-1G111
49500-25302
49500-25312
49591-1G000
49591-1G010

External Teeth, wheel side: 25
Fitting Position: Wheel Side
Internal Teeth, wheel side: 24
Length [mm]: 158
Number of Teeth, ABS ring: 48
Seal Diameter [mm]: 50

62K30 Joint Kit, drive shaft



HYUNDAI i30 (FD)
HYUNDAI i30 CW (FD)
KIA CEE'D
KIA CEE'D 2 volumi /Coda spiovente (ED)
KIA CEE'D SW (ED)
KIA CEE'D Sportswagon

OE

495002H002
495002H010
495002H011
495012H002
495012H011

Braking / Drive Dynamics: For vehicles with ABS
External Teeth, wheel side: 27
Fitting Position: Wheel Side
Internal Teeth, wheel side: 22
Length [mm]: 149
Number of Teeth, ABS ring: 46
Seal Diameter [mm]: 60

62K37 Joint Kit, drive shaft



HYUNDAI ACCENT Tre volumi (HC)
KIA PICANTO (JA)

OE

49525G6400
49525H5000
49526G6400
49526H5000

External Teeth, wheel side: 25
Fitting Position: Wheel Side
Internal Teeth, wheel side: 22
Length [mm]: 148,5
Seal Diameter [mm]: 52,5
Thread Size: M22X1,5

62K38 Joint Kit, drive shaft



HYUNDAI i10 (AC3, A13)
HYUNDAI i10 (IA)
HYUNDAI i20 (GB)
HYUNDAI i20 Coupe
HYUNDAI i20 Hatchback Van (GB, IB)

OE

49526C8001

External Teeth, wheel side: 25
Internal Teeth, wheel side: 21
Length [mm]: 148,5
Number of Teeth, ABS ring: 48
Seal Diameter [mm]: 52,5
Thread Size: M22X1,5

Joints

62K39 Joint Kit, drive shaft



KIA PICANTO (JA)

OE

49525G6000
49525G6300
49526G6000
49526G6300

External Teeth, wheel side: 25
Internal Teeth, wheel side: 21
Length [mm]: 150
Seal Diameter [mm]: 53
Thread Size: M22X1,5

62L23 Joint Kit, drive shaft



LAND ROVER DISCOVERY I (LJ, LG)
LAND ROVER RANGE ROVER I (AE, AN, HAA, HAB,
HAM, HBM, RE, RN)

OE

RTC5843

Fitting Position: Wheel Side

62L24 Joint Kit, drive shaft



LAND ROVER 90 (LDV)
LAND ROVER DEFENDER Cabrio (LD)
LAND ROVER DEFENDER Pick-up (LD_)
LAND ROVER DEFENDER Station Wagon (LD)
LAND ROVER DISCOVERY I (LJ, LG)
LAND ROVER RANGE ROVER I (AE, AN, HAA, HAB,

OE

STC3051
TDB500280
TDJ000010

External Teeth, wheel side: 24
Fitting Position: Wheel Side
Internal Teeth, wheel side: 32
Length [mm]: 211
Number of Teeth, ABS ring: 60
Outer Diameter [mm]: 93
Seal Diameter [mm]: 67
Thread Size: M11 X 1,5

62L25 Joint Kit, drive shaft



LAND ROVER FREELANDER 2 (FA_)

OE

36000363
36000716
36001194
LR003159
LR005870

External Teeth, wheel side: 40
Fitting Position: Wheel Side
Internal Teeth, wheel side: 27
Length [mm]: 116
Seal Diameter [mm]: 57

62L27 Joint Kit, drive shaft



LAND ROVER DEFENDER Station Wagon (L663)
LAND ROVER DISCOVERY V (LR_)
LAND ROVER RANGE ROVER IV (LG)
LAND ROVER RANGE ROVER SPORT (LW)

OE

CPLA4K327AA
DPLA4K327AA
LR034511
LR079502

External Teeth, wheel side: 31
Fitting Position: Front Axle left and right
Fitting Position: Wheel Side
Internal Teeth, wheel side: 28
Length [mm]: 158
Seal Diameter [mm]: 68,2
Thread Size: M24

62W35 Joint Kit, drive shaft



CHEVROLET SPARK
CHEVROLET SPARK (M300)

OE

94564013
94564015
9H2423B

External Teeth, wheel side: 22
Fitting Position: Wheel Side
Internal Teeth, wheel side: 20
Length [mm]: 148
Number of Teeth, ABS ring: 47
Seal Diameter [mm]: 52
Transmission Type: Manual Transmission

Mounting

73261
Ball Joint


TOYOTA LAND CRUISER (VDJ20_, UZJ20_)
TOYOTA LAND CRUISER V8

OE

4806860030*
4806960030*

Cone Size [mm]: 20,2
Diameter [mm]: 54,3
Fitting Position: Lower Front Axle
Thread Measurement 1: MM18x1,5R

73265
Ball Joint


CITROEN BERLINGO (K9)
CITROEN BERLINGO Furgonato (K9)
OPEL COMBO Cassone / Furgonato / Promiscuo (X19)
OPEL COMBO MPV / Space wagon (X19)
PEUGEOT PARTNER Furgonato (K9)

OE

9831088580
SU001B1566

Cone Size [mm]: 16,7
Fitting Position: Lower Front Axle
Thread Measurement 1: MM14X1,5R

72030L
Track Control Arm


DR DR 4.0
DR DR 5.0 SUV
DR DR F35 SUV

OE

202000228AA
3360200048
3360200078

Cone Size [mm]: 15
Fitting Position: Front Axle Left
Outer Thread 1 [mm]: M 14X1,5 mm
Paired article numbers: 72-00-030R
Paired article numbers: 72030R
Paired article numbers: BS-030R
Steering Type: Control Arm

72030R
Track Control Arm


DR DR 4.0
DR DR 5.0 SUV
DR DR F35 SUV

OE

202000229AA
3360200049
3360200079

Cone Size [mm]: 15
Fitting Position: Front Axle Right
Outer Thread 1 [mm]: M 14X1,5 mm
Paired article numbers: 72-00-030L
Paired article numbers: 72030L
Paired article numbers: BS-030L
Steering Type: Control Arm

72190L
Track Control Arm


NISSAN QASHQAI III (J12)

OE

54501 6UA0A

Bar/Strut: Push Rod
Cone Size [mm]: 20
Fitting Position: Front Axle Left
Material: Aluminium
Paired article numbers: 72-01-190R
Paired article numbers: 72190R
Paired article numbers: BS-190R
Steering Type: Control Arm

72190R
Track Control Arm


NISSAN QASHQAI III (J12)

OE

54500 6UA0A

Bar/Strut: Push Rod
Cone Size [mm]: 20
Fitting Position: Front Axle Right
Material: Aluminium
Paired article numbers: 72-01-190L
Paired article numbers: 72190L
Paired article numbers: BS-190L
Steering Type: Control Arm

Mounting

72195L Track Control Arm



FIAT TALENTO Furgonato
FIAT TALENTO Kombi
FIAT TALENTO Pianale piatto/Telaio
NISSAN NV300 Furgonato (X82)
NISSAN NV300 Kombi (X82)
NISSAN NV300 Pianale piatto/Telaio (X82)

OE

4422269S1
4422270
5450100Q1M
545016850R
545019956R
6000618836

Bar/Strut: Push Rod
Cone Size [mm]: 17
Fitting Position: Front Axle Left
Fitting Position: Lower
Material: Steel
Paired article numbers: 72-01-195R
Paired article numbers: 72195R
Paired article numbers: BS-195R
Steering Type: Control Arm

72195R Track Control Arm



FIAT TALENTO Furgonato
FIAT TALENTO Kombi
FIAT TALENTO Pianale piatto/Telaio
NISSAN NV300 Furgonato (X82)
NISSAN NV300 Kombi (X82)
NISSAN NV300 Pianale piatto/Telaio (X82)

OE

4422269
4422270S1
5450000Q2B
545002914R
545006069R
6000618835

Bar/Strut: Push Rod
Cone Size [mm]: 17
Fitting Position: Front Axle Right
Fitting Position: Lower
Material: Steel
Paired article numbers: 72-01-195L
Paired article numbers: 72195L
Paired article numbers: BS-195L
Steering Type: Control Arm

72368L Track Control Arm



MAZDA CX-5 (KE, GH)
MAZDA CX-5 (KF)
MAZDA CX-5 Van (KE_)

OE

KD3528350

Bar/Strut: Push Rod
Fitting Position: Lower
Fitting Position: Rear Axle Left
Length [mm]: 595
Material: Sheet Steel
Paired article numbers: 72-03-368R
Paired article numbers: 72368R
Paired article numbers: BS-368R
Steering Type: Trailing Arm

72368R Track Control Arm



MAZDA CX-5 (KE, GH)
MAZDA CX-5 (KF)
MAZDA CX-5 Van (KE_)

OE

KD3528300

Bar/Strut: Push Rod
Fitting Position: Lower
Fitting Position: Rear Axle Right
Length [mm]: 595
Material: Sheet Steel
Paired article numbers: 72-03-368L
Paired article numbers: 72368L
Paired article numbers: BS-368L
Steering Type: Trailing Arm

72376 Track Control Arm



MAZDA CX-7 (ER)

OE

EG2128500B

Fitting Position: Left and right
Fitting Position: Lower
Fitting Position: Rear Axle
Length [mm]: 298
Material: Sheet Steel
Steering Type: Control Arm

Mounting

72483L Track Control Arm



HONDA CIVIC X 2 volumi /Coda spiovente (FC_, FK)

OE
51360TBAA01

Fitting Position: Front Axle Left
Paired article numbers: 72-04-483R
Paired article numbers: 72483R
Paired article numbers: BS-483R
Steering Type: Control Arm

72483R Track Control Arm



HONDA CIVIC X 2 volumi /Coda spiovente (FC_, FK)

OE
5135-0TB-AA01

Fitting Position: Front Axle Right
Paired article numbers: 72-04-483L
Paired article numbers: 72483L
Paired article numbers: BS-483L
Steering Type: Control Arm

72485L Track Control Arm



MG MG ZS Fuoristrada chiuso

OE
10228100
10252196
10727535

Bar/Strut: Push Rod
Cone Size [mm]: 18
Fitting Position: Front Axle Left
Material: Sheet Steel
Paired article numbers: 72-04-485R
Paired article numbers: 72485R
Paired article numbers: BS-485R
Steering Type: Control Arm

72485R Track Control Arm



MG MG ZS Fuoristrada chiuso

OE
10228200
10319515
10727561

Bar/Strut: Push Rod
Cone Size [mm]: 18
Fitting Position: Front Axle Right
Material: Sheet Steel
Paired article numbers: 72-04-485L
Paired article numbers: 72485L
Paired article numbers: BS-485L
Steering Type: Control Arm

72713L Track Control Arm



SUBARU BRZ
TOYOTA GT 86 Coupé (ZN6_)

OE
20202CA010
SU00300355
SU00308017

Bar/Strut: Push Rod
Cone Size [mm]: 13,5
Fitting Position: Front Axle Left
Material: Sheet Steel
Paired article numbers: 72-07-713R
Paired article numbers: 72713R
Paired article numbers: BS-713R
Steering Type: Control Arm

72713R Track Control Arm








SUBARU BRZ
TOYOTA GT 86 Coupé (ZN6_)

OE
20202CA000
SU00300354
SU00308016

Bar/Strut: Push Rod
Cone Size [mm]: 13,5
Fitting Position: Front Axle Right
Material: Sheet Steel
Paired article numbers: 72-07-713L
Paired article numbers: 72713L
Paired article numbers: BS-713L
Steering Type: Control Arm

Mounting

72715L Track Control Arm				
	SUBARU IMPREZA 2 volumi /Coda spiovente (GT_) SUBARU LEGACY VI (BN, BS) SUBARU OUTBACK	<table border="1"> <tr> <td data-bbox="799 304 1038 499"> OE 20252FJ030 20252VC030 </td> <td data-bbox="1046 304 1544 499"> Fitting Position: Rear Axle Left Fitting Position: Upper Length [mm]: 266 Paired article numbers: 72-07-715R Paired article numbers: 72715R Paired article numbers: BS-715R Steering Type: Control Arm </td> </tr> </table>	OE 20252FJ030 20252VC030	Fitting Position: Rear Axle Left Fitting Position: Upper Length [mm]: 266 Paired article numbers: 72-07-715R Paired article numbers: 72715R Paired article numbers: BS-715R Steering Type: Control Arm
OE 20252FJ030 20252VC030	Fitting Position: Rear Axle Left Fitting Position: Upper Length [mm]: 266 Paired article numbers: 72-07-715R Paired article numbers: 72715R Paired article numbers: BS-715R Steering Type: Control Arm			
72825 Track Control Arm				
	OPEL AGILA (A) (H00) SUZUKI WAGON R+ (EM) SUZUKI WAGON R+ (MM)	<table border="1"> <tr> <td data-bbox="799 611 1038 806"> OE 4620183E00 4620183E01 4706002 </td> <td data-bbox="1046 611 1544 806"> Fitting Position: Lower Fitting Position: Rear Axle Right Inner Diameter [mm]: 11,5 Steering Type: Control Arm </td> </tr> </table>	OE 4620183E00 4620183E01 4706002	Fitting Position: Lower Fitting Position: Rear Axle Right Inner Diameter [mm]: 11,5 Steering Type: Control Arm
OE 4620183E00 4620183E01 4706002	Fitting Position: Lower Fitting Position: Rear Axle Right Inner Diameter [mm]: 11,5 Steering Type: Control Arm			
72826 Track Control Arm				
	OPEL AGILA (A) (H00) SUZUKI WAGON R+ (EM) SUZUKI WAGON R+ (MM)	<table border="1"> <tr> <td data-bbox="799 925 1038 1120"> OE 4620283E00 4620283E01 4706814 </td> <td data-bbox="1046 925 1544 1120"> Fitting Position: Lower Fitting Position: Rear Axle Left Inner Diameter [mm]: 11,5 Steering Type: Control Arm </td> </tr> </table>	OE 4620283E00 4620283E01 4706814	Fitting Position: Lower Fitting Position: Rear Axle Left Inner Diameter [mm]: 11,5 Steering Type: Control Arm
OE 4620283E00 4620283E01 4706814	Fitting Position: Lower Fitting Position: Rear Axle Left Inner Diameter [mm]: 11,5 Steering Type: Control Arm			
72941L Track Control Arm				
	JEEP COMPASS (MP)	<table border="1"> <tr> <td data-bbox="799 1238 1038 1433"> OE 68318011AC 68318011AD 68318011AE </td> <td data-bbox="1046 1238 1544 1433"> Bar/Strut: Push Rod Cone Size [mm]: 19 Fitting Position: Front Axle Left Fitting Position: Lower Material: Sheet Steel Paired article numbers: 72-09-941L Paired article numbers: 72941L Paired article numbers: BS-941L Steering Type: Control Arm </td> </tr> </table>	OE 68318011AC 68318011AD 68318011AE	Bar/Strut: Push Rod Cone Size [mm]: 19 Fitting Position: Front Axle Left Fitting Position: Lower Material: Sheet Steel Paired article numbers: 72-09-941L Paired article numbers: 72941L Paired article numbers: BS-941L Steering Type: Control Arm
OE 68318011AC 68318011AD 68318011AE	Bar/Strut: Push Rod Cone Size [mm]: 19 Fitting Position: Front Axle Left Fitting Position: Lower Material: Sheet Steel Paired article numbers: 72-09-941L Paired article numbers: 72941L Paired article numbers: BS-941L Steering Type: Control Arm			
72941R Track Control Arm				
	JEEP COMPASS (MP)	<table border="1"> <tr> <td data-bbox="799 1574 1038 1769"> OE 53448529 68318010AC 68318010AD 68318010AE </td> <td data-bbox="1046 1574 1544 1769"> Bar/Strut: Push Rod Cone Size [mm]: 19 Fitting Position: Front Axle Right Fitting Position: Lower Material: Sheet Steel Paired article numbers: 72-09-941L Paired article numbers: 72941L Paired article numbers: BS-941L Steering Type: Control Arm </td> </tr> </table>	OE 53448529 68318010AC 68318010AD 68318010AE	Bar/Strut: Push Rod Cone Size [mm]: 19 Fitting Position: Front Axle Right Fitting Position: Lower Material: Sheet Steel Paired article numbers: 72-09-941L Paired article numbers: 72941L Paired article numbers: BS-941L Steering Type: Control Arm
OE 53448529 68318010AC 68318010AD 68318010AE	Bar/Strut: Push Rod Cone Size [mm]: 19 Fitting Position: Front Axle Right Fitting Position: Lower Material: Sheet Steel Paired article numbers: 72-09-941L Paired article numbers: 72941L Paired article numbers: BS-941L Steering Type: Control Arm			

Mounting

72K47R
Track Control Arm


KIA K2700 (SD)

OE
 0K63B-34300B

 Fitting Position: Front Axle Left
 Steering Type: Control Arm

72K48R
Track Control Arm


KIA CARENS II (FJ)

OE
 0K2FA-28300

Steering Type: Trailing Arm

429052
Wheel Hub


JEEP WRANGLER IV (JL)

OE
 68272624AC

 Fitting Position: Front Axle left and right
 Number of splines on input shaft: 32
 Outer Diameter [mm]: 161,5
 Rim Hole Number: 5
 Thread Size: M14X1,5

MJ00941
Shock Absorber

 CITROEN C3 III (SX)
 CITROEN C3 III Van (SX_, SY_)
 CITROEN C4 CACTUS
 CITROEN C4 CACTUS Van (0B_, 0P_)

OE
 9811371280
 9820202780
 9820948680
 9827488680

 Fitting Position: Front Axle Left
 Paired article numbers: MA-00940
 Paired article numbers: MJ00940
 Paired article numbers: MM-00940
 Piston Rod Diameter [mm]: 20
 Shock Absorber Design: Suspension Strut
 Shock Absorber Mounting Type: Top pin
 Shock Absorber System: Twin-Tube
 Shock Absorber Type: Gas Pressure
 Strut outside diameter [mm]: 47

MJ01024
Shock Absorber


HONDA CR-V V (RW_)

OE
 51611-T1V-E02

 Fitting Position: Front Axle Right
 Paired article numbers: MA-01023
 Paired article numbers: MJ01023
 Paired article numbers: MM-01023
 Shock Absorber Design: Suspension Strut
 Shock Absorber Mounting Type: Bottom
 Clamp
 Shock Absorber Mounting Type: Top pin
 Shock Absorber Type: Gas Pressure

Mounting

MJ01185

Shock Absorber



VOLVO S60 II
VOLVO V60
VOLVO V60 Cassone / Furgonato / Promiscuo
(155)
VOLVO V60 II (225)

OE

31262901
31262902
31262903
31277201
31277976
31304051

Fitting Position: Front Axle Left
Paired article numbers: MA-01186
Paired article numbers: MJ01186
Paired article numbers: MM-01186
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Top pin
Shock Absorber System: Twin-Tube
Shock Absorber Type: Gas Pressure

MJ01186

Shock Absorber



VOLVO S60 II
VOLVO V60
VOLVO V60 Cassone / Furgonato / Promiscuo
(155)
VOLVO V60 II (225)

OE

31262895
31262896
31262897
31277200
31277975
31304052

Fitting Position: Front Axle Right
Paired article numbers: MA-01186
Paired article numbers: MJ01186
Paired article numbers: MM-01186
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Top pin
Shock Absorber System: Twin-Tube
Shock Absorber Type: Gas Pressure

MJ01235

Shock Absorber



FORD RANGER (TKE)

OE

2218993

Fitting Position: Front Axle
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Bottom eye
Shock Absorber Mounting Type: Top pin
Shock Absorber System: Twin-Tube
Shock Absorber Type: Gas Pressure

MJ01239

Shock Absorber



HYUNDAI IONIQ
HYUNDAI KONA (OS)
HYUNDAI KONA Cassone/SUV (OS)


OE

55307G7600
55307G7650
55307J9300
55307J9320
55307J9350
55310G7000

Fitting Position: Rear Axle
Shock Absorber Design: Telescopic Shock Absorber
Shock Absorber Mounting Type: Bottom eye
Shock Absorber Mounting Type: Top pin
Shock Absorber System: Twin-Tube
Shock Absorber Type: Gas Pressure

MJ01243

Shock Absorber



SUZUKI SWIFT V (AZ)

OE

4160252RA0
4160253RA0
4160280SA0
4160280SA1

Fitting Position: Front Axle Left
Paired article numbers: MA-01244
Paired article numbers: MJ01244
Paired article numbers: MM-01244
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Top pin
Shock Absorber System: Twin-Tube
Shock Absorber Type: Gas Pressure

MJ01244

Shock Absorber



SUZUKI SWIFT V (AZ)

OE

4160152RA0
4160153RA0
4160180SA0
4160180SA1

Fitting Position: Front Axle Right
Paired article numbers: MA-01243
Paired article numbers: MJ01243
Paired article numbers: MM-01243
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Top pin
Shock Absorber System: Twin-Tube
Shock Absorber Type: Gas Pressure

Mounting

MJ01248

Shock Absorber



BMW X3 (G01, F97)
BMW X3 Van (G01)
BMW X4 (G02)

OE

31 30 6 890 944
31 31 6 871 780
31 31 6 871 782
31 31 6 871 788
31 31 6 871 790
6 871 780

Fitting Position: Front Axle Right
Paired article numbers: MA-01247
Paired article numbers: MJ01247
Paired article numbers: MM-01247
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Bottom Plate
Shock Absorber Mounting Type: Top pin
Shock Absorber Type: Gas Pressure

MJ01253

Shock Absorber



HYUNDAI i30 (PDE)
HYUNDAI i30 FASTBACK (PDE)
HYUNDAI i30 Hatchback Van (PDE)
HYUNDAI i30 Kombi Van (PDE)
HYUNDAI i30 Station wagon

OE

55310G4AA0
55310G4AB0
55310G4AC0
55310G4AD0
55310G4CA0
55310G4CB0

Fitting Position: Rear Axle
Shock Absorber Design: Telescopic Shock Absorber
Shock Absorber Mounting Type: Bottom eye
Shock Absorber Mounting Type: Top pin
Shock Absorber System: Twin-Tube
Shock Absorber Type: Gas Pressure

MJ01261

Shock Absorber



HONDA CR-V IV (RE)

OE

51621T1WR00
51621T1WR01

Fitting Position: Front Axle Left
Paired article numbers: MA-01260
Paired article numbers: MJ01260
Paired article numbers: MM-01260
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Top pin
Shock Absorber System: Twin-Tube
Shock Absorber Type: Gas Pressure

MJ10142

Shock Absorber



NISSAN ARIYA

OE

E43035MP1B
E43035MS1C

Fitting Position: Front Axle Left
Paired article numbers: MA-10143
Paired article numbers: MJ10143
Paired article numbers: MM-10143
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Bottom Clamp
Shock Absorber Mounting Type: Top eye
Shock Absorber System: Twin-Tube
Shock Absorber Type: Gas Pressure

MJ10143

Shock Absorber



NISSAN ARIYA

OE

E43025MP1B
E43025MS1C

Fitting Position: Front Axle Right
Paired article numbers: MA-10142
Paired article numbers: MJ10142
Paired article numbers: MM-10142
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Bottom Clamp
Shock Absorber Mounting Type: Top eye
Shock Absorber System: Twin-Tube
Shock Absorber Type: Gas Pressure

Mounting

MJ33117

Shock Absorber



TOYOTA YARIS (_P21_, _PA1_, _PH1_)


OE

48530K0070
48530K0080
48530K0090

Fitting Position: Rear Axle
Shock Absorber Design: Absorber does not carry a spring
Shock Absorber Mounting Type: Bottom eye
Shock Absorber Mounting Type: Top pin
Shock Absorber System: Twin-Tube
Shock Absorber Type: Gas Pressure

MJ33118

Shock Absorber



MAZDA 3 2 volumi /Coda spiovente (BP)
MAZDA 3 Tre volumi


OE

BDEN-34-90XA
BDEN-34-90XB
BDNG-34-70XA
BDNG-34-90X
BDNG-34-90XA
BDNH-34-70XB

Fitting Position: Front Axle Left
Paired article numbers: MA-33119
Paired article numbers: MJ33119
Paired article numbers: MM-33119
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Top pin
Shock Absorber Type: Gas Pressure

MJ33119

Shock Absorber



MAZDA 3 2 volumi /Coda spiovente (BP)
MAZDA 3 Tre volumi


OE

BDEN-34-70XA
BDEN-34-70XB
BDNG-34-70X
BDNG-34-90X
BDNK-34-70X
BEPN-34-70XL

Fitting Position: Front Axle Right
Paired article numbers: MA-33118
Paired article numbers: MJ33118
Paired article numbers: MM-33118
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Top pin
Shock Absorber Type: Gas Pressure

MJ33123

Shock Absorber



MAZDA CX-30 (DM)


OE

DFR5-34-900
DFS4-34-900
DGK9-34-900

Fitting Position: Front Axle Left
Paired article numbers: MA-33124
Paired article numbers: MJ33124
Paired article numbers: MM-33124
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Top pin
Shock Absorber Type: Gas Pressure

MJ33124

Shock Absorber



MAZDA CX-30 (DM)

OE

DFR5-34-700
DFS4-34-700
DGK9-34-700

Fitting Position: Front Axle Right
Paired article numbers: MA-33123
Paired article numbers: MJ33123
Paired article numbers: MM-33123
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Top pin
Shock Absorber System: Twin-Tube
Shock Absorber Type: Gas Pressure

Mounting

MJ33129

Shock Absorber



MAZDA CX-5 (KF)

OE

KB7W-34-900B
KB8M-34-900
KD5M34900
KN3L-34-900B
KN4C-34-900B

Fitting Position: Front Axle Left
Paired article numbers: MA-33130
Paired article numbers: MJ33130
Paired article numbers: MM-33130
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Bottom Clamp
Shock Absorber Mounting Type: Top pin
Shock Absorber Type: Gas Pressure

MJ33130

Shock Absorber



MAZDA CX-5 (KF)

OE

KB7W-34-700B
KB8M-34-700
KD5M34700
KN3L-34-700B
KN4C-34-700B

Fitting Position: Front Axle Right
Paired article numbers: MA-33129
Paired article numbers: MJ33129
Paired article numbers: MM-33129
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Bottom Clamp
Shock Absorber Mounting Type: Top pin
Shock Absorber Type: Gas Pressure

MJ50095

Shock Absorber



MITSUBISHI ASX (VSX_, VSE_)
NISSAN JUKE (F16_)
RENAULT CAPTUR II

OE

5621000Q4F
562106017R
562106PA0A
562109129R

Fitting Position: Rear Axle
Shock Absorber Design: Telescopic Shock Absorber
Shock Absorber Mounting Type: Bottom eye
Shock Absorber Mounting Type: Top pin
Shock Absorber System: Twin-Tube
Shock Absorber Type: Gas Pressure

MJAS455

Shock Absorber



MERCEDES-BENZ CLASSE E Pianale piatto/Telaio (VF211)
MERCEDES-BENZ CLASSE E T-Model (S211)

OE

211 326 12 00
A 211 326 12 00

Fitting Position: Rear Axle Right
Paired article numbers: MA-AS456
Paired article numbers: MJAS456
Paired article numbers: MM-AS456
Shock Absorber Design: Absorber does not carry a spring
Shock Absorber Mounting Type: Bottom eye
Shock Absorber Mounting Type: Top pin
Shock Absorber Type: Gas Pressure

MJAS456

Shock Absorber



MERCEDES-BENZ CLASSE E Pianale piatto/Telaio (VF211)
MERCEDES-BENZ CLASSE E T-Model (S211)

OE

211 326 11 00
A 211 326 11 00

Fitting Position: Rear Axle Left
Paired article numbers: MA-AS456
Paired article numbers: MJAS456
Paired article numbers: MM-AS456
Shock Absorber Design: Absorber does not carry a spring
Shock Absorber Mounting Type: Bottom eye
Shock Absorber Mounting Type: Top pin
Shock Absorber Type: Gas Pressure

Mounting

MJAS457

Shock Absorber



PORSCHE MACAN

OE

95B513035A
95B513035E
95B513035F
95B513035H
95B513035K

Fitting Position: Rear Axle
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Bottom eye
Shock Absorber Mounting Type: Top yoke
Shock Absorber Type: Oil Pressure
Spring Type: for coil-spring suspension vehicles
Spring Type: for pneumatic suspension vehicles
Suspension: For vehicles with electronic suspension control
Weight [kg]: 4,08

MJAS458

Shock Absorber



PORSCHE PANAMERA

OE

97033304506
97033304507
97033304509
97033304511
97033304512
97033304513

Fitting Position: Rear Axle
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Bottom eye
Shock Absorber Mounting Type: Top yoke
Shock Absorber Type: Oil Pressure
Suspension: For vehicles with electronic suspension control

MJAS459

Shock Absorber



LAND ROVER RANGE ROVER VELAR (L560)

OE

LR090656
LR106829
LR109360
LR123528
LR147263

Fitting Position: Rear Axle
Shock Absorber Design: Telescopic Shock Absorber
Shock Absorber Mounting Type: Bottom eye
Shock Absorber Mounting Type: Top yoke
Shock Absorber Type: Oil Pressure
Spring Type: for pneumatic suspension vehicles
Suspension: For vehicles with electronic suspension control

MJAS467

Air Spring Strut



LAND ROVER RANGE ROVER VELAR (L560)

OE

LR090610
LR116909
LR146318
LR148863

Braking / Drive Dynamics: for vehicles with Continuous Variable Damping (CVD)
Fitting Position: Front
Paired article numbers: MA-AS468
Paired article numbers: MJAS468
Paired article numbers: MM-AS468
Shock Absorber Mounting Type: Bottom Pin
Shock Absorber Mounting Type: Top yoke
Spring Type: for pneumatic suspension vehicles
Suspension: For vehicles with electronic suspension control

MJASC072

Compressor, compressed air system



DODGE RAM 2500 Pick-up (DJ, DS)
RAM 2500 Crew Cab Pickup (DJ)
RAM 2500 Standard Cab Pickup (DJ)

OE

68239571AA
68239571AB
68349607AA
K68239571AA
K68239571AB
K68349607AA

Overheating protection: Yes
Spring Type: for pneumatic suspension vehicles
Supplementary Article/Supplementary Info 2: With dryer

Mounting

MJASC074

Compressor, compressed air system



PORSCHE PANAMERA

OE

97035815107
97035815108
97035815109
97035815110
97035815111
97035815112

Spring Type: for pneumatic suspension vehicles
Supplementary Article/Supplementary Info 2:
With dryer

MJASC075

Compressor, compressed air system



PORSCHE CAYENNE
VW TOUAREG (7P5)
VW TOUAREG VAN (7P5)

OE

7P0698007
7P0698007A
7P0698007B
7P0698007C
7P0698007D
7P0698007E

Overheating protection: Yes
Spring Type: for pneumatic suspension vehicles
Supplementary Article/Supplementary Info 2:
With dryer

MJASC076

Compressor, compressed air system



PORSCHE MACAN

OE

95B698010
95B698010A
95B698010B
95B698010C

Overheating protection: Yes
Spring Type: for pneumatic suspension vehicles
Supplementary Article/Supplementary Info 2:
With dryer

MJASC077

Compressor, compressed air system



BMW 5 Touring (G31)
BMW 5 Touring Van (G31)
BMW 6 Gran Turismo (G32)

OE

37206886721
6886721

Spring Type: for vehicles with rear axle pneumatic suspension
Supplementary Article/Supplementary Info 2:
With dryer
Vehicle Equipment: For vehicles with ride height control

MJASV018

Valve, compressed-air system



LAND ROVER DISCOVERY III (TAA)
LAND ROVER DISCOVERY III VAN (L319)
LAND ROVER DISCOVERY IV (LA)
LAND ROVER DISCOVERY IV VAN (L319)
LAND ROVER RANGE ROVER III (LM)
LAND ROVER RANGE ROVER SPORT (LS)

OE

RVH000045
RVH000046
RVH500070

Spring Type: for pneumatic suspension vehicles
Valve Type: Solenoid Valve

MJASV019

Valve, compressed-air system



LAND ROVER DEFENDER Station Wagon (L663)
LAND ROVER DEFENDER Van (L663)
LAND ROVER DISCOVERY V (LR_)
LAND ROVER DISCOVERY V VAN (L462)
LAND ROVER RANGE ROVER IV (LG)
LAND ROVER RANGE ROVER SPORT (LW)

OE

LR037081
LR070245
LR176325

Fitting Position: Front
Spring Type: for pneumatic suspension vehicles
Valve Type: Solenoid Valve

Mounting

MJASV020

Valve, compressed-air system



TESLA MODEL S
TESLA MODEL X

OE
102791900B

Spring Type: for pneumatic suspension vehicles
Valve Type: Solenoid Valve

MJASV021

Valve, compressed-air system



LAND ROVER DISCOVERY III (TAA)
LAND ROVER DISCOVERY III VAN (L319)
LAND ROVER DISCOVERY IV (LA)
LAND ROVER DISCOVERY IV VAN (L319)
LAND ROVER RANGE ROVER SPORT (LS)

OE
RVH000094
RVH000095

Fitting Position: Front
Spring Type: for pneumatic suspension vehicles
Valve Type: Solenoid Valve

MJASV022

Valve, compressed-air system



MERCEDES-BENZ AMG GT (X290)
MERCEDES-BENZ CLASSE E (W213)
MERCEDES-BENZ CLASSE E All-Terrain (S213)
MERCEDES-BENZ CLASSE E Cabriolet (A238)
MERCEDES-BENZ CLASSE E Coupè (C238)
MERCEDES-BENZ CLASSE E T-Model (S213)

OE
0993200258
A0993200258

Spring Type: for pneumatic suspension vehicles
Valve Type: Solenoid Valve

MJASV023

Valve, compressed-air system



AUDI E-TRON GT Tre volumi (F83)
PORSCHE PANAMERA (971)
PORSCHE PANAMERA Sport Turismo (971)
PORSCHE TAYCAN (Y1A)
PORSCHE TAYCAN Cross Turismo (Y1B)
PORSCHE TAYCAN Sport Turismo (Y1C)

OE
971616056
971616056B
971616056C

Spring Type: for pneumatic suspension vehicles
Valve Type: Solenoid Valve

MJASV024

Valve, compressed-air system



AUDI A6 (C8, 4A2)
AUDI A6 Allroad (4AH, C8)
AUDI A6 Avant (C8, 4A5)
AUDI A7 Sportback (4KA)
AUDI A8 (4N2, 4N8)
AUDI E-TRON (GEN_)

OE
4N0616013
4N0616013A

Spring Type: for pneumatic suspension vehicles
Valve Type: Solenoid Valve

MJASV025

Valve, compressed-air system



AUDI Q7 (4M)
AUDI Q7 Van (4MB, 4MG)
AUDI Q8 (4MN)
BENTLEY BENTAYGA
LAMBORGHINI URUS
VW TOUAREG (CR7)

OE
4M0616013A
4M0616013B

Spring Type: for pneumatic suspension vehicles
Valve Type: Solenoid Valve

Mounting

MJKI087

Shock Absorber



KIA PICANTO (JA)


OE

54650G 6200
54650G 6230

Fitting Position: Front Axle Left
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Bottom Clamp
Shock Absorber Mounting Type: Top pin
Shock Absorber Type: Gas Pressure

MJKI088

Shock Absorber



KIA PICANTO (JA)

OE

54660G 6200
54660G 6230

Fitting Position: Front Axle Right
Paired article numbers: MA-KI089
Paired article numbers: MJKI089
Paired article numbers: MM-KI089
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Bottom Clamp
Shock Absorber Mounting Type: Top pin
Shock Absorber Type: Gas Pressure

GOJ1295

Control Arm-/Trailing Arm Bush



NISSAN INTERSTAR Autobus (X70)
NISSAN INTERSTAR Furgonato (X70)
NISSAN INTERSTAR Pianale piatto/Telaio
OPEL MOVANO Combi (J9)
OPEL MOVANO Furgonato (F9)
OPEL MOVANO Pianale piatto/Telaio (U9, E9)

OE

009160391
09160391
45 00 091
54450-00QAA
77 00 302 115
9160391

Fitting Position: Front Axle Left
Fitting Position: Front Axle Right
Fitting Position: Upper
Inner Diameter [mm]: 22
Outer Diameter [mm]: 64
Thickness [mm]: 60
Width [mm]: 113

GOJ1300

Bearing Bush, stabiliser



NISSAN JUKE (F15)

OE

54613EG020

GOJ1301

Bearing Bush, stabiliser



NISSAN NAVARA Pick-up (D23)

OE

546134KH1A

Inner Diameter [mm]: 33
Length [mm]: 49

Mounting

GOJ1310

Bearing Bush, stabiliser



NISSAN 350 Z (Z33)
NISSAN 350 Z Roadster (Z33)

OE
54613AQ021

GOJ1313

Engine Mounting



NISSAN JUKE (F15)
NISSAN JUKE Van (F15)
NISSAN QASHQAI
NISSAN QASHQAI (J11, J11_)
RENAULT GRAND SCÉNICC IV
RENAULT KADJAR

OE
112104EA0B
112106137R

Fitting Position: Right
For OE number: 11210-4EA0B
Mounting Type: Hydro Bearing

GOJ1314

Engine Mounting



NISSAN MICRA IV (K13)
NISSAN MICRA IV (K13KK)
NISSAN NOTE (E12)

OE
112101HC3A
112101HC3C

GOJ1317

Engine Mounting



NISSAN JUKE (F15)
NISSAN QASHQAI

OE
112104ED0B
112104ED0C
112104ED0D

Fitting Position: Right
For OE number: 11210-4ED0D
Mounting Type: Hydro Bearing

GOJ1332

Engine Mounting



NISSAN MICRA III (K12)
RENAULT CLIO Grandtour (KR0/1_)
RENAULT CLIO III (BR0/1, CR0/1)
RENAULT MODUS / GRAND MODUS (F/JP0_)

OE
8200131305

Fitting Position: Right
Material: Steel Elastomer
Mounting Type: Hydro Bearing

GOJ1335

Engine Mounting



NISSAN MICRA III (K12)
RENAULT CLIO Grandtour (KR0/1_)
RENAULT CLIO III (BR0/1, CR0/1)
RENAULT CLIO III Furgonato (SB_, SR_)
RENAULT MODUS / GRAND MODUS (F/JP0_)

OE
112103737R
8200281186
8200650286

Fitting Position: Right
Material: Steel Elastomer

Mounting

GOJ1340

Engine Mounting



NISSAN QASHQAI / QASHQAI +2 (J10, JJ10)
 RENAULT GRAND SCÉNIC II (JM0/1_)
 RENAULT KANGOO / GRAND KANGOO (KW0/1_)
 RENAULT KANGOO Express (FW0/1_)
 RENAULT MEGANE II (BM0/1_, CM0/1_)
 RENAULT MEGANE II Cassone / Furgonato /

OE

8200355673

Fitting Position: Front Axle Right

GOJ1341

Engine Mounting



NISSAN INTERSTAR Autobus (X70)
 NISSAN INTERSTAR Furgonato (X70)
 OPEL MOVANO Combi (J9)
 OPEL MOVANO Furgonato (F9)
 RENAULT MASTER I Autobus (T_)
 RENAULT MASTER I Furgonato (T_)

OE

7700308762
 8200036497
 8200199149
 8200304198

Fitting Position: Front

Fitting Position: Left Front

GOJ1342

Engine Mounting



NISSAN PRIMASTAR Autobus (X83)
 NISSAN PRIMASTAR Furgonato (X83)
 OPEL VIVARO Combi
 OPEL VIVARO Combi (J7)
 OPEL VIVARO Furgonato
 OPEL VIVARO Furgonato (F7)

OE

4416894
 8200404271
 93853920

Fitting Position: Right

GOJ1345

Engine Mounting



NISSAN INTERSTAR Autobus (X70)
 NISSAN INTERSTAR Furgonato (X70)
 NISSAN INTERSTAR Pianale piatto/Telaio
 OPEL MOVANO Combi (J9)
 OPEL MOVANO Furgonato (F9)
 OPEL MOVANO Pianale piatto/Telaio (U9, E9)

OE

4500180
 7700308756

Fitting Position: Rear

Fitting Position: Right

GOJ1351

Control Arm-/Trailing Arm Bush



NISSAN NV400 Autobus
 NISSAN NV400 Furgonato
 NISSAN NV400 Pianale piatto/Telaio
 OPEL MOVANO B Autobus
 OPEL MOVANO B Furgonato
 OPEL MOVANO B Pianale piatto/Telaio

OE

4419215*
 4419216*
 5450000Q1E*
 5450100Q1C*
 8200688832
 8200688871*

Fitting Position: Front

Fitting Position: Front Axle

Height [mm]: 64

Inner Diameter [mm]: 16,2

Mounting Type: Rubber-metal Bearing

Outer Diameter [mm]: 49

Steering Type: Control Arm

GOJ1352

Control Arm-/Trailing Arm Bush



NISSAN NV400 Autobus
 NISSAN NV400 Furgonato
 NISSAN NV400 Pianale piatto/Telaio
 OPEL MOVANO B Autobus
 OPEL MOVANO B Furgonato
 OPEL MOVANO B Pianale piatto/Telaio

OE

4419215*
 4419216*
 5450000Q1E*
 5450100Q1C*
 545601173R
 8200688871*

Fitting Position: Front Axle

Fitting Position: Rear

Height [mm]: 77

Inner Diameter [mm]: 16,2

Mounting Type: Rubber-metal Bearing

Outer Diameter [mm]: 70

Steering Type: Control Arm

Mounting

GOJ1353

Control Arm-/Trailing Arm Bush



NISSAN MURANO (Z51)
NISSAN MURANO II VAN (Z51)

OE

545001AA0A*
545001AA1A*
545001AT0A*
545001AT0B*
545011AA0A*
545011AA1A*

Fitting Position: Lower Front Axle
Fitting Position: Rear
Height [mm]: 75
Inner Diameter [mm]: 14,1
Mounting Type: Rubber-metal Bearing
Outer Diameter [mm]: 72
Steering Type: Control Arm

GOJ1356

Control Arm-/Trailing Arm Bush



NISSAN MURANO (Z51)
NISSAN MURANO II VAN (Z51)
NISSAN TEANA II (J32)

OE

545001AA0A*
545001AA1A*
545001AT0A*
545001AT0B*
545011AA0A*
545011AA1A*

Fitting Position: Front
Fitting Position: Lower Front Axle
Height [mm]: 49
Inner Diameter [mm]: 14,1
Mounting Type: Rubber-metal Bearing
Outer Diameter [mm]: 50
Steering Type: Control Arm

GOJ1357

Control Arm-/Trailing Arm Bush



NISSAN NAVARA Pianale piatto/Telaio
NISSAN NAVARA Pick-up (D23)
RENAULT ALASKAN

OE

545004KH1A*
545014KH1A*
545604KH0A

Fitting Position: Lower Front Axle
Height [mm]: 73,4
Inner Diameter [mm]: 14,1
Mounting Type: Rubber-metal Bearing
Outer Diameter [mm]: 43
Steering Type: Control Arm

GOJ1358

Stabiliser Mounting



NISSAN NOTE (E12)

OE

546133WC0A
546133WC0B

Fitting Position: Front Axle
Inner Diameter [mm]: 21,5
Length [mm]: 38
Outer Diameter [mm]: 45

GOJ1362

Stabiliser Mounting



NISSAN TEANA II (J32)

OE

562431AD0A

Fitting Position: Rear Axle
Inner Diameter [mm]: 16,5
Length [mm]: 42
Outer Diameter [mm]: 56

GOJ1364

Stabiliser Mounting



NISSAN NV400 Autobus
NISSAN NV400 Furgonato
NISSAN NV400 Pianale piatto/Telaio
OPEL MOVANO B Autobus
OPEL MOVANO B Furgonato
OPEL MOVANO B Pianale piatto/Telaio

OE

4419323
5431600Q0D
546131253R
93197327

Fitting Position: Front Axle
Inner Diameter [mm]: 24,5
Length [mm]: 40
Outer Diameter [mm]: 39

Mounting

GOJ2865

Engine Mounting



TOYOTA AYGO (WNB1_, KGB1_)
TOYOTA AYGO Furgonato (_B1_)

OE

123720Q010
123720Q030
123720Q031

GOJ2868

Engine Mounting



TOYOTA AVENSIS (T25_)
TOYOTA AVENSIS Tre volumi (T25)
TOYOTA COROLLA (ZZE12_, NDE12_, ZDE12_)
TOYOTA COROLLA Station wagon (_E12J_,
E12T)
TOYOTA COROLLA Tre volumi (_E12J_, _E12T_)

OE

123610G010

GOJ2880

Engine Mounting



TOYOTA PRIUS PHV (_W3_)

OE

12372-37110

Fitting Position: Left

GOJ2893

Control Arm-/Trailing Arm Bush



CITROEN C8 (EA_, EB_)
CITROEN C8 Van (EA_, EB_)
CITROEN JUMPY
CITROEN JUMPY Furgonato
CITROEN JUMPY Pianale piatto/Telaio
FIAT SCUDO (270_)

OE

1346385080*
3521K6*
SU001A992*
SU001A993*

Fitting Position: Front Axle Right
Fitting Position: Rear
Inner Diameter [mm]: 22,9
Mounting Type: Rubber-metal Bearing
Outer Diameter [mm]: 22,9
Steering Type: Control Arm

GOJ2894

Control Arm-/Trailing Arm Bush



CITROEN C8 (EA_, EB_)
CITROEN C8 Van (EA_, EB_)
CITROEN JUMPY
CITROEN JUMPY (U6U)
CITROEN JUMPY Furgonato
CITROEN JUMPY Furgonato (BS_, BT_, BY_, BZ_)

OE

1356065080*
1356066080*
1401239480*
1401239580*
1497407080*
1497408080*

Fitting Position: Front
Fitting Position: Front Axle
Height [mm]: 50
Inner Diameter [mm]: 22,9
Mounting Type: Rubber-metal Bearing
Steering Type: Control Arm

GOJ2895

Control Arm-/Trailing Arm Bush



TOYOTA CAMRY (MCV3_, ACV3_, _XV3_)
TOYOTA CAMRY Tre volumi (AVV5_, XV5_)
TOYOTA CAMRY Tre volumi (_XV4_)
TOYOTA PREVIA (MCR3_, ACR3_, CLR3_)

OE

4865528020
4865533070

Fitting Position: Lower Front Axle
Fitting Position: Rear
Height [mm]: 62,8
Inner Diameter [mm]: 14,2
Mounting Type: Rubber-metal Bearing
Outer Diameter [mm]: 60
Steering Type: Control Arm

Mounting

GOJ2896

Control Arm-/Trailing Arm Bush



TOYOTA CAMRY (MVC3_, ACV3_, _XV3_)
TOYOTA CAMRY Tre volumi (AVV5_, XV5_)
TOYOTA CAMRY Tre volumi (_XV4_)
TOYOTA PREVIA (MCR3_, ACR3_, CLR3_)

OE

4865428060
4865448020

Fitting Position: Front
Fitting Position: Lower Front Axle
Height [mm]: 170
Mounting Type: Rubber-metal Bearing
Outer Diameter [mm]: 32,7
Steering Type: Control Arm

GOJ2899

Stabiliser Mounting



TOYOTA COROLLA (_E9_)
TOYOTA COROLLA Compact (_E9_)
TOYOTA COROLLA Liftback (_E9_)
TOYOTA COROLLA Station Wagon (_E9_)

OE

4881512140

Fitting Position: Front Axle
Inner Diameter [mm]: 22
Length [mm]: 48

GOJ2900

Stabiliser Mounting



TOYOTA C-HR VAN (_X1_)
TOYOTA CH-R (NGX1, NGX5_, ZYX1_)
TOYOTA COROLLA (_E21_)
TOYOTA COROLLA Station wagon (_E21_)
TOYOTA COROLLA Tre volumi (_E21_)

OE

4881502520
48815F4010
48815F4011

Fitting Position: Front Axle
Height [mm]: 49
Inner Diameter [mm]: 26
Length [mm]: 47,7

GOJ2902

Stabiliser Mounting



TOYOTA LAND CRUISER (VDJ20_, UZJ20_)
TOYOTA LAND CRUISER V8

OE

4881560220
4881560221

Fitting Position: Rear Axle
Inner Diameter [mm]: 25
Length [mm]: 61,5
Outer Diameter [mm]: 40

GOJ3117

Control Arm-/Trailing Arm Bush



MAZDA 3 (BM)
MAZDA 3 Tre volumi (BM)

OE

B45A28602

Height 1 [mm]: 55
Height 2 [mm]: 40
Inner Diameter [mm]: 12
Outer Diameter [mm]: 41

GOJ3121

Control Arm-/Trailing Arm Bush



MAZDA 3 (BM)
MAZDA 3 Tre volumi (BM)

OE

B45A28430

Mounting

GOJ3126 Control Arm-/Trailing Arm Bush



MAZDA 6 (GH)
MAZDA 6 2 volumi /Coda spiovente (GH)
MAZDA 6 Station wagon (GH)

OE
GS1D28450A

Height 1 [mm]: 44,5
Height 2 [mm]: 35
Inner Diameter [mm]: 12
Outer Diameter [mm]: 40

GOJ3132 Bearing Bush, stabiliser



MAZDA RX 7 III (FD)
MAZDA RX 8 (SE17)

OE
FD1528156A

Inner Diameter [mm]: 15
Length [mm]: 31

GOJ3139 Bearing Bush, stabiliser



MAZDA RX 8 (SE17)

OE
FE8728156

GOJ3154 Control Arm-/Trailing Arm Bush



MAZDA 2 (DL, DJ)
MAZDA CX-3 (DK)

OE
D09H34300C*
D09H34350C*
D10E34300*
D10E34350*
D10E34470
DA7H34300B*

Fitting Position: Rear
Height [mm]: 53,3
Inner Diameter [mm]: 14,1
Material: Steel Elastomer
Mounting Type: Rubber-metal Bearing
Outer Diameter [mm]: 42,2
Steering Type: Control Arm

GOJ3155 Control Arm-/Trailing Arm Bush



MAZDA 2 (DL, DJ)
MAZDA CX-3 (DK)

OE
D09H34300C*
D09H34350C*
D10E34300*
D10E34300B*
D10E34350*
D10E34350B*

Fitting Position: Front Axle
Fitting Position: Rear
Height [mm]: 61,7
Inner Diameter [mm]: 21
Mounting Type: Rubber-metal Bearing
Outer Diameter [mm]: 80
Steering Type: Control Arm

GOJ3156 Control Arm-/Trailing Arm Bush



MAZDA CX-7 (ER)

OE
EG2134300D*
EG2134350D*
EG2134470
EH4434300*
EH4434300C*
EH4434350*

Fitting Position: Front Axle
Height [mm]: 63,6
Inner Diameter [mm]: 12,3
Mounting Type: Rubber-metal Bearing
Outer Diameter [mm]: 40,4
Steering Type: Control Arm

Mounting

GOJ3160

Control Arm-/Trailing Arm Bush



FORD RANGER (ER, EQ)
MAZDA B-SERIE (UN)
MAZDA BT-50 (CD, UN)

OE

1451499
3871868
4441372
4521291
UH7134460
UH7534460

Fitting Position: Front Axle
Fitting Position: inner
Height [mm]: 92
Inner Diameter [mm]: 18,3
Mounting Type: Rubber-metal Bearing
Outer Diameter [mm]: 40,7
Steering Type: Control Arm

GOJ3165

Control Arm-/Trailing Arm Bush



MAZDA CX-5 (KE, GH)
MAZDA CX-5 (KF)
MAZDA CX-5 Van (KE_)

OE

KD3528430A

Fitting Position: Outer
Fitting Position: Rear Axle Lower
Height [mm]: 44,3
Inner Diameter [mm]: 12,1
Mounting Type: Rubber-metal Bearing
Outer Diameter [mm]: 43,3
Steering Type: Control Arm

GOJ3167

Hub Carrier Bush



MAZDA 2 (DE)

OE

D65128460

Fitting Position: Rear Axle
Height [mm]: 78,5
Inner Diameter [mm]: 16,3
Mounting Type: Rubber Bearing
Outer Diameter [mm]: 70,7

GOJ3170

Bush, leaf spring



FORD RANGER (TKE)

OE

1729345
AB315719AC
UC2R28470B

Fitting Position: Rear
Fitting Position: Rear Axle left and right
Inner Diameter [mm]: 20
Outer Diameter [mm]: 32,1
Width [mm]: 52,8

GOJ3171

Bush, leaf spring



FORD RANGER (TKE)

OE

1729347
AB315719BC
UC2R28480B

Fitting Position: Lower
Fitting Position: Rear
Fitting Position: Rear Axle left and right
Inner Diameter [mm]: 20
Outer Diameter [mm]: 32,1
Width [mm]: 34

GOJ3173

Control Arm-/Trailing Arm Bush



MAZDA CX-7 (ER)

OE

EG21 34 300 D*
EH44 34 300 C*
EH44 34 300*

Fitting Position: Front Axle Right
Height [mm]: 79,7
Inner Diameter [mm]: 28,9
Mounting Type: Rubber-metal Bearing
Paired article numbers: GOJ3174
Paired article numbers: GOM-3174
Paired article numbers: RU-3174
Steering Type: Control Arm

Mounting

GOJ3174 Control Arm-/Trailing Arm Bush



MAZDA CX-7 (ER)

OE

EG21 34 350 D*
EH44 34 350 C*
EH44 34 350*

Fitting Position: Front Axle Left
Height [mm]: 79,7
Inner Diameter [mm]: 28,9
Mounting Type: Rubber-metal Bearing
Paired article numbers: GOJ3173
Paired article numbers: GOM-3173
Paired article numbers: RU-3173
Steering Type: Control Arm

GOJ4237 Bearing Bush, stabiliser



HONDA CR-V II (RD_)
HONDA CR-V III (RE)

OE

06510-SWW-305

Height [mm]: 42
Inner Diameter [mm]: 20
Outer Width [mm]: 41

GOJ4254 Bearing Bush, stabiliser



HONDA ACCORD VIII (CU)
HONDA ACCORD VIII Station wagon

OE

51306TLOG01

Inner Diameter [mm]: 21
Length [mm]: 45

GOJ4278 Engine Mounting



HONDA CR-V II (RD_)
HONDA CR-V III (RE)
HONDA CR-V IV (RE)

OE

50880SWYE01

GOJ4279 Engine Mounting



HONDA CITY Tre volumi (GM)
HONDA JAZZ III (GE)

OE

50822TF0J01
50822TF0J02

GOJ5149 Control Arm-/Trailing Arm Bush



MITSUBISHI GRANDIS (NA_W)

OE

MR594320

Height 1 [mm]: 59,7
Height 2 [mm]: 30
Inner Diameter [mm]: 14
Outer Diameter [mm]: 60

Mounting

GOJ5152 Bearing Bush, stabiliser



MITSUBISHI CARISMA (DA_)
MITSUBISHI CARISMA Tre volumi (DA_)

OE
MR911378

Inner Diameter [mm]: 15
Length [mm]: 38

GOJ5155 Bearing Bush, stabiliser



MITSUBISHI SPACE RUNNER (N1_W, N2_W)
MITSUBISHI SPACE WAGON (N3_W, N4_W)

OE
MB871062

Inner Diameter [mm]: 20
Length [mm]: 36

GOJ5156 Engine Mounting



MITSUBISHI MIRAGE 2 volumi /Coda spiovente
MITSUBISHI MIRAGE Tre volumi (A10_)
MITSUBISHI SPACE STAR 2 volumi /Coda spiovente (A0_A)

OE
1093A115
1093A146

GOJ5160 Engine Mounting



MITSUBISHI PAJERO II (V3_W)
MITSUBISHI PAJERO III (V7_W, V6_W)
MITSUBISHI PAJERO III Fuoristrada aperto (V6_W, V7_W)
MITSUBISHI PAJERO IV (V8_W, V9_W)

OE
MR448193

GOJ5162 Engine Mounting



MITSUBISHI L200 (KJ_)
MITSUBISHI PAJERO SPORT III (KS_)

OE
1093A165

GOJ5178 Control Arm-/Trailing Arm Bush



CITROEN C-CROSSER (EP_)
CITROEN C-CROSSER ENTERPRISE
CITROEN C-CROSSER Van (VU_)
CITROEN C4 AIRCROSS
MITSUBISHI ASX (GA_W_)
MITSUBISHI ECLIPSE CROSS (GK_)

OE
1609910680
1612448580
3520V0*
3520X9*
3521R1*
3521V0*

Fitting Position: Lower Front Axle
Fitting Position: Rear
Height [mm]: 53,7
Inner Diameter [mm]: 14,1
Mounting Type: Rubber-metal Bearing
Outer Diameter [mm]: 60
Steering Type: Control Arm

Mounting

GOJ5181

Control Arm-/Trailing Arm Bush



CITROEN C-ZERO
 MITSUBISHI i (HA_)
 MITSUBISHI SPACE WAGON (N9_W, N8_W)
 PEUGEOT ION

OE

3520Y5*
 3521V6*
 4013A045*
 4013A046*
 4013A291*
 4013A292*

Fitting Position: Lower Front Axle
 Fitting Position: Rear
 Height [mm]: 53,7
 Inner Diameter [mm]: 12,3
 Mounting Type: Rubber-metal Bearing
 Outer Diameter [mm]: 45
 Steering Type: Control Arm

GOJ5185

Stabiliser Mounting



MITSUBISHI PAJERO SPORT II (KH_, KG_)

OE

MR992318

Fitting Position: Front Axle
 Inner Diameter [mm]: 27
 Length [mm]: 48
 Outer Diameter [mm]: 45

GOJ633

Bearing Bush, stabiliser



DAIHATSU SIRION (M1)
 DAIHATSU YRV (M2)

OE

4881597209000
 4881597213

Inner Diameter [mm]: 17
 Length [mm]: 40

GOJ635

Engine Mounting



DAIHATSU BEGO
 DAIHATSU TERIOS (J2_)

OE

12361B4020
 12361B4021
 12361B4030

GOJ636

Engine Mounting



DAIHATSU BEGO
 DAIHATSU TERIOS (J2_)

OE

12362B4010

GOJ639

Engine Mounting



DAIHATSU BEGO
 DAIHATSU TERIOS (J2_)

OE

12362B4020

Mounting

GOJ8015

Engine Mounting



FIAT SEDICI
SUZUKI SX4 (EY, GY)
SUZUKI SX4 Tre volumi (GY)

OE

1171079J10
1171080J10
71747000
71768704

Fitting Position: Rear Axle

GOJ8020

Stabiliser Mounting



SUZUKI SX4 S-Cross
SUZUKI VITARA (LY)

OE

4243154P00
4243161M00

Fitting Position: Front Axle
Inner Diameter [mm]: 25
Length [mm]: 56,2
Outer Diameter [mm]: 43

GOJ8023

Hub Carrier Bush



FIAT SEDICI
SUZUKI SWIFT IV (FZ, NZ)
SUZUKI SX4 (EY, GY)
SUZUKI SX4 Tre volumi (GY)

OE

4622179J00
4622180J00
71742739
71746971
71768758

Fitting Position: Rear Axle
Height [mm]: 85
Inner Diameter [mm]: 12,2
Mounting Type: Rubber Bearing
Outer Diameter [mm]: 65,1

GOJ9072

Engine Mounting



FIAT 500X
JEEP COMPASS (MP)
JEEP RENEGADE Fuoristrada chiuso
JEEP RENEGADE Fuoristrada chiuso (BU)

OE

52049742
52070967

Fitting Position: Right
For OE number: 52070967
Mounting Type: Hydro Bearing

GOJH9092

Control Arm-/Trailing Arm Bush



FIAT 500X
JEEP COMPASS (MP)
JEEP RENEGADE Fuoristrada chiuso
JEEP RENEGADE Fuoristrada chiuso (BU)
JEEP RENEGADE VAN (BU, B1)

OE

51945319*
52025628*
52092151*
53370919*
68246753AA*
68285137AA*

Fitting Position: Rear Axle
Height [mm]: 44,8
Inner Diameter [mm]: 12,4
Mounting Type: Rubber-metal Bearing
Outer Diameter [mm]: 39,7
Steering Type: Trailing Arm

GOJH9095

Control Arm-/Trailing Arm Bush



JEEP WRANGLER II (TJ)

OE

52038024
52087720
52087720AB
52088433

Fitting Position: Front Axle
Fitting Position: Rear Axle
Height [mm]: 66,5
Inner Diameter [mm]: 14,7
Mounting Type: Rubber-metal Bearing
Outer Diameter [mm]: 57,1
Steering Type: Trailing Arm

Mounting

GOJH9096

Control Arm-/Trailing Arm Bush



JEEP GRAND CHEROKEE IV (WK, WK2)

OE

5168159AB*
68022613AB

Fitting Position: Front Axle Left
Fitting Position: Lower
Fitting Position: Rear
Height [mm]: 55,7
Inner Diameter [mm]: 29,9
Mounting Type: Rubber-metal Bearing
Outer Diameter [mm]: 70
Steering Type: Control Arm

GOJH9097

Control Arm-/Trailing Arm Bush



JEEP GRAND CHEROKEE IV (WK, WK2)

OE

5168158AB*
68022613AB

Fitting Position: Front Axle Right
Fitting Position: Lower
Fitting Position: Rear
Height [mm]: 55,7
Inner Diameter [mm]: 29,9
Mounting Type: Rubber-metal Bearing
Outer Diameter [mm]: 70
Steering Type: Control Arm

GOJH262

Hub Carrier Bush



HYUNDAI TUCSON (JM)
KIA SPORTAGE (JE_, KM_)
KIA SPORTAGE II VAN (KM_)

OE

55456-2E500

Fitting Position: Rear Axle Left
Fitting Position: Rear Axle Right
Material: Steel Elastomer
Thickness [mm]: 90

GOJH269

Control Arm-/Trailing Arm Bush



HYUNDAI H-1 Cargo (TQ)
HYUNDAI H-1 Travel (TQ)
KIA SORENTO I (JC)
KIA SORENTO I VAN (JC)

OE

55620-3E000
55620-4H000

Fitting Position: Rear Axle
Inner Diameter [mm]: 16
Material: Steel Elastomer
Outer Diameter [mm]: 37
Thickness [mm]: 52

GOJH270

Control Arm-/Trailing Arm Bush



HYUNDAI H-1 Cargo (TQ)
HYUNDAI H-1 Travel (TQ)
KIA SORENTO I (JC)
KIA SORENTO I VAN (JC)

OE

55630-3E000
55630-4H000

Fitting Position: Rear Axle
Fitting Position: Right
Inner Diameter [mm]: 22
Material: Steel Elastomer
Outer Diameter [mm]: 42
Thickness [mm]: 52

GOJH272

Hub Carrier Bush



FORD USA EXPLORER
HYUNDAI ix35 (LM, EL, ELH)
HYUNDAI TUCSON
HYUNDAI TUCSON (JM)
HYUNDAI TUCSON Cassone/SUV (TLE)
KIA SPORTAGE (QL)

OE

55253-D7000
BB5Z-5B758-A
BB5Z-5B758-B
BB5Z-5B758-C
BB5Z-5B759-A
BB5Z-5B759-B

Fitting Position: Rear Axle Upper

Mounting

GOJH284 Control Arm-/Trailing Arm Bush



HYUNDAI HIGHWAY VAN
HYUNDAI TRAJET (FO)
HYUNDAI TRAJET Cassone/Limousine spaziosa (FO)

OE
552563A000
552563A100

Fitting Position: Rear Axle

GOJH289 Control Arm-/Trailing Arm Bush



HYUNDAI H-1 Travel (TQ)

OE
552704H100

Height 1 [mm]: 62,6
Height 2 [mm]: 46
Inner Diameter [mm]: 14

GOJH291 Bearing Bush, stabiliser




HYUNDAI COUPE (GK)
HYUNDAI TIBURON Coupé

OE
555132C110

Inner Diameter [mm]: 18
Length [mm]: 43

GOJH296 Engine Mounting



HYUNDAI i10 (IA)

OE
21810B4000

Fitting Position: Engine Side

GOJH297 Engine Mounting



HYUNDAI ATOS (MX)

OE
2184005200

GOJH301 Engine Mounting



HYUNDAI TUCSON
HYUNDAI TUCSON Cassone/SUV (TLE)

OE
21810D3100
21810D3200

Fitting Position: Left and right
Mounting Type: Hydro Bearing

Mounting

GOJH302

Engine Mounting



HYUNDAI i10 (PA)

OE
218300X020

GOJH306

Engine Mounting



HYUNDAI ATOS (MX)

OE
2184002000

GOJH314

Engine Mounting



HYUNDAI SANTA FÉ I (SM)

OE
2183026300

Fitting Position: Transmission End

GOJH316

Engine Mounting



HYUNDAI SANTA FÉ I (SM)
HYUNDAI SANTA FÉ I Cassone/SUV (SM)

OE
2193026300

GOJH320

Engine Mounting



HYUNDAI SANTA FÉ II (CM)

OE
219302B000

GOJH323

Engine Mounting



HYUNDAI SANTA FÉ II (CM)
HYUNDAI SANTA FÉ II Cassone/SUV (CM)

OE
218112B100

Fitting Position: Right
For OE number: 21811-2B100
Mounting Type: Hydro Bearing

Mounting

GOJH327

Engine Mounting



HYUNDAI SANTA FÉ I (SM)

OE

2191026200

GOJH328

Engine Mounting



HYUNDAI ix35 (LM, EL, ELH)
KIA SPORTAGE (SL)

OE

218102S000
218102S200

GOJH338

Engine Mounting



HYUNDAI CRETA
HYUNDAI i30 (FD)
HYUNDAI i30 (GD)
HYUNDAI i30 Coupé
HYUNDAI i30 CW (GD)
KIA CEE'D

OE

21950-A5000

Fitting Position: Rear
For OE number: 21950-A5000
Mounting Type: Rubber-metal Bearing

GOJH341

Engine Mounting



HYUNDAI TUCSON
KIA SPORTAGE (QL)

OE

21810-D3500

Fitting Position: Right
For OE number: 21810-D3500
Mounting Type: Hydro Bearing

GOJK151

Control Arm-/Trailing Arm Bush



KIA SPORTAGE (K00)
KIA SPORTAGE VAN


OE

0K01128820
0K01128820A

Height 1 [mm]: 61
Height 2 [mm]: 50
Inner Diameter [mm]: 12
Outer Diameter [mm]: 49

GOJK162

Bearing Bush, stabiliser



OE

0K74P34156A

Inner Diameter [mm]: 25

Mounting

GOJK172

Engine Mounting



KIA RIO Station wagon (DC)
KIA RIO Tre volumi (DC_)

OE

21810FD060

GOJM13

Engine Mounting



RENAULT TWINGO III
SMART FORFOUR 2 volumi /Coda spiovente
(453)

OE

112202843R
4532400017
A4532400017

Fitting Position: Left and right
For OE number: 11 22 028 43R
Mounting Type: Rubber-metal Bearing

GOJM14

Engine Mounting



SMART CABRIO (450)
SMART CITY-COUPE (450)
SMART CROSSBLADE (450)
SMART FORTWO Cabrio (450)
SMART FORTWO Coupé (450)
SMART ROADSTER (452)

OE

0003144V015000000
0004719V006000000
A0003144V015000000
0
A0004719V006000000
0

Fitting Position: Right
Mounting Type: Rubber-metal Bearing

GOJM15

Engine Mounting



RENAULT TWINGO III
SMART FORFOUR 2 volumi /Coda spiovente
(453)
SMART FORTWO Cabriolet (453)
SMART FORTWO Coupé (453)

OE

112214046R
4532400200
A4532400200

Fitting Position: Left and right
For OE number: 11 22 140 46R
Mounting Type: Rubber-metal Bearing

GOJS15

Control Arm-/Trailing Arm Bush



SSANGYONG REXTON (GAB_)
SSANGYONG REXTON / REXTON II VAN

OE

4451708000

Fitting Position: Front Axle Left
Fitting Position: Front Axle Right

GOJW109

Engine Mounting



DAEWOO MATIZ (KLYA)

OE

96314472

Mounting

GOJW115

Engine Mounting



DAEWOO MATIZ (KLYA)

OE
96340027

106013

Sway Bar, suspension



MAHINDRA GOA
MAHINDRA THAR

OE
0401EA0070N

Bar/Strut: Coupling Rod
Fitting Position: Front Axle
Fitting Position: Left and right
Length [mm]: 195
Specification: Lung perno-perno

106014

Sway Bar, suspension



DR DR 1
DR DR 2

OE
722010075

Bar/Strut: Coupling Rod
Fitting Position: Front Axle
Fitting Position: Left and right
Length [mm]: 60
Specification: Lung perno-perno

106017

Sway Bar, suspension



DR DR 3
DR DR 5
DR DR 6

OE

Bar/Strut: Coupling Rod
Fitting Position: Front Axle Left
Fitting Position: Front Axle Right
Specification: Lung perno-perno

1060600

Sway Bar, suspension



CITROEN C4 III
DS DS 3 CROSSBACK (U_)
OPEL CORSA F
OPEL CORSA F Van
OPEL MOKKA
PEUGEOT 2008 II (U_)

OE
98 246 525 80
9824652580

Bar/Strut: Coupling Rod
Bar/Strut: Push Rod
Length 1 [mm]: 324
Pipe [mm]: 9
Specification: Lung perno-perno
Thread Measurement 1: MM10x1,5R

106172

Sway Bar, suspension



NISSAN URVAN Autobus (E24)
NISSAN URVAN Furgonato (E24)

OE
5461801N01

Fitting Position: Front Axle
Specification: Lung perno-perno

Mounting

1062005

Sway Bar, suspension



CITROEN JUMPY
CITROEN JUMPY Furgonato
CITROEN JUMPY Pianale piatto/Telaio
CITROEN SPACETOURER
OPEL VIVARO C Combi (K0)
OPEL VIVARO C Furgonato (K0)

OE

98 090 901 80
9809090180
SU001-A6492
SU001A6492

Bar/Strut: Coupling Rod
Length [mm]: 355
Material: Steel
Required quantity: 2
Specification: Lung perno-perno
Thread Measurement 1: M12x1,5

1062006

Sway Bar, suspension



SUZUKI ACROSS (A5Z_)
TOYOTA RAV 4 V (_A5_)
TOYOTA RAV 4 V VAN (_A5_, _H5_)

OE

48820 42040
488200R050
T4882 04204 000

Bar/Strut: Suspension Rod
Fitting Position: Front Axle
Length [mm]: 260
Pipe [mm]: 10
Specification: Lung perno-perno
Thread Size: M12x1,25mm

1062010L

Rod/Strut, stabiliser



LEXUS GS (GRL1_, GWL1_)
LEXUS GS (GRS19_, UZS19_, GWS19_)

OE

4881030080

Bar/Strut: Coupling Rod
Fitting Position: Front Axle Left
Length [mm]: 85
Paired article numbers: 106-02-2010R
Paired article numbers: 1062010R
Paired article numbers: SI-2010R
Pipe [mm]: 10
Specification: Lung perno-perno
Thread Measurement 1: MM12X1,25R

1062010R

Rod/Strut, stabiliser



LEXUS GS (GRL1_, GWL1_)
LEXUS GS (GRS19_, UZS19_, GWS19_)

OE

4882030100

Bar/Strut: Coupling Rod
Fitting Position: Front Axle Right
Length [mm]: 85
Paired article numbers: 106-02-2010L
Paired article numbers: 1062010L
Paired article numbers: SI-2010L
Pipe [mm]: 10
Specification: Lung perno-perno
Thread Measurement 1: MM12X1,25R

1062011L

Rod/Strut, stabiliser



BMW 1 (F20)
BMW 1 (F21)
BMW 2 Cabriolet (F23)
BMW 2 Coupé (F22)
BMW 3 (F30, F35, F80)
BMW 3 (G20)

OE

33506785607
48840WAA01

Bar/Strut: Coupling Rod
Fitting Position: Rear Axle Left
Length [mm]: 135
Paired article numbers: 106-02-2011R
Paired article numbers: 1062011R
Paired article numbers: SI-2011R
Specification: Lung perno-perno
Thread Measurement 1: MM10x1,5R

Mounting

1062011R

Rod/Strut, stabiliser



BMW 1 (F20)
BMW 1 (F21)
BMW 2 Cabriolet (F23)
BMW 2 Coupé (F22)
BMW 3 (F30, F35, F80)
BMW 3 (G20)


OE

33506785608
48830WAA01

Bar/Strut: Coupling Rod
Fitting Position: Rear Axle Right
Length [mm]: 135
Paired article numbers: 106-02-2011L
Paired article numbers: 1062011L
Paired article numbers: SI-2011L
Specification: Lung perno-perno
Thread Measurement 1: MM10x1,5

106349L

Rod/Strut, stabiliser



FIAT 124 Spider (348_)
MAZDA MX-5 IV (ND)

OE

6000612413
68313222AA
N24334170

Bar/Strut: Coupling Rod
Fitting Position: Front Axle Left
Length [mm]: 110
Paired article numbers: 106-03-349R
Paired article numbers: 106349R
Paired article numbers: SI-349R
Pipe [mm]: 8
Specification: Lung perno-perno
Thread Measurement 1: MM10X1,25R

106349R

Rod/Strut, stabiliser



FIAT 124 Spider (348_)
MAZDA MX-5 IV (ND)

OE

6000612412
68313961AA
N24334150

Bar/Strut: Coupling Rod
Fitting Position: Front Axle Right
Length [mm]: 110
Paired article numbers: 106-03-349L
Paired article numbers: 106349L
Paired article numbers: SI-349L
Pipe [mm]: 8
Specification: Lung perno-perno
Thread Measurement 1: MM10X1,25R

106350L

Rod/Strut, stabiliser



FIAT 124 Spider (348_)
MAZDA MX-5 IV (ND)

OE

6000612344
68313928AA
N24328190

Bar/Strut: Coupling Rod
Fitting Position: Rear Axle Left
Length [mm]: 60
Paired article numbers: 106-03-350R
Paired article numbers: 106350R
Paired article numbers: SI-350R
Pipe [mm]: 8
Specification: Lung perno-perno
Thread Measurement 1: MM10X1,25R

106454

Sway Bar, suspension



HONDA LEGEND III (KA9)

OE

52320SZ3003

Fitting Position: Rear Axle left and right
Length [mm]: 105
Specification: Lung perno-perno
Thread Measurement 1: M10x1.25mm

Mounting

106456L

Sway Bar, suspension



HONDA LEGEND III (KA9)

OE

51321-SZ3-003
51321-SZ3-013

Length [mm]: 113
Specification: Lung perno-perno
Thread Measurement 1: M10X1,25
Thread Measurement 2: M10X1,25

106456R

Sway Bar, suspension



HONDA LEGEND III (KA9)

OE

51320-SZ3-003
51320-SZ3-013

Length [mm]: 113
Specification: Lung perno-perno
Thread Measurement 1: M10X1,25
Thread Measurement 2: M10X1,25

106457

Sway Bar, suspension



HONDA CIVIC X 2 volumi /Coda spiovente (FC_,
FK)
HONDA CIVIC X Tre volumi (FC_)

OE

51320 TBA A02
51320TBAA01

Bar/Strut: Coupling Rod
Fitting Position: Front Axle left and right
Length 1 [mm]: 345
Pipe [mm]: 13
Specification: Lung perno-perno
Thread Measurement 1: MM10X1,25R

106460

Rod/Strut, stabiliser



HONDA CIVIC IX (FK)
HONDA CIVIC IX Tourer (FK)

OE

51321TR0A01

Bar/Strut: Coupling Rod
Fitting Position: Front Axle Left
Overall Length [mm]: 350
Specification: Lung perno-perno

106461

Rod/Strut, stabiliser



HONDA CIVIC IX (FK)
HONDA CIVIC IX Tourer (FK)

OE

51320TR0A01

Bar/Strut: Coupling Rod
Fitting Position: Front Axle Right
Overall Length [mm]: 350
Specification: Lung perno-perno

Mounting

106712L

Rod/Strut, stabiliser



SUBARU IMPREZA 2 volumi /Coda spiovente (GT_)

OE

20420FL010
20420FL01A

Bar/Strut: Coupling Rod
Fitting Position: Front Axle Left
Length [mm]: 300
Paired article numbers: 106-07-712R
Paired article numbers: 106712R
Paired article numbers: SI-712R
Pipe [mm]: 10
Specification: Lung perno-perno
Thread Measurement 1: MM12X1,5R

106712R

Rod/Strut, stabiliser



SUBARU IMPREZA 2 volumi /Coda spiovente (GT_)

OE

20420FL000
20420FL00A

Bar/Strut: Coupling Rod
Fitting Position: Front Axle Right
Length [mm]: 300
Paired article numbers: 106-07-712L
Paired article numbers: 106712L
Paired article numbers: SI-712L
Specification: Lung perno-perno
Thread Measurement 1: MM12X1,25R

106813

Sway Bar, suspension



SUZUKI BALENO

OE

42420M68P00

Bar/Strut: Suspension Rod
Fitting Position: Front Axle
Length [mm]: 350
Specification: Lung perno-perno
Thread Size: M10x1,25mm

106933

Rod/Strut, stabiliser



CHRYSLER 300 C (LX)
CHRYSLER 300 C Touring (LX)
LANCIA THEMA (LX)

OE

04895482AA

Bar/Strut: Coupling Rod
Fitting Position: Front Axle Right
Length [mm]: 244
Outer Thread [mm]: M14X1.75
Specification: Lung perno-perno

106935

Rod/Strut, stabiliser



DODGE DURANGO
JEEP GRAND CHEROKEE IV (WK, WK2)

OE

68069654AB
68069654AC

Bar/Strut: Coupling Rod
Fitting Position: Front Axle Right
Length [mm]: 133
Outer Diameter [mm]: 12,0
Outer Thread 1 [mm]: M12 X 1,5
Outer Thread [mm]: M12 x 1,5
Paired article numbers: 106-09-936
Paired article numbers: 106936
Paired article numbers: SI-936
Specification: Lung perno-perno

Mounting

106936 Rod/Strut, stabiliser



DODGE DURANGO
JEEP GRAND CHEROKEE IV (WK, WK2)

OE

68069655AB
68069655AC

Bar/Strut: Coupling Rod
Fitting Position: Front Axle Left
Length [mm]: 133
Outer Diameter [mm]: 12,0
Outer Thread 1 [mm]: M12 X 1,5
Outer Thread [mm]: M12 x 1,5
Paired article numbers: 106-09-935
Paired article numbers: 106935
Paired article numbers: SI-935
Specification: Lung perno-perno

106943 Rod/Strut, stabiliser




JEEP GRAND CHEROKEE IV (WK, WK2)

OE

68091853AA

Bar/Strut: Coupling Rod
Fitting Position: Rear Axle
Length [mm]: 107
Pipe [mm]: 10
Specification: Lung perno-perno
Thread Measurement 1: MM12X1,5R

106945 Rod/Strut, stabiliser



JEEP CHEROKEE (KL)
JEEP CHEROKEE VAN (KL)

OE

68224732AB
68224732AC
K68224732AB
K68224732AC

Bar/Strut: Coupling Rod
Fitting Position: Front Axle
Length [mm]: 258
Specification: Lung perno-perno
Thread Measurement 1: MM10X1,25R

106H78 Sway Bar, suspension



HYUNDAI TUCSON
KIA SPORTAGE (QL)

OE

55530D3000
55540D3000

Bar/Strut: Coupling Rod
Fitting Position: Rear Axle left and right
Required quantity: 2
Specification: Lung perno-perno
Thread Size: M12X1,25R

106K62 Rod/Strut, stabiliser



KIA SORENTO III

OE

55210C5060+
55220C5060+
55530C5000
55540C5000

Bar/Strut: Coupling Rod
Fitting Position: Rear Axle
Length [mm]: 116
Specification: Lung perno-perno
Thread Measurement 1: MM12X1,25R

Mounting

106S11 Sway Bar, suspension



SSANGYONG KORANDO

OE

4475034000
4475034001
4475034002
4475034003

Bar/Strut: Coupling Rod
Fitting Position: Front Axle
Fitting Position: Left and right
Length [mm]: 255
Specification: Lung perno-perno

106T01 Rod/Strut, stabiliser



LEXUS ES (_Z10_)
LEXUS UX (_AA1_, _AH1_)
TOYOTA C-HR VAN (_X1_)
TOYOTA CAMRY (_V7_, _VA7_, _VH7_)
TOYOTA CH-R (NGX1, NGX5_, ZYX1_)
TOYOTA COROLLA (_E21_)

OE

4883047010

Bar/Strut: Coupling Rod
Fitting Position: Rear Axle left and right
Required quantity: 2
Specification: Lung perno-perno

106W05 Rod/Strut, stabiliser



CHEVROLET CAPTIVA (C100, C140)
OPEL ANTARA

OE

20911128
22737680
4801837
4808136

Bar/Strut: Coupling Rod
Fitting Position: Rear Axle left and right
Length [mm]: 106,5
Outer Thread [mm]: M10 x 1,5
Outer Thread [mm]: M12 x 1,75
Required quantity: 2
Specification: Lung perno-perno

SMJ0127C Friction Bearing, suspension strut support mounting



FORD FOCUS (DAW, DBW)
FORD FOCUS Station wagon (DNW)
FORD FOCUS Tre volumi (DFW)

OE

1061721

Fitting Position: Front Axle

SMJ0131S2 Rubber Buffer, suspension



OPEL ASTRA G 2 volumi /Coda spiovente (F48_, F08_)
OPEL ASTRA G Cabriolet (F67)
OPEL ASTRA G Coupe (F07_)
OPEL ASTRA G Furgonato (F70)
OPEL ASTRA G Station wagon (F35_)

OE

312510

Fitting Position: Front Axle
Fitting Position: Upper
Material: Steel Elastomer

SMJ0141P Spring Cap



CITROEN BERLINGO (B9)
CITROEN BERLINGO Furgonato (B9)
CITROEN C2 (JM_)
CITROEN C2 ENTERPRISE
CITROEN C3 I (FC_)
CITROEN C3 II

OE

503375

Fitting Position: Front Axle

Mounting

SMJ0143P

Spring Cap



FORD GALAXY (WA6)
FORD GALAXY (WGR)
SEAT ALHAMBRA (710)
SEAT ALHAMBRA (7V8, 7V9)
VW SHARAN (7M8, 7M9, 7M6)
VW SHARAN (7N)

OE
7201835
7M0412319A

Fitting Position: Front Axle

SMJ0151S

Strut Mount



PEUGEOT 207 (WA_, WC_)
PEUGEOT 207 CC (WD_)
PEUGEOT 207 SW (WK_)
PEUGEOT 207 Van

OE
5038E7

Fitting Position: Upper Front Axle
Standard: ATTACCO AMMORTIZZAT.

SMJ0157S

Strut Mount



CITROEN JUMPER Autobus (230P)
CITROEN JUMPER Furgonato (230L)
CITROEN JUMPER Pianale piatto/Telaio (230)
FIAT DUCATO Autobus (230)
PEUGEOT BOXER Autobus (230P)
PEUGEOT BOXER Furgonato (230L)

OE
1307241080
1323165080
503818
503841

Fitting Position: Left
Fitting Position: Upper Front Axle
Standard: attacco ammortizzat.

SMJ0158S

Strut Mount



CITROEN JUMPER Autobus (230P)
CITROEN JUMPER Furgonato (230L)
CITROEN JUMPER Pianale piatto/Telaio (230)
FIAT DUCATO Autobus (230)
FIAT DUCATO Furgonato (230L)
FIAT DUCATO Pianale piatto/Telaio (230)

OE
1307242080
1323166080
503819
503842

Fitting Position: Right
Fitting Position: Upper Front Axle
Standard: attacco ammortizzat.

SMJ0161S

Strut Mount



CITROEN JUMPER Autobus
CITROEN JUMPER Autobus (244, Z_)
CITROEN JUMPER Furgonato
CITROEN JUMPER Furgonato (244)
CITROEN JUMPER Pianale piatto/Telaio
CITROEN JUMPER Pianale piatto/Telaio (244)

OE
1318571080
1318572080
1338761080
1338762080
1339629080
1345897080

Fitting Position: Front Axle Left
Standard: attacco ammortizzat.

SMJ0162S

Strut Mount



CITROEN JUMPER Autobus
CITROEN JUMPER Autobus (244, Z_)
CITROEN JUMPER Furgonato
CITROEN JUMPER Furgonato (244)
CITROEN JUMPER Pianale piatto/Telaio
CITROEN JUMPER Pianale piatto/Telaio (244)

OE
1338761080
1339628080
1345896080
1350788080
503800
503889

Fitting Position: Front Axle Right
Fitting Position: Right

Mounting

SMJ0170S

Strut Mount



CITROEN SAXO (S0, S1)
PEUGEOT 106 I (1A, 1C)
PEUGEOT 106 II (1)

OE
503815
503850

Fitting Position: Upper Front Axle
Standard: attacco ammortizzato

SMJ0173S

Strut Mount



RENAULT MEGANE III 2 volumi /Coda spiovente (BZ0_)
RENAULT MEGANE III Coupé (DZ0/1_)
RENAULT MEGANE III Grandtour (KZ0/1)
RENAULT SCÉNIC III (JZ0/1_)

OE
540340002R
543200001R

Fitting Position: Upper Front Axle
Standard: attacco ammortizzato

SMJ0175S

Strut Mount



CADILLAC BLS
CADILLAC BLS Wagon
FIAT CROMA (194)
OPEL SIGNUM
OPEL VECTRA C
OPEL VECTRA C GTS

OE
0344529
0344536
12782216
12793902
13105976
13156294

Fitting Position: Front Axle
Height 1 [mm]: 39
Inner Diameter 1 [mm]: 15
Outer Diameter 1 [mm]: 154,5

SMJ0213S

Strut Mount



BMW X5 (E53)

OE
31306779604
31331096311
31336769584

External Thread [inch]: M8x1,25
Fitting Position: Upper Front Axle
Height 1 [mm]: 82
Inner Diameter 1 [mm]: 16
Width 1 [mm]: 154

SMJ0242S1

Strut Mount



SEAT CORDOBA (6K1, 6K2)
SEAT CORDOBA (6K2)
SEAT CORDOBA (6L2)
SEAT CORDOBA Vario (6K5)
SEAT IBIZA II (6K1)
SEAT IBIZA III (6K1)

OE
191512333

Fitting Position: Rear Axle Lower
Height 1 [mm]: 40
Inner Diameter 1 [mm]: 17,5
Inner Diameter 2 [mm]: 36
Inner diameter 3 [mm]: 41,5
Outer Diameter 1 [mm]: 70

SMJ0242S2

Strut Mount



SEAT CORDOBA (6K1, 6K2)
SEAT CORDOBA (6K2)
SEAT CORDOBA (6L2)
SEAT CORDOBA Vario (6K5)
SEAT IBIZA II (6K1)
SEAT IBIZA III (6K1)

OE
191512335

Fitting Position: Rear Axle
Height 1 [mm]: 28
Inner Diameter 1 [mm]: 13,5
Outer Diameter 1 [mm]: 60

Mounting

SMJ0271

Strut Mount



RENAULT SAFRANE I (B54_)
RENAULT SAFRANE II (B54_)

OE
7700805922

Fitting Position: Rear Axle

SMJ0283

Strut Mount



FIAT MULTIPLA (186)
LANCIA LYBRA (839AX)
LANCIA LYBRA SW (839BX)

OE
1303672080
46536244
46544151

Fitting Position: Front Axle

SMJ0338P

Spring Cap



RENAULT LAGUNA II (BG0/1_)
RENAULT LAGUNA II Grandtour (KG0/1_)

OE
7700424482

Fitting Position: Front Axle
Height 1 [mm]: 43,2
Inner Diameter 1 [mm]: 75
Outer Diameter 1 [mm]: 154,5

SMJ0338S

Strut Mount



RENAULT LAGUNA II (BG0/1_)
RENAULT LAGUNA II Grandtour (KG0/1_)

OE
8200002876
8200201714

Fitting Position: Upper Front Axle
Height 1 [mm]: 60
Inner Diameter 1 [mm]: 16
Length 1 [mm]: 150
Standard: attacco ammortizzato
Width 1 [mm]: 130

SMJ0349S

Strut Mount



RENAULT 19 I (B/C53_)
RENAULT 19 I Cabriolet (D53_)
RENAULT 19 I Chamade (L53_)
RENAULT 19 II (B/C53_)
RENAULT 19 II Cabriolet (D53_, 853_)
RENAULT 19 II Chamade (L53_)

OE
7700780875
7700835254
7700835254S2

Fitting Position: Upper Front Axle
Height 1 [mm]: 57
Inner Diameter 1 [mm]: 14,5
Outer Diameter 1 [mm]: 98
Standard: attacco ammortizzato

SMJ0363P

Spring Cap



DACIA DUSTER
DACIA LOGAN (LS_)
DACIA LOGAN MCV (KS_)
DACIA SANDERO

OE
6001548403

Fitting Position: Front Axle
Fitting Position: Left
Fitting Position: Right

Mounting

SMJ0518S

Strut Mount



CITROEN C8 (EA_, EB_)
 CITROEN EVASION (22, U6)
 CITROEN JUMPY (U6U)
 CITROEN JUMPY Furgonato
 CITROEN JUMPY Furgonato (BS_, BT_, BY_, BZ_)
 FIAT SCUDO (270_)

OE
 1311931080
 503817
 503870
 503871
 5038F2
 9405038709

Fitting Position: Right
 Fitting Position: Upper Front Axle
 Specification: SENZA CUSCINETTO VOL
 Standard: attacco ammortizzat.

SMJ0519S

Strut Mount



CITROEN C8 (EA_, EB_)
 CITROEN EVASION (22, U6)
 CITROEN JUMPY (U6U)
 CITROEN JUMPY Furgonato
 CITROEN JUMPY Furgonato (BS_, BT_, BY_, BZ_)
 FIAT SCUDO (270_)

OE
 1311930080
 503816
 503868
 503869
 5038F1
 9405038689

Fitting Position: Left
 Fitting Position: Upper Front Axle
 Specification: SENZA CUSCINETTO VOL
 Standard: attacco ammortizzat.

SMJ0522S

Strut Mount



CITROEN JUMPER Autobus
 CITROEN JUMPER Furgonato
 CITROEN JUMPER Pianale piatto/Telaio
 FIAT DUCATO Autobus (250)
 FIAT DUCATO Furgonato (250)
 FIAT DUCATO Pianale piatto/Telaio (250)

OE
 1374667080
 1375164080
 1612735980

Fitting Position: Front Axle Right
 Height 1 [mm]: 103
 Outer Diameter 1 [mm]: 150

SMJ0523S

Strut Mount



CITROEN JUMPER Autobus
 CITROEN JUMPER Furgonato
 CITROEN JUMPER Pianale piatto/Telaio
 FIAT DUCATO Autobus (250)
 FIAT DUCATO Furgonato (250)
 FIAT DUCATO Pianale piatto/Telaio (250)

OE
 1374666080
 1375165080
 1612736180

Fitting Position: Front Axle Left
 Height 1 [mm]: 103
 Outer Diameter 1 [mm]: 150

SMJ0527S

Strut Mount



FORD GALAXY (WA6)
 FORD MONDEO IV (BA7)
 FORD MONDEO IV Tre volumi (BA7)
 FORD MONDEO IV Turnier (BA7)
 FORD S-MAX (WA6)
 VOLVO S60 II

OE
 1381836
 1406414
 1441597
 31317464
 31340242
 31340606

Fitting Position: Front Axle Left
 Fitting Position: Front Axle Right
 Standard: attacco ammortizzato
 Supplementary Article/Supplementary Info 2:
 Without bearing(s)

SMJ0529S

Strut Mount



FORD MONDEO III (B5Y)
 FORD MONDEO III Station wagon (BWY)
 FORD MONDEO III Tre volumi (B4Y)

OE
 1117734
 1122893
 4386426
 4609099

Fitting Position: Upper Front Axle
 Standard: attacco ammortizzato

Mounting

SMJ0531S

Strut Mount



FORD GALAXY
FORD GALAXY MK III VAN (CK)
FORD S-MAX

OE
1877563
E1GC-3K155-AXB

Fitting Position: Front Axle Left
Fitting Position: Front Axle Right
Inner Diameter [mm]: 14,2
Supplementary Article/Supplementary Info 2:
Without friction bearing

SMJ0532S

Strut Mount



FORD FIESTA VII
FORD FIESTA VII Van

OE
2086244
2329197
H1BC3K155AB
H1BC3K155AC

SMJ0535S

Strut Mount



MERCEDES-BENZ VITO Autobus (638)
MERCEDES-BENZ VITO Furgonato (638)

OE
6393230120
6393230420
6393230520

Fitting Position: Upper Front Axle
Standard: ATTACCO AMMORTIZZAT.

SMJ0537S

Strut Mount



MERCEDES-BENZ CLASSE E (W211)

OE
2113200026

Fitting Position: Upper Front Axle

SMJ0538S

Strut Mount



CHEVROLET CAPTIVA (C100, C140)
OPEL ANTARA

OE
4813836
96863981

Fitting Position: Upper Front Axle

SMJ0539S

Strut Mount



CITROEN BERLINGO (MF)
CITROEN BERLINGO Furgonato (M_)
CITROEN XSARA (N1)
CITROEN XSARA Break (N2)
CITROEN XSARA Coupe (N0)
CITROEN XSARA PICASSO (N68)

OE
503821
503822
503824
503862

Fitting Position: Upper Front Axle
Standard: attacco ammortizzato

Mounting

SMJ0540

Strut Mount



PEUGEOT 308 (4A_, 4C_)
PEUGEOT 308 CC
PEUGEOT 308 SW

OE
514248

Fitting Position: Rear Axle Upper
Standard: ATTACCO AMMORTIZZAT.

SMJ0544S

Strut Mount



CITROEN JUMPY
CITROEN JUMPY Furgonato
CITROEN JUMPY Pianale piatto/Telaio
CITROEN SPACETOURER
FIAT SCUDO Autobus
FIAT SCUDO Furgonato

OE
98 055 199 80
9805519980
SU001-A6619
SU001A6619
SU001A6620

Fitting Position: Front Axle Left
Fitting Position: Front Axle Right
Inner Diameter [mm]: 14
Material: Steel Elastomer
Supplementary Article/Supplementary Info 2:
Without ball bearing

SMJ0545S

Strut Mount



RENAULT KANGOO / GRAND KANGOO (KW0/1_)
RENAULT KANGOO Express (FW0/1_)

OE
8200591283

Fitting Position: Front Axle left and right
Fitting Position: Upper Front Axle
Standard: attacco ammortizzato

SMJ0546S

Strut Mount



RENAULT CLIO Grandtour IV
RENAULT TWINGO III
SMART FORFOUR 2 volumi /Coda spiovente (453)
SMART FORTWO Coupé (453)

OE
4533200173
543020218R
543A02905R

Fitting Position: Front

SMJ0550

Strut Mount



SKODA SUPERB (3U4)
VW PASSAT (3B3)

OE
3B0513353

Fitting Position: Rear Axle left and right

SMJ0551S

Strut Mount



MERCEDES-BENZ CLASSE A (W169)
MERCEDES-BENZ CLASSE B (W245)

OE
1693200073

Fitting Position: Upper Front Axle
Standard: ATTACCO AMMORTIZZAT.

Mounting

SMJ0552S

Strut Mount



CITROEN BERLINGO Furgonato (K9)
CITROEN C4 Grand Picasso II
CITROEN C4 Picasso II
CITROEN C5 AIRCROSS
DS DS 7 Crossback (J_)
PEUGEOT 3008 SUV

OE
9800479780

Fitting Position: Upper
Standard: attacco ammortizzato
Standard: tassello

1112052L

Tie Rod End



TOYOTA MR 2 II (SW2_)

OE
4504719075

Cone Size [mm]: 12,6
Fitting Position: Front Axle Left
Length [mm]: 150
Paired article numbers: 111-02-2052R
Paired article numbers: 1112052R
Paired article numbers: TI-2052R
Thread Measurement 1: MM12X1,25R
Thread Size: FM14X1,5R

1112052R

Tie Rod End



TOYOTA MR 2 II (SW2_)

OE
4504619195

Cone Size [mm]: 12,6
Fitting Position: Front Axle Right
Length [mm]: 150
Paired article numbers: 111-02-2052L
Paired article numbers: 1112052L
Paired article numbers: TI-2052L
Thread Measurement 1: MM12X1,25R
Thread Size: FM14X1,5R

1112053L

Tie Rod End



TOYOTA LAND CRUISER (VDJ20_, UZJ20_)
TOYOTA LAND CRUISER V8

OE
4504769145
4504769146

Cone Size [mm]: 18,2
Fitting Position: Front Axle Left
Length [mm]: 180
Paired article numbers: 111-02-2053R
Paired article numbers: 1112053R
Paired article numbers: TI-2053R
Thread Measurement 1: MM16X1,5R
Thread Size: FM22X1,5R

1112053R

Tie Rod End



TOYOTA LAND CRUISER (VDJ20_, UZJ20_)
TOYOTA LAND CRUISER V8

OE
4504669235
4504669236

Cone Size [mm]: 18,2
Fitting Position: Front Axle Right
Length [mm]: 180
Paired article numbers: 111-02-2053L
Paired article numbers: 1112053L
Paired article numbers: TI-2053L
Thread Measurement 1: MM16X1,5R
Thread Size: FM22X1,5R

1112055

Tie Rod End



SUZUKI ACROSS (A5Z_)
TOYOTA RAV 4 V (_A5_)
TOYOTA RAV 4 V VAN (_A5_, _H5_)

OE
4546049095
T454604909500

Cone Size [mm]: 13,6
Fitting Position: Front Axle
Length [mm]: 103
Thread Measurement 1: MM12X1,25R
Thread Size: FM15X1,5R

Mounting

1112057L
Tie Rod End


TOYOTA CAMRY Tre volumi (AVV5_, XV5_)

OE
4547039345

 Cone Size [mm]: 13,6
 Fitting Position: Front Axle Left
 Length [mm]: 208
 Paired article numbers: 111-02-2057R
 Paired article numbers: 1112057R
 Paired article numbers: TI-2057R
 Thread Measurement 1: MM12X1,25R
 Thread Size: FM15X1,5R

111372
Tie Rod End


MAZDA CX-3 (DK)

OE
D10E32280

 Cone Size [mm]: 12,7
 Fitting Position: Front Axle
 Length [mm]: 147
 Thread Measurement 1: MM12X1,25R
 Thread Size: FM14X1,5R

111373L
Tie Rod End


MAZDA 2 (DL, DJ)

OE
DA6T32290

 Cone Size [mm]: 12,6
 Fitting Position: Front Axle Left
 Length [mm]: 182
 Paired article numbers: 111-03-373R
 Paired article numbers: 111373R
 Paired article numbers: TI-373R
 Thread Measurement 1: MM12X1,25R
 Thread Size: FM14X1,5R

111373R
Tie Rod End


MAZDA 2 (DL, DJ)

OE
DA6T32280

 Cone Size [mm]: 12,6
 Fitting Position: Front Axle Right
 Length [mm]: 182
 Paired article numbers: 111-03-373L
 Paired article numbers: 111373L
 Paired article numbers: TI-373L
 Thread Measurement 1: MM12X1,25R
 Thread Size: FM14X1,5R

111375L
Tie Rod End


MAZDA 2 (DL, DJ)

OE
DA8A32290

 Cone Size [mm]: 12,7
 Fitting Position: Front Axle Left
 Length [mm]: 181
 Paired article numbers: 111-03-375R
 Paired article numbers: 111375R
 Paired article numbers: TI-375R
 Thread Measurement 1: MM12X1,5R
 Thread Size: FM14X1,5R

111375R
Tie Rod End


MAZDA 2 (DL, DJ)

OE
DA8A32280

 Cone Size [mm]: 12,7
 Fitting Position: Front Axle Right
 Length [mm]: 181
 Paired article numbers: 111-03-375L
 Paired article numbers: 111375L
 Paired article numbers: TI-375L
 Thread Measurement 1: MM12X1,5R
 Thread Size: FM14X1,5R

Mounting

111381 Tie Rod End



FORD RANGER (ER, EQ)
MAZDA BT-50 (CD, UN)

OE
1454897
6M343289AA
UR5632280

Cone Size [mm]: 14,7
Fitting Position: Front Axle
Length [mm]: 85
Thread Measurement 1: MM12X1,25R
Thread Size: FM14X1,5L

111443L Tie Rod End



HONDA HR-V
HONDA HR-V (RU)

OE
53560T7J003

Cone Size [mm]: 13,8
Fitting Position: Front Axle Left
Length [mm]: 166
Paired article numbers: 111-04-443R
Paired article numbers: 111443R
Paired article numbers: TI-443R
Thread Measurement 1: MM12X1,25R
Thread Size: FM14X1,5R

111443R Tie Rod End



HONDA HR-V
HONDA HR-V (RU)

OE
53540T7J003

Cone Size [mm]: 13,8
Fitting Position: Front Axle Right
Length [mm]: 166
Paired article numbers: 111-04-443L
Paired article numbers: 111443L
Paired article numbers: TI-443L
Thread Measurement 1: MM12X1,25R
Thread Size: FM14X1,5R

111444L Tie Rod End



HONDA CIVIC X 2 volumi /Coda spiovente (FC_,
FK)

OE
53560TBAA01

Cone Size [mm]: 14,3
Fitting Position: Front Axle Left
Length [mm]: 210
Paired article numbers: 111-04-444R
Paired article numbers: 111444R
Paired article numbers: TI-444R
Thread Measurement 1: MM14X1,5R
Thread Size: FM14X1,5R

111444R Tie Rod End



HONDA CIVIC X 2 volumi /Coda spiovente (FC_,
FK)

OE
53540TBAA01

Cone Size [mm]: 14,3
Fitting Position: Front Axle Right
Length [mm]: 210
Paired article numbers: 111-04-444L
Paired article numbers: 111444L
Paired article numbers: TI-444L
Thread Measurement 1: MM14X1,5R
Thread Size: FM14X1,5R

111445L Tie Rod End



HONDA CR-V V (RW_)

OE
53560TLAA01
53560TLAA51

Cone Size [mm]: 14,5
Fitting Position: Front Axle Left
Length [mm]: 165
Paired article numbers: 111-04-445R
Paired article numbers: 111445R
Paired article numbers: TI-445R
Thread Measurement 1: MM12x1,25R
Thread Size: FM14x1,5R

Per nuove applicazioni e novità si prega di accedere al sito www.japko.it - For new applications and new items, please go to www.japko.it

Mounting

111445R
Tie Rod End


HONDA CR-V V (RW_)

OE

 53540TLAA01
53540TLAA51

 Cone Size [mm]: 14,5
Fitting Position: Front Axle Right
Length [mm]: 165
Paired article numbers: 111-04-445L
Paired article numbers: 111445L
Paired article numbers: TI-445L
Thread Measurement 1: MM12x1,25R
Thread Size: FM14x1,5R

111704R
Tie Rod End

 SUBARU FORESTER (SG)
SUBARU FORESTER (SJ)
SUBARU IMPREZA 2 volumi /Coda spiovente
(GR, GH, G3)
SUBARU IMPREZA Coupe (GFC)
SUBARU IMPREZA Station wagon (GF)

OE

 31320GA190
34161 AL000

 Fitted Diameter [mm]: 13
Fitting Position: Right
Inner Thread [mm]: 14 x 1,5
Outer Thread 1 [mm]: 12 x 1,25
Overall Height [mm]: 79
Overall Length [mm]: 149
Thread Length [mm]: 46

111931
Tie Rod End

 JEEP CHEROKEE (KL)
JEEP CHEROKEE VAN (KL)

OE

 68224937AA
68319182AA
K68224937AA

 Cone Size [mm]: 14,5
Fitting Position: Front Axle Left
Length [mm]: 94
Paired article numbers: 111-09-931R
Paired article numbers: 111932
Paired article numbers: TI-931R
Thread Measurement 1: MM12X1,5R
Thread Size: FM16X1,5R

111K17L
Tie Rod End

 HYUNDAI ACCENT Tre volumi (HC)
HYUNDAI SOLARIS Tre volumi
KIA RIO IV (YB)
KIA RIO IV Hatchback Van (YB, SC, FB)
KIA RIO IV Tre volumi (SC, FB)
KIA STONIC (YB)

OE

56820H8000

 Cone Size [mm]: 13,3
Fitting Position: Front Axle Left
Length [mm]: 122
Paired article numbers: 111-0K-K17R
Paired article numbers: 111K17R
Paired article numbers: TI-K17R
Thread Measurement 1: MM10X1,25R
Thread Size: FM14X1,5R

111K17R
Tie Rod End

 HYUNDAI ACCENT Tre volumi (HC)
HYUNDAI SOLARIS Tre volumi
KIA RIO IV (YB)
KIA RIO IV Hatchback Van (YB, SC, FB)
KIA RIO IV Tre volumi (SC, FB)
KIA STONIC (YB)

OE

56825H8000

 Cone Size [mm]: 13,3
Fitting Position: Front Axle Right
Length [mm]: 122
Paired article numbers: 111-0K-K17L
Paired article numbers: 111K17L
Paired article numbers: TI-K17L
Thread Measurement 1: MM10X1,25R
Thread Size: FM14X1,5R