

# JapKo<sup>®</sup>



[www.japko.it](http://www.japko.it)

**CATALOGUE**

DR / EVO

SPARE PARTS

**CATALOGO**

DR / EVO

RICAMBI

## Brake system

**65802**

Wheel Brake Cylinder



DR DR 1

**OE**

53400-58040  
53400-80040  
5340058040000  
5340080040000  
5340280040

Bore [mm]: 22,2  
Fitted Diameter [mm]: 29,9  
Fitting Position: Rear

**67W02**

Wheel Brake Cylinder



DR DR ZERO

**OE**

96320670  
96320670/96518606  
96518606

Bore [mm]: 17,4  
Fitted Diameter [mm]: 29,9  
Fitting Position: Rear Axle

**60019C**

Brake Disc



DR DR 5

**OE**

T11-3501075  
T113501075

Brake Disc Thickness [mm]: 25  
Brake Disc Type: Vented  
Fitting Position: Front Axle  
For OE number: T113501075  
Height [mm]: 50  
Minimum Thickness [mm]: 23  
Number of Bores: 5  
Outer Diameter [mm]: 265  
Pitch Circle [mm]: 62  
Surface: Painted

**60020**

Brake Disc



DR DR 1  
DR DR 2

**OE**

720050026

Brake Disc Thickness [mm]: 17  
Brake Disc Type: Vented  
Fitting Position: Front Axle  
Height [mm]: 45  
Inspection Tag: ECE R90 APPROVED  
Minimum Thickness [mm]: 15  
Number of Bores: 4  
Outer Diameter [mm]: 257  
Pitch Circle [mm]: 60

**60020C**

Brake Disc



DR DR 1  
DR DR 2

**OE**

720050026

Brake Disc Thickness [mm]: 17  
Brake Disc Type: Vented  
Fitting Position: Front Axle  
For OE number: 720050026  
Height [mm]: 45  
Inspection Tag: ECE R90 APPROVED  
Minimum Thickness [mm]: 15  
Number of Bores: 4  
Outer Diameter [mm]: 257  
Pitch Circle [mm]: 60  
Surface: Painted

## Brake system

**600268C**

**Brake Disc**



DR DR 3  
DR DR 3.0

**OE**  
3370100045

Brake Disc Thickness [mm]: 25  
Brake Disc Type: Vented  
Fitting Position: Front Axle  
For OE number: 3370100045  
Height [mm]: 45  
Inner Diameter [mm]: 65,2  
Minimum Thickness [mm]: 23  
Number of Holes: 5  
Outer Diameter [mm]: 283

**60027C**

**Brake Disc**




DR DR 5

**OE**  
3370100007  
T11-3501075BA

Brake Disc Thickness [mm]: 25  
Brake Disc Type: Vented  
Fitting Position: Front Axle  
For OE number: 3370100007  
Height [mm]: 49,5  
Inspection Tag: ECE R90 APPROVED  
Minimum Thickness [mm]: 23  
Number of Bores: 5  
Outer Diameter [mm]: 300  
Pitch Circle [mm]: 62  
Surface: Painted

**60079C**

**Brake Disc**




DR DR ZERO

**OE**  
337010027

Brake Disc Thickness [mm]: 12  
Brake Disc Type: Solid  
Fitting Position: Front Axle  
For OE number: 337010027  
Height [mm]: 36  
Minimum Thickness [mm]: 9,5  
Number of Bores: 4  
Outer Diameter [mm]: 236  
Pitch Circle [mm]: 86  
Surface: Painted

**60082C**

**Brake Disc**




DR DR 4

**OE**  
3370100036

Brake Disc Thickness [mm]: 25,5  
Brake Disc Type: Internally Vented  
Fitting Position: Front Axle  
For OE number: 3370100036  
Minimum Thickness [mm]: 23,5  
Number of Bores: 5  
Outer Diameter [mm]: 293

**60083C**

**Brake Disc**



DR DR 6

**OE**  
3370100042

Brake Disc Thickness [mm]: 25,4  
Brake Disc Type: Internally Vented  
Fitting Position: Front Axle  
For OE number: 3370100042  
Minimum Thickness [mm]: 23,4  
Number of Bores: 5  
Outer Diameter [mm]: 325

## Brake system

### 602034C

#### Brake Disc



DR DR PK8

#### OE

3370100141  
3501050P3010  
43512-35320  
43512-35321  
4351204050  
4351204051

Brake Disc Thickness [mm]: 28  
Brake Disc Type: Vented  
Fitting Position: Front Axle  
For OE number: 4351204051  
Height [mm]: 67,5  
Minimum Thickness [mm]: 26  
Number of Bores: 6  
Outer Diameter [mm]: 318  
Pitch Circle [mm]: 108  
Surface: Painted

### 610147C

#### Brake Disc



DR DR 4.0  
DR DR 5.0 SUV  
DR DR F35 SUV

#### OE

3370200124

Brake Disc Thickness [mm]: 10  
Brake Disc Type: Solid  
Centering Diameter [mm]: 62  
Fitting Position: Rear Axle  
For OE number: 3370200124  
Height [mm]: 32,8  
Number of Bores: 5  
Outer Diameter [mm]: 312

### 61020C

#### Brake Disc



DR DR 4  
EVO EVO 3


#### OE

3370200050

Brake Disc Thickness [mm]: 9,5  
Brake Disc Type: Solid  
Fitting Position: Rear Axle  
For OE number: 3370200050  
Minimum Thickness [mm]: 8  
Number of Bores: 5  
Outer Diameter [mm]: 275

### 61022C

#### Brake Disc



DR DR 6


#### OE

3370200054

Brake Disc Thickness [mm]: 10  
Brake Disc Type: Solid  
Fitting Position: Rear Axle  
For OE number: 3370200054  
Minimum Thickness [mm]: 8  
Number of Bores: 5  
Outer Diameter [mm]: 320

### 610236C

#### Brake Disc



DR DR 3

#### OE

3370200061

Brake Disc Thickness [mm]: 9  
Brake Disc Type: Solid  
Fitting Position: Rear Axle  
For OE number: 3370200061  
Height [mm]: 34,5  
Inner Diameter [mm]: 65,5  
Minimum Thickness [mm]: 7  
Number of Holes: 5  
Outer Diameter [mm]: 263  
Required quantity: 2  
Thickness [mm]: 9

## Brake system

**61221C**

**Brake Disc**



DR DR 5  
EVO EVO 5

**OE**

4243142040  
4243142041  
720060009  
S3502110  
T113502075  
T113502075BC

Brake Disc Thickness [mm]: 9  
Brake Disc Type: Solid  
Fitting Position: Rear Axle  
For OE number: 4243142041  
Height [mm]: 62,5  
Minimum Thickness [mm]: 8  
Number of Bores: 5  
Outer Diameter [mm]: 302,7  
Pitch Circle [mm]: 62  
Surface: Painted  
Tightening Torque [Nm]: 103

**55007**

**Brake Shoe Set**



DR DR 1  
DR DR 2

**OE**

4800A089  
720060023  
MR449086  
MR449087  
MR449088  
MR485499

Diameter [mm]: 200  
Fitting Position: Rear Axle  
Supplementary Article/Supplementary Info:  
Without lever  
Width [mm]: 32

**55223**

**Brake Shoe Set**



DR DR 5

**OE**

46540-28010  
46540-44010  
46540-48010  
46540-50010  
46550-28010  
46550-44010

Diameter [mm]: 190  
Fitting Position: Rear Axle  
Friction Surface Width [mm]: 25  
Width [mm]: 45

**55W01**

**Brake Shoe Set**



DR DR ZERO

**OE**

5320070810  
5320070810000  
96268079  
96268686  
96288490  
96446177

Diameter [mm]: 180  
Fitting Position: Rear Axle  
Supplementary Article/Supplementary Info 2:  
with handbrake lever  
Thickness [mm]: 4,5  
Width [mm]: 31

**500153**

**Brake Pad Set, disc brake**



DR DR 1.0 2 volumi /Coda spiovente

**OE**

011-1004-2450  
1014031276  
3370100175

Fitting Position: Front Axle  
For OE number: 3370100175  
Height [mm]: 52,5  
Length [mm]: 120  
Thickness [mm]: 16,5  
Wear Warning Contact: With acoustic wear warning

## Brake system

**500156**

**Brake Pad Set, disc brake**

DR DR 6.0 SUV



**OE**

3370100128

Fitting Position: Front Axle

For OE number: 3370100128

Height [mm]: 59,6

Length [mm]: 51,8

Thickness [mm]: 17


Vibration: with vibration damper

Wear Warning Contact: With acoustic wear warning

**500163**

**Brake Pad Set, disc brake**

DR DR 4.0  
DR DR 5.0 SUV  
DR DR 7.0 SUV  
DR DR F35 SUV



**OE**

1014028179  
3370100084  
35020200C02B01  
B123501080  
SA3F3501170  
T153501080

Fitting Position: Front Axle

Height [mm]: 63

Thickness [mm]: 17,5

Vibration: with vibration damper

Wear Warning Contact: Incl. wear warning contact

Width [mm]: 148

**50020**

**Brake Pad Set, disc brake**

DR DR 5



**OE**

357698151A  
720050006  
853698151E  
A213501070  
T113501080

Brake Type: Disc Brake

Fitting Position: Front Axle

For OE number: 720050006

Height [mm]: 70

Inspection Tag: ECE R90 APPROVED

Length [mm]: 119

Thickness [mm]: 18

WVA Number: 20669

**50022**

**Brake Pad Set, disc brake**

DR DR 3  
DR DR 3.0  
DR DR 4.0  
DR DR 5  
DR DR 5.0 SUV



**OE**

3370100005  
3370100052  
A116GN3501080  
A133501080  
A216GN3501080BA  
FS10-3501010013

Brake Type: Disc Brake

Fitting Position: Front Axle

for brake disk diameter [mm]: 300

Height [mm]: 55

Length [mm]: 132

Thickness [mm]: 17

**50029**

**Brake Pad Set, disc brake**

DR DR 1  
DR DR CITY CROSS



**OE**

S21-6GN3501080  
S216GN3501080

Fitting Position: Front Axle

For OE number: S216GN3501080

Length 1 [mm]: 118

Length [mm]: 100

Width [mm]: 49

**50030**

**Brake Pad Set, disc brake**

DR DR 5



**OE**

720050006  
T113501080

Brake System: TRW

Fitting Position: Front Axle

Height [mm]: 70

Length [mm]: 119

Thickness [mm]: 16

## Brake system

**50048**

**Brake Pad Set, disc brake**



DR DR 4

**OE**  
3370100041

Fitting Position: Front Axle  
For OE number: 3370100041  
Height [mm]: 53  
Thickness [mm]: 15  
Width [mm]: 124

**50049**

**Brake Pad Set, disc brake**



DR DR 6

**OE**  
3370100037  
F16-3501080

Fitting Position: Front Axle  
For OE number: 3370100037  
Height [mm]: 58  
Thickness [mm]: 17  
Width [mm]: 160

**50205**

**Brake Pad Set, disc brake**



DR DR PK8  
EVO CROSS 4 Pick-up

**OE**  
04465 35290  
04465 60320  
04465-35290  
044650K030  
044650K090  
044650K360

Brake System: SUMITOMO  
Fitting Position: Front Axle  
For OE number: 0446535290  
Height [mm]: 77,1  
Inspection Tag: ECE R90 APPROVED  
Length [mm]: 134,6  
Thickness [mm]: 17  
WVA Number: 24024

**50813**

**Brake Pad Set, disc brake**



DR DR 1  
DR DR 2

**OE**  
3501500-01  
350150001  
50350150001  
55810-75F00  
55810-75F10  
5581075F00

Brake System: ATE  
Brake Type: Disc Brake  
Fitting Position: Front Axle  
For OE number: 5581075F00  
Height [mm]: 49,8  
Inspection Tag: ECE R90 APPROVED  
Length [mm]: 106,4  
Thickness [mm]: 14,8  
WVA Number: 23662

**50H10**

**Brake Pad Set, disc brake**



DR DR 6.0 SUV

**OE**  
3370100128  
3501500FB01  
3501500SA01  
3501500SC01  
3501510SA01  
581011FA50

Brake System: MANDO  
Fitting Position: Front Axle  
For OE number: 581011FA50  
Height [mm]: 59,9  
Inspection Tag: ECE R90 APPROVED  
Length [mm]: 131,5  
Thickness [mm]: 17,3  
WVA Number: 23891  
WVA Number: 23892  
WVA Number: 23893

## Brake system

<b>50W04</b> 	<b>Brake Pad Set, disc brake</b>  DR DR ZERO	<b>OE</b> 3370100030 96273708 96281945 96288629 96316582 96446175	Brake System: AKEBONO Brake Type: Disc Brake Fitting Position: Front Axle For OE number: 96288629 Height [mm]: 48 Inspection Tag: ECE R90 APPROVED Length [mm]: 126,8 Thickness [mm]: 15,9 WVA Number: 23241
<b>510022</b> 	<b>Brake Pad Set, disc brake</b>  DR DR PK8	<b>OE</b> 3370200277	Fitting Position: Rear Axle left and right For OE number: 3370200277 Height [mm]: 47,70 Length [mm]: 108,6 Thickness [mm]: 17 Wear Warning Contact: With acoustic wear warning
<b>510023</b> 	<b>Brake Pad Set, disc brake</b>  DR DR 6.0 SUV	<b>OE</b> 3370200159 T1C3502080	Fitting Position: Rear Axle For OE number: 3370200159 Height [mm]: 44,8 Length [mm]: 108,8 Thickness [mm]: 15 Wear Warning Contact: With acoustic wear warning
<b>510025</b> 	<b>Brake Pad Set, disc brake</b>  DR DR 1.0 2 volumi /Coda spiovente DR DR 3 DR DR 3.0 DR DR 4.0 DR DR 5.0 SUV	<b>OE</b> 011-1004-6532 1014030659 128425334 3370200117 3370200200 3370200303	Fitting Position: Rear Axle For OE number: 3370200117 Height [mm]: 40,5 Length [mm]: 100,1 Thickness [mm]: 16,7 Vibration: with vibration damper Wear Warning Contact: With acoustic wear warning
<b>510026</b> 	<b>Brake Pad Set, disc brake</b>  DR DR 3 DR DR 3.0	<b>OE</b> 3370200062 J-69-3502080	Fitting Position: Rear Axle Height [mm]: 42,6 Length [mm]: 98,5 Thickness [mm]: 15,9 Vibration: with vibration damper Wear Warning Contact: With acoustic wear warning

## Brake system

**510029**

**Brake Pad Set, disc brake**



DR DR PK8

**OE**

3370200174

Fitting Position: Rear Axle  
For OE number: 3370200174  
Height [mm]: 47,5  
Length [mm]: 108,9  
Thickness [mm]: 16,5  
Vibration: with vibration damper  
Wear Warning Contact: With acoustic wear warning

**510030**

**Brake Pad Set, disc brake**



DR DR 4.0  
DR DR 5.0 SUV  
DR DR 7.0 SUV  
DR DR F35 SUV

**OE**

204002032AA  
204003470AA  
3370200123  
3500700U3400F031  
3504100U7300F031  
3504100X1520F101

Fitting Position: Rear Axle  
For OE number: 3370200123  
Height [mm]: 49,7  
Length [mm]: 108,4  
Thickness [mm]: 16,5  
Vibration: with vibration damper  
Wear Warning Contact: With acoustic wear warning

**51013**

**Brake Pad Set, disc brake**



DR DR 1  
DR DR 5  
DR DR 5.0 SUV  
DR DR 6

**OE**

3370200004  
720050017  
A213502080BA  
B213502080  
J423502090  
M113502090

Fitting Position: Rear Axle  
For OE number: B213502080  
Height [mm]: 38,4  
Length [mm]: 100  
Thickness [mm]: 16,4

**51024**

**Brake Pad Set, disc brake**



DR DR 4

**OE**

3370200053

Fitting Position: Rear Axle  
For OE number: 3370200053  
Height [mm]: 44  
Thickness [mm]: 14  
Width [mm]: 99

**51214**

**Brake Pad Set, disc brake**



DR DR 5

**OE**

04466-12150  
0446602260  
0446602270  
0446602310  
0446612130  
0446612140

Brake Type: Disc Brake  
Fitting Position: Rear Axle  
For OE number: 0446652140  
Height [mm]: 42,5  
Inspection Tag: ECE R90 APPROVED  
Length [mm]: 98,2  
Thickness [mm]: 14,8  
WVA Number: 24610

## Brake system

**51237**

**Brake Pad Set, disc brake**



**OE**

0446602190  
0446602191  
0446602210  
0446647020  
0446647030  
0446647040

Brake System: AKEBONO  
Fitting Position: Rear Axle  
For OE number: 0446647020  
Height [mm]: 42,5  
Length [mm]: 98,6  
Thickness [mm]: 15  
WVA Number: 25016  
WVA Number: 25017  
WVA Number: 25018

**51256**

**Brake Pad Set, disc brake**



**OE**

0446642010  
0446642020  
0446642030  
0446642040  
0446642050  
04466YZZD3

Brake Type: Disc Brake  
Fitting Position: Rear Axle  
For OE number: T113502080  
Height [mm]: 54  
Inspection Tag: ECE R90 APPROVED  
Length [mm]: 78,5  
Thickness [mm]: 13,6  
WVA Number: 23656

**56001**

**Brake Drum**



**OE**

720060022

Fitting Position: Rear Axle  
Hub Bore [mm]: 64  
Inner Br. Drum Diam. [mm]: 203  
Inner Brake Drum Height [mm]: 43  
Number of Bores: 4

**56001C**

**Brake Drum**



**OE**

720060022

Centering Diameter [mm]: 64  
Fitting Position: Rear Axle  
Inner Br. Drum Diam. [mm]: 203  
Inner Brake Drum Height [mm]: 43  
Number of Bores: 4  
Surface: Painted  
Total Br. Drum Height [mm]: 61,5

**69022**

**Holding Bracket, brake hose**



**OE**

Fitting Position: Front  
Fitting Position: Left and right  
Length [mm]: 445

## Brake system

**69023**

**Holding Bracket, brake hose**



DR DR 5

**OE**

Fitting Position: Front  
Fitting Position: Left and right  
Length [mm]: 665

## Clutch

**90015**

**Releaser**



DR DR 1  
DR DR 2  
DR DR 3  
DR DR ZERO

**OE**  
703010027

Additionally required articles (article numbers): DF-014  
Additionally required articles (article numbers): SF-00003  
Inner Diameter [mm]: 28  
Outer Diameter [mm]: 57

**90016**

**Releaser**



DR DR 4.0  
DR DR 5.0 SUV  
DR DR 6  
DR DR F35 SUV

**OE**  
3130100013

Additionally required articles (article numbers): DF-012  
Additionally required articles (article numbers): SF-00002  
For OE number: 3130100013  
Hole Spacing [mm]: 95,7  
Inner Diameter [mm]: 26,5  
Outer Diameter [mm]: 65

**90017**

**Releaser**



DR DR PK8

**OE**  
3130100025  
QBS0028

Additionally required articles (article numbers): DF-013  
Additionally required articles (article numbers): SF-00001  
Hole Spacing [mm]: 60  
Hole Spacing [mm]: 65  
Hole Spacing [mm]: 74  
Inner Diameter [mm]: 29,4  
Outer Diameter [mm]: 66

**90502**

**Releaser**



DR DR 5

**OE**  
41421-11300  
41421-21000  
41421-21300  
41421-21400  
41421-26000  
4142111300

Height [mm]: 29  
Inner Diameter [mm]: 32,2  
Length [mm]: 64,7  
Outer Diameter [mm]: 65

## Clutch

**90802**

**Releaser**

DR DR 1  
DR DR 2



**OE**  
04703047  
09205336  
09269M28004000  
23265-65G00  
2326562JE0  
25186768

Height [mm]: 24,2  
Inner Diameter [mm]: 28  
Length [mm]: 60  
Outer Diameter [mm]: 50,3

**85006**

**Slave Cylinder, clutch**

DR DR 5




**OE**  
703010016

Bore [mm]: 22  
Inner Thread [mm]: 9  
Mounting Bores Distance [mm]: 34  
Number of Thread Bores: 1

**80006**

**Clutch Disc**

DR DR 5



**OE**  
703010019

Centering Diameter [mm]: 23  
Diameter [mm]: 225  
For OE number: 703010019  
Hub Profile: 20  
Inner Diameter [mm]: 151  
Number of Teeth: 20

**80008**

**Clutch Disc**

DR DR 1  
DR DR 2



**OE**  
703010051

Centering Diameter [mm]: 22  
Diameter [mm]: 200  
Hub Profile: 26  
Inner Diameter [mm]: 135  
Number of Teeth: 20

**80012**

**Clutch Disc**

DR DR 6



**OE**  
3130100011

Additionally required articles (article numbers): CF-016  
Additionally required articles (article numbers): SF-00002  
Centering Diameter [mm]: 22  
Diameter [mm]: 228  
For OE number: 3130100011  
Inner Diameter [mm]: 130  
Number of Teeth: 20


## Clutch

<b>80013</b> 	<b>Clutch Disc</b> DR DR PK8	<b>OE</b> 3130100029	Additionally required articles (article numbers): CF-017 Additionally required articles (article numbers): SF-00001 Centering Diameter [mm]: 25 Diameter [mm]: 250 For OE number: 3130100029 Number of Teeth: 23
<b>80014</b> 	<b>Clutch Disc</b> DR DR 3 DR DR 3.0	<b>OE</b> 3130100014	Additionally required articles (article numbers): CF-015 Additionally required articles (article numbers): SF-00003 Centering Diameter [mm]: 20 Diameter [mm]: 211 For OE number: 3130100014 Number of Teeth: 20
<b>80015</b> 	<b>Clutch Disc</b> DR DR 5.0 SUV DR DR 6.0 SUV DR DR F35 SUV	<b>OE</b> 3130100021	Additionally required articles (article numbers): CF-016 Additionally required articles (article numbers): SF-00004 Centering Diameter [mm]: 23 Diameter [mm]: 232 For OE number: 3130100021 Number of Teeth: 20
<b>95006</b> 	<b>Master Cylinder, clutch</b> DR DR 5	<b>OE</b> 703020008 T11-1602020	Bore [mm]: 22 Inner Thread [mm]: 9 Mounting Bores Distance [mm]: 73 Number of Thread Bores: 1
<b>95013</b> 	<b>Master Cylinder, clutch</b> DR DR 5	<b>OE</b>	Thread Size: M12
<b>95015</b> 	<b>Master Cylinder, clutch</b> DR DR 3	<b>OE</b>	Thread Size: M12

## Clutch

<p><b>92020</b></p> <p>DR DR 5</p> 	<p><b>Clutch Kit</b></p>	<p><b>OE</b></p> <p>4142111300 4142121000 4142121300 4142121400 4142126000 4142136000</p>	<p>Centering Diameter [mm]: 23 Diameter [mm]: 225 Fitted Diameter [mm]: 274 Inner Diameter [mm]: 144 Number of Teeth: 20</p>
<p><b>92021</b></p> <p>DR DR 1 DR DR 2</p> 	<p><b>Clutch Kit</b></p>	<p><b>OE</b></p> <p>0926928006 2326578B00 2326578B00000 25186768 305024A00A 703010027</p>	<p>Centering Diameter [mm]: 22 Diameter [mm]: 195 Fitted Diameter [mm]: 238 Inner Diameter [mm]: 132 Number of Teeth: 20</p>
<p><b>92025</b></p> <p>DR DR 1 DR DR ZERO</p> 	<p><b>Clutch Kit</b></p>	<p><b>OE</b></p> <p>S11.1601020.DA</p>	<p>Centering Diameter [mm]: 19 Diameter [mm]: 180 Fitted Diameter [mm]: 215 Inner Diameter [mm]: 108 Number of Teeth: 18</p>
<p><b>92044</b></p> <p>DR DR 5</p> 	<p><b>Clutch Kit</b></p>	<p><b>OE</b></p>	<p>Centering Diameter [mm]: 23 Diameter [mm]: 225 Number of Teeth: 20</p>
<p><b>92045</b></p> <p>DR DR 4 EVO EVO 3 EVO EVO 4</p> 	<p><b>Clutch Kit</b></p>	<p><b>OE</b></p> <p>3130100009</p>	<p>Centering Diameter [mm]: 22 Diameter [mm]: 215 For OE number: 3130100009 Number of Teeth: 20</p>
<p><b>921205</b></p> <p>DR DR 4.0 DR DR 5.0 SUV DR DR F35 SUV</p> 	<p><b>Clutch Kit</b></p>	<p><b>OE</b></p> <p>120-0025907 1200025907 250.0.1923.40 2500192340 30 20 526 71R 30 50 151 52R</p>	<p>Centering Diameter [mm]: 19 Diameter [mm]: 270 For OE number: 3140300083 Mounting Type: Pre-assembled Number of Teeth: 17 Specification: VERSIONE CAMBIO AUTO</p>

## Clutch

<b>92FI04</b>	<b>Clutch Kit</b>		
	DR DR 5	<b>OE</b> 46539189 46754542 46792952 46819103 55236496 55240771	Centering Diameter [mm]: 23 Diameter [mm]: 225 Fitted Diameter [mm]: 272 Inner Diameter [mm]: 140 Number of Teeth: 20 Supplementary Article/Supplementary Info 2: With releaser

<b>70012</b>	<b>Clutch Pressure Plate</b>		
	DR DR 5	<b>OE</b> T11-1601020BA	Diameter [mm]: 226 Fitted Diameter [mm]: 274 Inner Diameter [mm]: 144




<b>70013</b>	<b>Clutch Pressure Plate</b>		
	DR DR 1 DR DR 2	<b>OE</b> 703010018	Diameter [mm]: 197 Fitted Diameter [mm]: 238 Inner Diameter [mm]: 132

## Cooling System

<b>33C31</b>	<b>Radiator Cap</b>		
	DR DR 5	<b>OE</b> 01326027 04709376 0K2C615205 0K2C615205A 1326027 1350A920	Diameter [mm]: 45,3 Height [mm]: 26 Pressure [bar]: 1,1

<b>35010</b>	<b>Water Pump</b>		
	DR DR 1 DR DR 2 DR DR CITY CROSS	<b>OE</b> 711020031	Diameter [mm]: 70 Number of Teeth: 28 Overall Height [mm]: 85,5

## Cooling System

<b>35012</b> 	<b>Water Pump</b>  DR DR 5	<b>OE</b> 484FC-1307013 711020028	Belt Pulley [mm]: 80 Number of Teeth: 28 Overall Height [mm]: 86 Specification: Altezza pale girante
<b>35029</b> 	<b>Water Pump</b>  DR DR 5	<b>OE</b> 481H-1307010BA	Belt Pulley [mm]: 70 Specification: Altezza pale girante
<b>35030</b> 	<b>Water Pump</b>  DR DR ZERO	<b>OE</b>	Belt Pulley [mm]: 95 Height [mm]: 74
<b>35031</b> 	<b>Water Pump</b>  DR DR 4	<b>OE</b>	Belt Pulley [mm]: 64 Height [mm]: 86 Number of Bores: 4
<b>35032</b> 	<b>Water Pump</b>  DR DR 5 DR DR 6	<b>OE</b> 3101200041	Belt Pulley [mm]: 134 Height [mm]: 100
<b>35034</b> 	<b>Water Pump</b>  DR DR 3 DR DR 3.0 DR DR 4.0 DR DR 5.0 SUV DR DR F35 SUV EVO EVO 5	<b>OE</b> 3101200013	Belt Pulley [mm]: 59,1 Height [mm]: 83

## Cooling System

**35618**

**Water Pump**



DR DR 1

**OE**

16100-97205  
16100-97205-000  
1610097205  
1610097227  
1610097245

Mounting Bores Distance [mm]: 28  
Number of mounting bores: 4  
Overall Height [mm]: 100

**35818**

**Water Pump**



DR DR 5

**OE**

17400-79J50-000  
1740079J50  
1740079J51000  
46432248  
46515970  
46515972

Diameter [mm]: 48  
Overall Height [mm]: 65

**38015**

**Thermostat, coolant**



DR DR 1  
DR DR 2  
DR DR 5  
DR DR CITY CROSS

**OE**


711020019

Opening Temperature [°C]: 87

## Electrics

**78007**

**Coil, ignition**



DR DR 5

**OE**

19005270  
24101131  
28063058

Number of Poles: 3

**78008**

**Coil, ignition**



DR DR 1  
DR DR 2  
DR DR 5  
DR DR 6

**OE**

A11-3705110EA  
A113705110EA

Number of Poles: 4

## Electrics

**78011**

Coil, ignition

DR DR 1



OE

Number of Poles: 4

**78012**

Coil, ignition

DR DR 5



OE

E4G13-3705110  
E4G133705110

Number of Poles: 2  
Overall Length [mm]: 145

**HJ-040**

Wiper Blade

EVO EVO 3  
EVO EVO 4  
EVO EVO 7



OE

Length [mm]: 400

**HJ-045**

Wiper Blade

DR DR 6



OE

1272337  
1272346  
4708240200  
6000613513  
61 61 0 040 534  
61610040534

Length [mm]: 450

**HJ-060**

Wiper Blade

DR DR 6  
EVO EVO 3  
EVO EVO 4



OE

Length [mm]: 600

**HJ-065**

Wiper Blade


EVO EVO 7




OE

Length [mm]: 650

## Electrics

<b>132001</b> 	<b>Ignition Cable Kit</b> DR DR 1 DR DR 2	<b>OE</b>	Length 1 [mm]: 730 Length 2 [mm]: 800 Length 3 [mm]: 850 Length 4 [mm]: 1050 Number of circuits: 4
---	---	-----------	--

<b>132002</b> 	<b>Ignition Cable Kit</b> DR DR 5 DR DR 6	<b>OE</b>	Length 1 [mm]: 450 Length 2 [mm]: 330 Length 3 [mm]: 240 Length 4 [mm]: 190
---	---	-----------	--









<b>132003</b> 	<b>Ignition Cable Kit</b> DR DR 5	<b>OE</b> 4G64S4M	Length 1 [mm]: 450 Length 2 [mm]: 510 Length 3 [mm]: 550 Length 4 [mm]: 670
--	--------------------------------------	----------------------	--

<b>3130212</b> 	<b>Starter</b> DR DR 5	<b>OE</b> 731020005	Mounting Bores Distance [mm]: 105 Number of Teeth: 9 Rated Power [kW]: 1,4 Voltage [V]: 12
--	---------------------------	------------------------	---







<b>05001</b> 	<b>Fuel Pump</b> DR DR 5 DR DR 6	<b>OE</b> 702060049	Operating Mode: Electric
--	--	------------------------	--------------------------

<b>05002</b> 	<b>Fuel Pump</b> DR DR 5 DR DR 6	<b>OE</b> 702060069	Operating Mode: Electric
--	--	------------------------	--------------------------

## Electrics

<b>SJF38</b> 	<b>Wiper Blade</b> DR DR 1.0 2 volumi /Coda spiovente	<b>OE</b> 1556082 1882419 8X1955426A 8X1998002A	Length [in]: 15 Length [mm]: 380 Technical Information Number: Flat
<b>SJF40</b> 	<b>Wiper Blade</b> EVO EVO 3 EVO EVO 4 EVO EVO 7	<b>OE</b> 1611348480 1613157180 1613158080 1613158380 1613159180 1618843180	Length [in]: 16 Length [mm]: 400 Technical Information Number: Flat
<b>SJF45</b> 	<b>Wiper Blade</b> DR DR 6	<b>OE</b> 16 113 485 80 1610112480 1611348580 1611631080 1T1998002A 288901962R	Length [in]: 18 Length [mm]: 450 Technical Information Number: Flat
<b>SJF60</b> 	<b>Wiper Blade</b> DR DR 6 EVO EVO 3 EVO EVO 4	<b>OE</b> 2048201845 2048202200 2128201700 2128201800 2128201900 9829426780	Length [in]: 24 Length [mm]: 600 Technical Information Number: Flat
<b>SJF60-40</b>  	<b>Wiper Blade</b> EVO EVO 3 EVO EVO 4	<b>OE</b> 1609068880 1609069080 1613157180 1613158380 1642332780 288819784R	Fitting Position: Front Length 1 [mm]: 600 Length 2 [mm]: 400 Quantity Unit: Set Quantity: 2 Wiper blade type: Flat wiper blade
<b>SJF60-45</b>  	<b>Wiper Blade</b> DR DR 6	<b>OE</b> 288901962R 288903994R 288905565R 288905769R 288906926R 288907739R	Fitting Position: Front Length 1 [mm]: 600 Length 2 [mm]: 450 Quantity Unit: Set Quantity: 2 Wiper blade type: Flat wiper blade

## Electrics

<p><b>SJF65</b></p> 	<p><b>Wiper Blade</b></p> <p>EVO EVO 7</p>	<p><b>OE</b></p> <p>1363354 1537077 1537078 1556082 16 113 480 80 16 131 565 80</p>	<p>Length [mm]: 650 Technical Information Number: Flat</p>
<p><b>SJF65-40</b></p> 	<p><b>Wiper Blade</b></p> <p>EVO EVO 7</p>	<p><b>OE</b></p> <p>1272102 1608392780 1608392980 1613158080 1613158180 1613159180</p>	<p>Fitting Position: Front Length 1 [mm]: 650 Length 2 [mm]: 400 Quantity Unit: Set Quantity: 2 Wiper blade type: Flat wiper blade</p>
<p><b>SJX38C</b></p> 	<p><b>Wiper Blade</b></p> <p>DR DR 1.0 2 volumi /Coda spiovente</p>	<p><b>OE</b></p>	<p>Length [mm]: 380</p>
<p><b>SJX40C</b></p> 	<p><b>Wiper Blade</b></p> <p>EVO EVO 3 EVO EVO 4 EVO EVO 7</p>	<p><b>OE</b></p>	<p>Length [mm]: 400</p>
<p><b>SJX45C</b></p> 	<p><b>Wiper Blade</b></p> <p>DR DR 6</p>	<p><b>OE</b></p> <p>8522205090 GB93673309A GB93673309S MGB3967330A N05367330 N05467330</p>	<p>Length [mm]: 450</p>
<p><b>SJX53C</b></p> 	<p><b>Wiper Blade</b></p> <p>DR DR 1.0 2 volumi /Coda spiovente</p>	<p><b>OE</b></p>	<p>Length [mm]: 530</p>

## Electrics

### SJX60C

#### Wiper Blade



DR DR 6  
EVO EVO 3  
EVO EVO 4

#### OE

263709C004  
263709C006  
263709C008  
288907C900  
288909C000  
288909C004

Length [mm]: 600

### SJX60S

#### Wiper Blade



DR DR 6  
EVO EVO 3  
EVO EVO 4

#### OE

Length [mm]: 600  
Styling: with spoiler

### SJX65C

#### Wiper Blade



EVO EVO 7

#### OE

8522095D05

Length [mm]: 650

### SJX65S

#### Wiper Blade



EVO EVO 7

#### OE

Length [mm]: 650  
Styling: with spoiler

## Engine

### 6DR004

#### Camshaft



DR DR 5  
DR DR 6

#### OE

701060013

For OE number: 701060013  
Paired article numbers: 16DR005  
Paired article numbers: 6DR005  
Paired article numbers: AA-DR005

## Engine

**6DR005**

**Camshaft**



DR DR 5  
DR DR 6

**OE**  
701060014

For OE number: 701060014  
Paired article numbers: 16DR004  
Paired article numbers: 6DR004  
Paired article numbers: AA-DR004

**115003**

**Bolt Kit, cylinder head**



DR DR 1  
DR DR 2  
DR DR 3.0  
DR DR 4.0  
DR DR 5  
DR DR 5.0 SUV

**OE**  
701010054

Length [mm]: 158  
Quantity: 10  
Thread Size: M10X1.5

**47008**

**Gasket, rocker cover**



DR DR 5

**OE**  
701010008

For OE number: 701010008

**JDR003S**

**Cylinder Head**



DR DR 5

**OE**  
3100300002

Supplementary Article/Supplementary Info 2:  
Without valve springs

## Engine Timing Control

**45015**

**Tensioner, timing belt**



DR DR 5

**OE**  
473H-1007060  
701070013

Diameter [mm]: 67  
Height [mm]: 28

## Engine Timing Control

**45017**

Tensioner, timing belt



DR DR 1  
DR DR 2  
DR DR 5

**OE**  
481H1007070BA  
701070017

Diameter [mm]: 60  
Height [mm]: 30

**45018**

Tensioner, timing belt



DR DR 1  
DR DR 2

**OE**  
701060032

Diameter [mm]: 67  
Height [mm]: 28

**45021**

Tensioner, timing belt



DR DR 5

**OE**  
481H1007071  
701070018

Height [mm]: 27  
Inner Diameter [mm]: 28,5

**45810**

Tensioner, timing belt



DR DR 5

**OE**  
00636685  
05636475  
0636685  
12810-79J50-000  
12810-79J51-000  
12810-79J52-000

Diameter [mm]: 65  
Height [mm]: 30  
Inner Diameter [mm]: 8

**45811**

Tensioner, timing belt



DR DR 5

**OE**  
12781-79J50  
12781-79J50-000  
12781-79J51  
1278179J51000  
701050036

Diameter [mm]: 53  
Height [mm]: 29

**40008**

Timing Belt



DR DR 5

**OE**  
081663  
481H-1007073BA  
7613823

Belts: With rounded tooth profile  
Driven Units: Driven unit: camshaft  
Number of Teeth: 173  
Width [mm]: 25

## Engine Timing Control

<b>40010</b> 	<b>Timing Belt</b> DR DR 1 DR DR 2 DR DR CITY CROSS	<b>OE</b> 701060033	Belts: With rounded tooth profile Driven Units: Driven unit: camshaft Number of Teeth: 167 Width [mm]: 25
<b>40811</b> 	<b>Timing Belt</b> DR DR 5	<b>OE</b> 12761-79J50-000 1276179J50 1276179J50LCP 55192896 5636463 636312	Belts: With rounded tooth profile Number of Teeth: 190 Width [mm]: 24
<b>4PK695</b> 	<b>V-Ribbed Belts</b> DR DR 1	<b>OE</b> MD189130 MD300587 MD310617	Length [mm]: 695 Number of Ribs: 4 Parameter: 4PK0695
<b>6PK1835</b> 	<b>V-Ribbed Belts</b> DR DR 5	<b>OE</b> 04430217 11720-00QAK 11720-00QAZ 25183525 4430217 8200188959	Length [mm]: 1835 Number of Ribs: 6 Parameter: 6PK1835
<b>KJT008</b> 	<b>Timing Belt Kit</b> DR DR 5	<b>OE</b> 701070013 701070017 701070018	Number of Teeth 1: 173 Width 1 [mm]: 25
<b>KJT009</b> 	<b>Timing Belt Kit</b> DR DR 1 DR DR 2 DR DR CITY CROSS	<b>OE</b> 701060032 701060033 701070017	Number of Teeth 1: 167 Width 1 [mm]: 25

## Engine Timing Control

<b>KJT811</b> 	<b>Timing Belt Kit</b> DR DR 5	<b>OE</b> 1276179J50 1276179J50000 1276179J50LCP 1278179J50000 1278179J51000 1281079J50	Number of Teeth 1: 190 Width 1 [mm]: 24
<b>129006</b> 	<b>Deflection/Guide Pulley, v-ribbed belt</b> DR DR 5	<b>OE</b> 701070006	Diameter [mm]: 80 Height [mm]: 25 Inner Diameter [mm]: 10 Overall Height [mm]: 28
<b>SKJ008</b> 	<b>Water Pump &amp; Timing Belt Kit</b> DR DR 5	<b>OE</b> 701070013 701070017 701070018 711020028	Number of Teeth 1: 173 Width 1 [mm]: 25
<b>SKJ009</b> 	<b>Water Pump &amp; Timing Belt Kit</b> DR DR 1 DR DR 2	<b>OE</b> 701060032 701060033 701070017 711020031	Number of Teeth 1: 167 Width 1 [mm]: 25
<b>128001</b> 	<b>Tensioner Lever, v-ribbed belt</b> DR DR 5	<b>OE</b> 701070036	Diameter [mm]: 65 Height [mm]: 29 Overall Height [mm]: 78
<b>128003</b> 	<b>Tensioner Lever, v-ribbed belt</b> DR DR 5	<b>OE</b> 701070022	Diameter [mm]: 70 Height [mm]: 25

## Filter

**20022**

**Air Filter**



DR DR 5

**OE**  
702050030

Filter Type: Filter Insert  
For OE number: 702050030  
Height [mm]: 138  
Inner Diameter [mm]: 82  
Outer Diameter [mm]: 184

**20023**

**Air Filter**




DR DR 5

**OE**  
211109111  
702050044  
A21-1109111  
A211109111

Filter Type: Filter Insert  
For OE number: A211109111  
Height [mm]: 45  
Length [mm]: 246  
Width [mm]: 222

**20025**

**Air Filter**




DR DR 5

**OE**  
46519049  
46806576  
6001073227  
702050054  
71772188

Filter Type: Filter Insert  
For OE number: 46519049  
Height [mm]: 59  
Length [mm]: 230  
Width [mm]: 190

**20026**

**Air Filter**




DR DR 2

**OE**  
702050057  
S121109111  
S211109111

Filter Type: Filter Insert  
For OE number: S121109111  
Height [mm]: 40  
Length [mm]: 208  
Width [mm]: 195

**20050**

**Air Filter**



DR DR 3

**OE**

Filter Type: Filter Insert  
Height [mm]: 45  
Length [mm]: 257  
Width [mm]: 165

**20051**

**Air Filter**



DR DR 5

**OE**  
3340100005  
T11-1109111LA  
T111109111LA

Filter Type: Filter Insert  
For OE number: 3340100005  
Height [mm]: 45  
Length [mm]: 264  
Width [mm]: 194


## Filter

<p><b>20052</b></p> 	<p><b>Air Filter</b></p> <p>DR DR 6</p>	<p><b>OE</b></p> <p>3340100014 T211109111AB</p>	<p>Filter Type: Filter Insert For OE number: T21-1109111AB Height [mm]: 40 Length [mm]: 320 Width [mm]: 182 Width [mm]: 190</p>
<p><b>20053</b></p> 	<p><b>Air Filter</b></p> <p>DR DR 4 EVO EVO 4</p>	<p><b>OE</b></p> <p>1108120U2210 1109120U2210 3340100015</p>	<p>Filter Type: Filter Insert Height [mm]: 54 Length [mm]: 235 Width [mm]: 193</p>
<p><b>20054</b></p> 	<p><b>Air Filter</b></p> <p>DR DR 5 EVO EVO 5</p>	<p><b>OE</b></p> <p>3340100012</p>	<p>Filter Type: Filter Insert Height [mm]: 44 Length [mm]: 260 Width [mm]: 192</p>
<p><b>20055</b></p> 	<p><b>Air Filter</b></p> <p>DR DR 1 DR DR CITY CROSS</p>	<p><b>OE</b></p> <p>3340100006 702050051 S18D1109111</p>	<p>Filter Type: Filter Insert For OE number: S18D1109111 Height [mm]: 36 Length [mm]: 248 Width [mm]: 175</p>
<p><b>20056</b></p> 	<p><b>Air Filter</b></p> <p>DR DR ZERO</p>	<p><b>OE</b></p> <p>3340100008 S18B-1109111</p>	<p>Filter Type: Filter Insert For OE number: 3340100008 Height [mm]: 46 Length [mm]: 230 Width [mm]: 146</p>
<p><b>20063</b></p> 	<p><b>Air Filter</b></p> <p>DR DR PK8 EVO CROSS 4 Pick-up</p>	<p><b>OE</b></p> <p>3340100047</p>	<p>Filter Type: Filter Insert For OE number: 3340100047 Height [mm]: 47 Length [mm]: 277 Width [mm]: 237</p>

## Filter

**20064**

**Air Filter**



EVO EVO 3

**OE**  
3340100041

Filter Type: Filter Insert  
For OE number: 3340100041

**20249**

**Air Filter**



DR DR 1

**OE**  
17801-02030  
17801-15070  
K J01-13Z40  
KJ0113Z40  
S181109111

Filter Type: Filter Insert  
For OE number: KJ0113Z40  
Height [mm]: 42  
Length [mm]: 269  
Width [mm]: 172

**20918**

**Air Filter**



DR DR 3

**OE**  
04891691AA  
3340100016  
K04891691AA

Filter Type: Filter Insert  
For OE number: K04891691AA  
Height [mm]: 42  
Length [mm]: 256  
Width [mm]: 162

**21DR0**

**Filter, interior air**




DR DR 5

**OE**  
735050006  
T11-8107910  
T118107910

Filter Type: Pollen Filter  
For OE number: 735050006  
Height 1 [mm]: 21  
Height [mm]: 45  
Length [mm]: 200  
Width 1 [mm]: 225  
Width [mm]: 256

**21DR01**

**Filter, interior air**



DR DR 6

**OE**  
301000849AA  
301001161AA  
301001574AA  
T15-8107011  
T21-8107011

Filter Type: Pollen Filter  
For OE number: T218107011  
Height [mm]: 25  
Length [mm]: 250  
Quantity: 1  
Width [mm]: 245

**21DR02**

**Filter, interior air**



DR DR 4  
DR DR 5

**OE**  
735050006  
T118107910

Filter Type: Pollen Filter  
Height [mm]: 45  
Length [mm]: 256  
Quantity: 1  
Width [mm]: 200

## Filter

### 21DR03

#### Filter, interior air



DR DR 1.0 2 volumi /Coda spiovente

**OE**  
3310100122

Filter Type: Pollen Filter  
For OE number: 3310100122  
Height [mm]: 30  
Length 1 [mm]: 296  
Width [mm]: 63

### 21DR04

#### Filter, interior air



DR DR 3

**OE**  
3310100030  
A13-8107915

Filter Type: Pollen Filter  
For OE number: 3310100030  
Height [mm]: 11  
Length [mm]: 184  
Width [mm]: 125

### 21DR05

#### Filter, interior air



DR DR 4.0  
DR DR 5.0 SUV  
DR DR 6.0 SUV  
DR DR 7.0 SUV  
DR DR F35 SUV

**OE**  
301001573AA  
301001778AA  
3310100025  
BNF2H123AB1  
FX11810712001AA  
FX11810712002AA

Filter Type: Pollen Filter  
For OE number: 3310100025  
Height [mm]: 35  
Length [mm]: 247  
Width [mm]: 188

### 21DR07

#### Filter, interior air




DR DR 4.0  
DR DR 5.0 SUV  
DR DR 6.0 SUV  
DR DR 7.0 SUV  
DR DR F35 SUV

**OE**  
3310100189  
CY5000055

Filter Type: Activated Carbon Filter  
For OE number: 3310100189  
Length [mm]: 247  
Thickness [mm]: 35  
Width [mm]: 188

### 21DR08

#### Filter, interior air




DR DR PK8  
EVO CROSS 4 Pick-up

**OE**  
3310300084  
8104102P306AA

Filter Type: Pollen Filter  
Length [mm]: 213  
Thickness [mm]: 30  
Width [mm]: 198

### 21DR09

#### Filter, interior air



EVO EVO 4


**OE**  
3310300022

Filter Type: Pollen Filter  
For OE number: 3310300022  
Length [mm]: 225  
Thickness [mm]: 18  
Width [mm]: 202

## Filter

### 21LR7

#### Filter, interior air



DR DR PK8  
EVO CROSS 4 Pick-up


#### OE

1780087820000  
8713950060  
871395007000  
8713950100  
87139YZZ10  
87139YZZ100

Filter Type: Activated Carbon Filter  
For OE number: T2H54544  
Height [mm]: 30  
Length [mm]: 195  
Width [mm]: 215

### 21NS19

#### Filter, interior air



DR DR 5.0 SUV

#### OE

272771EA0A  
2789100Q0B  
3310100024  
B72771EA0A

Filter Type: Pollen Filter  
For OE number: 272771EA0A  
Height [mm]: 20  
Length [mm]: 217  
Width [mm]: 199

### 20H22

#### Air Filter



DR DR 4.0  
DR DR 5.0 SUV  
DR DR 6.0 SUV  
DR DR 7.0 SUV  
DR DR F35 SUV

#### OE

28113-4H000  
281134H000  
3340100028  
F01-1109111  
F01-1109111YZ

Filter Type: Filter Insert  
For OE number: 281134H000  
Height [mm]: 48  
Length [mm]: 261  
Width [mm]: 186

### FC-008JM

#### Fuel filter



DR DR 5

#### OE

0077362340  
0813035  
0813036  
0813037  
0813040  
0813042

Filter Type: Filter Insert  
For OE number: 71746975  
Height [mm]: 100,5  
Inner Diameter 1 [mm]: 11,3  
Outer Diameter [mm]: 67,5

### FC-013JM

#### Fuel filter



DR DR 6  
DR DR ZERO

#### OE

09SQ9901000  
09SQ99010009  
110R000009  
1684531  
659749  
67R010168

Filter Type: Filter Insert  
For OE number: 1684531  
Fuel Type: Liquefied Petroleum Gas (LPG)  
Height [mm]: 57  
Inner Diameter [mm]: 17  
Outer Diameter [mm]: 42

### 30018

#### Fuel filter




DR DR 5  
DR DR 5.0 SUV  
DR DR F35 SUV  
DR DR ZERO

#### OE


3320200023  
702060046  
T111117110

Filter Type: In-Line Filter  
For OE number: 3320200023  
Height [mm]: 143  
Inlet [mm]: 8  
Outer Diameter [mm]: 56  
Outlet [mm]: 8

## Filter


	<p><b>Fuel filter</b></p> <p>DR DR 1 DR DR 2 DR DR 3 DR DR CITY CROSS</p>	<p><b>OE</b></p> <p>0J1201511A 1J0 201 511 A 1J0201511A 3D0201511 3D0201511A 702060143</p>	<p>Diameter 1/ Diameter 2 [mm]: IN / OUT:8 Filter Type: In-Line Filter For OE number: 702060143 Length [mm]: 172 Outer Diameter [mm]: 77</p>
--	---	--	--

	<p><b>Fuel filter</b></p> <p>DR DR 4</p>	<p><b>OE</b></p> <p>3320200026</p>	<p>Filter Type: In-Line Filter For OE number: 3320200026 Height [mm]: 134 Inlet [mm]: 8 Outer Diameter [mm]: 66 Outlet [mm]: 8</p>
--	--	------------------------------------	--

	<p><b>Fuel filter</b></p> <p>DR DR 5 DR DR 6</p>	<p><b>OE</b></p> <p>702060046</p>	<p>Filter Type: In-Line Filter For OE number: 702060046 Height [mm]: 141 Inlet [mm]: 8 Outer Diameter [mm]: 56 Outlet [mm]: 8</p>
---	--	-----------------------------------	---

	<p><b>Fuel filter</b></p> <p>DR DR PK8 EVO CROSS 4 Pick-up</p>	<p><b>OE</b></p> <p>3320200103</p>	<p>Filter Type: Filter Insert For OE number: 3320200103 Height [mm]: 246 Outer Diameter [mm]: 99,6</p>
--	--	------------------------------------	--

	<p><b>Fuel filter</b></p> <p>DR DR PK8</p>	<p><b>OE</b></p> <p>1105014P31F0 3320200111</p>	<p>Diameter 1 [mm]: 39,7 Diameter 2 [mm]: 41,9 Diameter [mm]: 79,4 Filter Type: Filter Insert For OE number: 3320200111 Height [mm]: 116,8</p>
--	--	---	--

	<p><b>Fuel filter</b></p> <p>DR DR 5</p>	<p><b>OE</b></p> <p>0077362340 0813035 0813036 0813037 0813040 0813042</p>	<p>Filter Type: Filter Insert For OE number: 71746975 Inner Diameter [mm]: 25 Length [mm]: 102 Outer Diameter [mm]: 67</p>
--	--	--	--

## Filter

**10015**

**Oil Filter**



DR DR 5

**OE**

481H-1012010  
481H1012010  
710020003

Filter Type: Screw-on Filter  
Fitted Diameter [mm]: 86  
For OE number: 710020003  
Inner Thread [mm]: M 20 X 1,5  
Length [mm]: 103  
Outer Diameter [mm]: 90

**10019**

**Oil Filter**



DR DR 1

**OE**

3721012010  
F1AZ6731BD

Filter Type: Screw-on Filter  
Fitted Diameter [mm]: 64  
For OE number: 3721012010  
Inner Thread [mm]: 3/4 X 16  
Length [mm]: 69  
Outer Diameter [mm]: 68

**FO-022JM**

**Oil Filter**



DR DR 4  
EVO EVO 3  
EVO EVO 4


**OE**

0055230822  
0650134  
10149617-00  
12285896-00  
1535505  
1699522

Bypass Valve Opening Pressure [bar]: 0,7  
Filter Type: Screw-on Filter  
For OE number: 71736161  
Gasket inner diameter: 54  
Gasket outer diameter: 62  
Height [mm]: 85  
Outer Diameter [mm]: 65  
Supplementary Article/Supplementary Info 2:  
With one anti-return valve  
Thread Size: M 20 X 1,5

**10022**

**Oil Filter**



DR DR 4  
EVO EVO 3  
EVO EVO 4

**OE**

0.009.4794.1  
0.010.2687.0  
0.010.3989.1  
000 180 28 10  
00308662667  
0055230822

Filter Type: Screw-on Filter  
Fitted Diameter [mm]: 61  
For OE number: 570418159905  
Inner Thread [mm]: M 20X1,5  
Length [mm]: 85  
Outer Diameter [mm]: 65

**10036**

**Oil Filter**



DR DR PK8  
EVO CROSS 4 Pick-up

**OE**

1010320FB040  
3101000056

Filter Type: Filter Insert  
For OE number: 3101000056  
Height [mm]: 130  
Inner Diameter 2 [mm]: 610  
Outer Diameter 2 [mm]: 72,7  
Outer Diameter [mm]: 760  
Thread Size: M20X1,5

## Filter

### 10122

#### Oil Filter



DR DR 5

**OE**

15 20 854 88R  
15 20 895 99R  
15208-00Q1D  
15208-00Q1J  
152080021R  
152085488R

Bypass Valve Opening Pressure [bar]: 1,0  
Filter Type: Screw-on Filter  
Fitted Diameter [mm]: 71  
For OE number: 152085488R  
Inner Thread [mm]: M20 x 1,5  
Length [mm]: 65  
Outer Diameter [mm]: 76  
Supplementary Article/Supplementary Info 2:  
With one anti-return valve  
Supplementary Article/Supplementary Info 2:  
With seal

### FO-279JM

#### Oil Filter



DR DR 1  
DR DR 1.0 2 volumi /Coda spiovente  
DR DR 2  
DR DR 3  
DR DR 4.0  
DR DR 5.0 SUV

**OE**

00K05281090AB  
0122-0645  
0306483  
03549957  
04152-03002  
04152-64010

Filter Type: Screw-on Filter  
Fitted Diameter [mm]: 71,4  
For OE number: 90915YZZJ4  
Inner Thread [mm]: 3/4 x 16  
Length [mm]: 87,2  
Outer Diameter [mm]: 76,5

### 10279

#### Oil Filter



DR DR 1  
DR DR 1.0 2 volumi /Coda spiovente  
DR DR 2  
DR DR 3  
DR DR 4.0  
DR DR 5.0 SUV

**OE**

00K05281090AB  
0122-0645  
0306483  
03549957  
04152-03002  
04152-64010

Filter Type: Screw-on Filter  
Fitted Diameter [mm]: 71,4  
For OE number: 90915YZZJ4  
Inner Thread [mm]: 3/4 x 16  
Length [mm]: 87,2  
Outer Diameter [mm]: 76,5

### 1ECO160

#### Oil Filter



DR DR 5  
DR DR 6

**OE**

3101000013

Article number of recommended accessories:  
OR DR 3101000030  
Filter Type: Filter Insert  
For OE number: 3101000013  
Inner Diameter [mm]: 14  
Length [mm]: 118  
Outer Diameter 1 [mm]: 56  
Outer Diameter [mm]: 56

### 1GAS1S

#### Fuel filter



DR DR 6  
DR DR ZERO

**OE**

09SQ9901000  
09SQ9901009  
110R000009  
1684531  
659749  
67R010168

Filter Type: Filter Insert  
For OE number: 1684531  
Fuel Type: Liquefied Petroleum Gas (LPG)  
Inner Diameter [mm]: 17  
Length [mm]: 57  
Outer Diameter [mm]: 42  
Specification: Conf.vendita 10 pz.  
Specification: Sales package 10 pz.  
Specification: System: BRC new

## Filter

### 1GAS51S

#### Fuel filter

DR DR 7.0 SUV



**OE**  
3610100235

Filter Type: Filter Insert  
For OE number: 3610100235  
Fuel Type: Liquefied Petroleum Gas (LPG)  
Inner Diameter [mm]: 17  
Length [mm]: 58  
Outer Diameter 1 [mm]: 39  
Outer Diameter [mm]: 42  
Specification: Syst. BRC CONICO-CHI

### 1GAS61

#### Fuel filter

DR DR 3  
DR DR 3.0  
DR DR 4.0  
DR DR 5.0 SUV  
DR DR 6.0 SUV  
DR DR F35 SUV



**OE**  
3610100353

Filter Type: In-Line Filter  
Fuel Type: Liquefied Petroleum Gas (LPG)  
Fuel Type: Natural Gas  
Inlet [mm]: 12  
Outlet [mm]: 12

### FO-W01JM

#### Oil Filter

DR DR ZERO



**OE**  
047 08 878  
047 11 189  
091112084  
091125559  
092.22.335  
093167825

Bypass Valve Opening Pressure [bar]: 1,0  
Filter Type: Screw-on Filter  
For OE number: 5281090AB  
Length [mm]: 72,5  
Outer Diameter [mm]: 66  
Supplementary Article/Supplementary Info 2:  
With one anti-return valve  
Thread Size: 3/4-16 UNF

### 10W01

#### Oil Filter

DR DR ZERO



**OE**  
092.22.335  
1012010-01  
15208-4A00A  
15208-4A00E  
15601-87107  
15601-87107-000

Filter Type: Screw-on Filter  
Fitted Diameter [mm]: 64  
For OE number: 5281090AB  
Inner Thread [mm]: 3/4 - 16 UNF  
Length [mm]: 72,5  
Outer Diameter [mm]: 68

## Joints

### 62036

#### Joint Kit, drive shaft


DR DR 5





**OE**  
705020009

Braking / Drive Dynamics: For vehicles with ABS  
External Teeth, wheel side: 26  
Fitting Position: Wheel Side  
Internal Teeth, wheel side: 25  
Number of Teeth, ABS ring: 48  
Overall Length [mm]: 161  
Seal Diameter [mm]: 55  
Thread Size: M22 X 1,5

## Joints

<b>62037</b> 	<b>Joint Kit, drive shaft</b> DR DR 5	<b>OE</b> 770010009	Braking / Drive Dynamics: For vehicles with ABS External Teeth, wheel side: 26 Fitting Position: Wheel Side Internal Teeth, wheel side: 30 Number of Teeth, ABS ring: 48 Overall Length [mm]: 161 Seal Diameter [mm]: 55 Thread Size: M22 X 1,5
<b>62038</b> 	<b>Joint Kit, drive shaft</b> DR DR 4	<b>OE</b> 2200400U2212-F01	External Teeth, wheel side: 25 Fitting Position: Wheel Side Internal Teeth, wheel side: 22 Number of Teeth, ABS ring: 48 Overall Length [mm]: 153 Seal Diameter [mm]: 52,5 Thread Size: M22
<b>62040</b> 	<b>Joint Kit, drive shaft</b> DR DR 6	<b>OE</b>	External Teeth, wheel side: 28 Fitting Position: Wheel Side Internal Teeth, wheel side: 31 Overall Length [mm]: 154,5 Seal Diameter [mm]: 58 Thread Size: M24

## Mounting

<b>73009</b> 	<b>Ball Joint</b> DR DR 5 DR DR 6	<b>OE</b> 722010034 T11-2909060	Fitted Diameter [mm]: 15 Fitting Position: Lower Front Axle Outer Thread [mm]: 14X1,5 Overall Height [mm]: 84
<b>72014L</b> 	<b>Track Control Arm</b> DR DR 1 DR DR 2	<b>OE</b> 722010076	Fitting Position: Front Axle Left Fitting Position: Lower Paired article numbers: 72-00-014R Paired article numbers: 72014R Paired article numbers: BS-014R Steering Type: Control Arm

## Mounting

### 72014R

#### Track Control Arm



DR DR 1  
DR DR 2

**OE**  
722010077

Fitting Position: Front Axle Right  
Fitting Position: Lower  
Paired article numbers: 72-00-014L  
Paired article numbers: 72014L  
Paired article numbers: BS-014L  
Steering Type: Control Arm

### 72015L

#### Track Control Arm



DR DR 5

**OE**  
722020021

Fitting Position: Lower  
Fitting Position: Rear Axle Left  
Paired article numbers: 72-00-015R  
Paired article numbers: 72015R  
Paired article numbers: BS-015R  
Steering Type: Control Arm

### 72015R

#### Track Control Arm



DR DR 5

**OE**  
705030008

Fitting Position: Lower  
Fitting Position: Rear Axle Right  
Paired article numbers: 72-00-015L  
Paired article numbers: 72015L  
Paired article numbers: BS-015L  
Steering Type: Control Arm

### 72017L

#### Track Control Arm



DR DR 5

**OE**  
722010032

Fitting Position: Left Front  
Fitting Position: Lower  
Paired article numbers: 72-00-017R  
Paired article numbers: 72017R  
Paired article numbers: BS-017R  
Steering Type: Control Arm

### 72017R

#### Track Control Arm



DR DR 5

**OE**  
722010031

Fitting Position: Lower  
Fitting Position: Right Front  
Paired article numbers: 72-00-017L  
Paired article numbers: 72017L  
Paired article numbers: BS-017L  
Steering Type: Control Arm

### 72030L

#### Track Control Arm



DR DR 4.0  
DR DR 5.0 SUV  
DR DR F35 SUV

**OE**  
202000228AA  
3360200048  
3360200078

Cone Size [mm]: 15  
Fitting Position: Front Axle Left  
Outer Thread 1 [mm]: M 14X1,5 mm  
Paired article numbers: 72-00-030R  
Paired article numbers: 72030R  
Paired article numbers: BS-030R  
Steering Type: Control Arm

## Mounting

### 72030R

#### Track Control Arm



DR DR 4.0  
DR DR 5.0 SUV  
DR DR F35 SUV

#### OE

202000229AA  
3360200049  
3360200079

Cone Size [mm]: 15  
Fitting Position: Front Axle Right  
Outer Thread 1 [mm]: M 14X1,5 mm  
Paired article numbers: 72-00-030L  
Paired article numbers: 72030L  
Paired article numbers: BS-030L  
Steering Type: Control Arm

### 71803

#### Track Control Arm



DR DR ZERO

#### OE

42451-69D00  
4245169D00000  
4245169D01000  
45200-69DV1  
45200-78000  
45200-78002

Fitted Diameter [mm]: 15  
Fitting Position: Front Axle left and right  
Inner Diameter [mm]: 10  
Overall Height [mm]: 65  
Overall Length [mm]: 319

### 410005

#### Wheel Bearing Kit



DR DR 5

#### OE

720050008

Fitting Position: Front Axle  
Inner Diameter [mm]: 42  
Outer Diameter [mm]: 80  
Width [mm]: 45

### 410006

#### Wheel Bearing Kit



DR DR 1  
DR DR 2

#### OE

1085569  
1112547  
1201569  
1513043  
1582282  
1822804

Braking / Drive Dynamics: For vehicles with ABS  
Fitting Position: Front Axle  
Inner Diameter [mm]: 39  
Outer Diameter [mm]: 72  
Width [mm]: 37

### 420006

#### Wheel Hub



DR DR 5

#### OE

722030016  
T11-3301210BA

Fitting Position: Rear Axle  
Mounting Bores Distance [mm]: 68  
Number of mounting bores: 5  
Outer Diameter [mm]: 84  
Overall Height [mm]: 119

### 420007

#### Wheel Hub



DR DR 1  
DR DR 2

#### OE

722020038

Fitting Position: Rear Axle  
Inner Diameter [mm]: 28  
Mounting Bores Distance [mm]: 70  
Number of Bores: 4  
Number of Teeth, ABS ring: 43  
Outer Diameter [mm]: 78  
Overall Height [mm]: 70

## Mounting

**429045**

**Wheel Hub**



DR DR 5

**OE**

Fitting Position: Front Axle  
 Inner Diameter [mm]: 27  
 Internal Teeth, wheel side: 26  
 Outer Diameter [mm]: 139  
 Rim Hole Number: 5

**429046**

**Wheel Hub**



DR DR ZERO

**OE**

Fitting Position: Front Axle  
 Mounting Bores Distance [mm]: 82  
 Number of Bores: 4  
 Outer Diameter 1 [mm]: 148  
 Outer Diameter [mm]: 39  
 Overall Height [mm]: 92

**MJDR001**

**Shock Absorber**



DR DR 1  
 DR DR 2

**OE**  
 722010063

Fitting Position: Front Axle  
 For OE number: 722010063  
 Max. Length [mm]: 525  
 Min. Length [mm]: 390  
 Outer Diameter [mm]: 45  
 Piston Rod Diameter [mm]: 20  
 Shock Absorber Design: Suspension Strut  
 Shock Absorber Mounting Type: Top pin  
 Shock Absorber Type: Gas Pressure  
 Thread Length [mm]: 30

**MJDR002**

**Shock Absorber**



DR DR 1  
 DR DR 2  
 DR DR CITY CROSS

**OE**  
 722020031

Fitted Diameter [mm]: 12  
 Fitting Position: Rear Axle  
 For OE number: 722020031  
 Max. Length [mm]: 430  
 Min. Length [mm]: 275  
 Outer Diameter [mm]: 40  
 Shock Absorber Design: Telescopic Shock Absorber  
 Shock Absorber Mounting Type: Bottom eye  
 Shock Absorber Mounting Type: Top eye  
 Shock Absorber Type: Gas Pressure

**MJDR003**

**Shock Absorber**



DR DR 5

**OE**  
 722010023

Fitting Position: Rear Axle  
 For OE number: 722010023  
 Shock Absorber Design: Telescopic Shock Absorber  
 Shock Absorber Mounting Type: Top pin  
 Shock Absorber Type: Gas Pressure

## Mounting

### MJDR004

#### Shock Absorber



DR DR 5

**OE**  
722010028

Fitting Position: Front Axle Left  
For OE number: 722010028  
Paired article numbers: MA-DR005  
Paired article numbers: MJDR005  
Paired article numbers: MM-DR005  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Top pin  
Shock Absorber Type: Gas Pressure

### MJDR005

#### Shock Absorber



DR DR 5

**OE**  
722010029

Fitting Position: Front Axle Right  
For OE number: 722010029  
Paired article numbers: MA-DR004  
Paired article numbers: MJDR004  
Paired article numbers: MM-DR004  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Top pin  
Shock Absorber Type: Gas Pressure

### MJDR006

#### Shock Absorber



DR DR ZERO

**OE**  
3360100006  
GB2023.10  
J00-2905010

Fitting Position: Front Axle  
Fitting Position: Left  
Fitting Position: Right  
Input Shaft Diameter [mm]: 18  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Top pin  
Shock Absorber Type: Gas Pressure

### MJDR007

#### Shock Absorber



DR DR ZERO

**OE**  
3360400004

Fitting Position: Left  
Fitting Position: Rear Axle  
Fitting Position: Right  
For OE number: 3360400004  
Inner Diameter [mm]: 12  
Max. Length [mm]: 460  
Min. Length [mm]: 300  
Shock Absorber Design: Telescopic Shock Absorber  
Shock Absorber Mounting Type: Bottom eye  
Shock Absorber Mounting Type: Top eye  
Shock Absorber Type: Gas Pressure

### MJDR008

#### Shock Absorber



DR DR 4  
EVO EVO 4

**OE**  
202306  
2905210U2212  
3360100016

Fitting Position: Front Axle Right  
Input Shaft Diameter [mm]: 15  
Paired article numbers: MA-DR009  
Paired article numbers: MJDR009  
Paired article numbers: MM-DR009  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Top pin  
Shock Absorber Type: Gas Pressure

## Mounting

### MJDR009

#### Shock Absorber



**OE**  
3360100015

Fitting Position: Front Axle Left  
For OE number: 3360100015  
Input Shaft Diameter [mm]: 15  
Paired article numbers: MA-DR008  
Paired article numbers: MJDR008  
Paired article numbers: MM-DR008  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Top pin  
Shock Absorber Type: Gas Pressure

### MJDR010

#### Shock Absorber



**OE**  
3360400008

Fitting Position: Rear Axle left and right  
For OE number: 3360400008  
Input Shaft Diameter [mm]: 10  
Max. Length [mm]: 725  
Min. Length [mm]: 530  
Shock Absorber Design: Telescopic Shock Absorber  
Shock Absorber Mounting Type: Bottom eye  
Shock Absorber Mounting Type: Top pin  
Shock Absorber Type: Gas Pressure

### MJDR011

#### Shock Absorber



**OE**  
3360400009

Fitting Position: Left  
Fitting Position: Rear Axle  
Fitting Position: Right  
For OE number: 3360400009  
Inner Diameter [mm]: 10  
Input Shaft Diameter [mm]: 12  
Max. Length [mm]: 830  
Min. Length [mm]: 630  
Shock Absorber Design: Telescopic Shock Absorber  
Shock Absorber Mounting Type: Bottom eye  
Shock Absorber Mounting Type: Top pin  
Shock Absorber Type: Gas Pressure

### MJDR012

#### Shock Absorber



**OE**  
3360100013  
T21-2905020

Fitting Position: Front Axle Right  
Input Shaft Diameter [mm]: 15  
Input Shaft Diameter [mm]: 22  
Paired article numbers: MA-DR013  
Paired article numbers: MJDR013  
Paired article numbers: MM-DR013  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Top pin  
Shock Absorber Type: Gas Pressure

### MJDR013

#### Shock Absorber



**OE**  
3360100012  
T21-2905010

Fitting Position: Front Axle Left  
Input Shaft Diameter [mm]: 15  
Input Shaft Diameter [mm]: 22  
Paired article numbers: MA-DR012  
Paired article numbers: MJDR012  
Paired article numbers: MM-DR012  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Top pin  
Shock Absorber Type: Gas Pressure

## Mounting

### MJDR014

#### Shock Absorber



DR DR 3  
DR DR 3.0

**OE**  
3360100024

Fitting Position: Front Axle Right  
For OE number: 3360100024  
Input Shaft Diameter [mm]: 22  
Paired article numbers: MA-DR015  
Paired article numbers: MJDR015  
Paired article numbers: MM-DR015  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Top pin  
Shock Absorber Type: Gas Pressure

### MJDR015

#### Shock Absorber



DR DR 3  
DR DR 3.0

**OE**  
3360100023

Fitting Position: Front Axle Left  
For OE number: 3360100023  
Input Shaft Diameter [mm]: 22  
Paired article numbers: MA-DR014  
Paired article numbers: MJDR014  
Paired article numbers: MM-DR014  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Top pin  
Shock Absorber Type: Gas Pressure

### MJDR016

#### Shock Absorber



DR DR 6

**OE**  
3360100011

Fitting Position: Left  
Fitting Position: Rear Axle  
Fitting Position: Right  
For OE number: 3360100011  
Inner Diameter [mm]: 16  
Max. Length [mm]: 735  
Min. Length [mm]: 490  
Shock Absorber Design: Telescopic Shock Absorber  
Shock Absorber Mounting Type: Bottom eye  
Shock Absorber Mounting Type: Top pin  
Shock Absorber Type: Gas Pressure

### MJDR017

#### Shock Absorber



DR DR 1.0 2 volumi /Coda spiovente

**OE**  
3360400073

Fitting Position: Rear Axle Left  
For OE number: 3360400073  
Length 1 [mm]: 32,8  
Length 2 [mm]: 51  
Paired article numbers: MA-DR018  
Paired article numbers: MJDR018  
Paired article numbers: MM-DR018  
Piston Rod Diameter [mm]: 17,8  
Shock Absorber Design: Telescopic Shock Absorber  
Shock Absorber Mounting Type: Bottom Clamp  
Shock Absorber Mounting Type: Top pin  
Shock Absorber Type: Gas Pressure

## Mounting

### MJDR018

#### Shock Absorber



DR DR 1.0 2 volumi /Coda spiovente

**OE**  
3360400074

Fitting Position: Rear Axle Right  
For OE number: 3360400074  
Length 1 [mm]: 32,8  
Length 2 [mm]: 51  
Paired article numbers: MA-DR017  
Paired article numbers: MJDR017  
Paired article numbers: MM-DR017  
Piston Rod Diameter [mm]: 17,8  
Shock Absorber Design: Telescopic Shock Absorber  
Shock Absorber Mounting Type: Bottom Clamp  
Shock Absorber Mounting Type: Top pin  
Shock Absorber Type: Gas Pressure

### MJDR019

#### Shock Absorber



DR DR 6.0 SUV  
DR DR F35 SUV

**OE**  
3360400054

Fitting Position: Rear Axle  
For OE number: 3360400054  
Length 1 [mm]: 350  
Length 2 [mm]: 63,7  
Piston Rod Diameter [mm]: 12,4  
Shock Absorber Design: Telescopic Shock Absorber  
Shock Absorber Mounting Type: Bottom eye  
Shock Absorber Mounting Type: Top pin  
Shock Absorber Type: Gas Pressure

### MJDR020

#### Shock Absorber



DR DR 4.0  
DR DR 5.0 SUV

**OE**  
202000265AA  
3360400024  
3360400083  
J522915010

Fitting Position: Rear Axle  
For OE number: 3360400024  
Length 1 [mm]: 395  
Length 2 [mm]: 685  
Piston Rod Diameter [mm]: 12,5  
Shock Absorber Design: Telescopic Shock Absorber  
Shock Absorber Mounting Type: Bottom eye  
Shock Absorber Mounting Type: Top pin  
Shock Absorber Type: Gas Pressure

### MJDR021

#### Shock Absorber



DR DR 1.0 2 volumi /Coda spiovente

**OE**  
3360100115

Fitting Position: Front Axle Left  
For OE number: 3360100115  
Length 1 [mm]: 345  
Length 2 [mm]: 540  
Paired article numbers: MA-DR029  
Paired article numbers: MJDR029  
Paired article numbers: MM-DR029  
Piston Rod Diameter [mm]: 18  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Bottom Clamp  
Shock Absorber Mounting Type: Top pin  
Shock Absorber Type: Gas Pressure

## Mounting

### MJDR022

#### Shock Absorber



DR DR 4.0  
DR DR 5.0 SUV  
DR DR 6.0 SUV

#### OE

202000261AA  
202000359AA  
3360100048  
3360100083

Fitting Position: Front Axle Left  
For OE number: 3360100048  
Input Shaft Diameter [mm]: 15  
Paired article numbers: MA-DR023  
Paired article numbers: MJDR023  
Paired article numbers: MM-DR023  
Piston Rod Diameter [mm]: 22  
Shock Absorber Design: Telescopic Shock Absorber  
Shock Absorber Mounting Type: Bottom Clamp  
Shock Absorber Mounting Type: Top pin  
Shock Absorber Type: Gas Pressure

### MJDR023

#### Shock Absorber



DR DR 4.0  
DR DR 5  
DR DR 5.0 SUV  
DR DR 6.0 SUV

#### OE

202000262AA  
202000360AA  
202000958AA  
3360100049  
3360100084  
3360100122

Fitting Position: Right Front  
For OE number: 3360100049  
Input Shaft Diameter [mm]: 15  
Paired article numbers: MA-DR022  
Paired article numbers: MJDR022  
Paired article numbers: MM-DR022  
Piston Rod Diameter [mm]: 22  
Shock Absorber Design: Telescopic Shock Absorber  
Shock Absorber Mounting Type: Bottom Clamp  
Shock Absorber Mounting Type: Top pin  
Shock Absorber Type: Gas Pressure

### MJDR024

#### Shock Absorber



DR DR 5.0 SUV  
DR DR F35 SUV

#### OE

230326  
3360100057  
3360100058  
3360100066  
J68-2905010  
T15-2905010

Fitting Position: Left Front  
For OE number: 3360100058  
Input Shaft Diameter [mm]: 15  
Paired article numbers: MA-DR025  
Paired article numbers: MJDR025  
Paired article numbers: MM-DR025  
Piston Rod Diameter [mm]: 22  
Shock Absorber Design: Suspension Strut Insert  
Shock Absorber Mounting Type: Bottom Clamp  
Shock Absorber Mounting Type: Top pin  
Shock Absorber Type: Gas Pressure

### MJDR025

#### Shock Absorber



DR DR 5.0 SUV  
DR DR F35 SUV

#### OE

202000039AA  
3360100058  
3360100067  
J68-2905020

Fitting Position: Right Front  
For OE number: 3360100067  
Input Shaft Diameter [mm]: 15  
Paired article numbers: MA-DR024  
Paired article numbers: MJDR024  
Paired article numbers: MM-DR024  
Piston Rod Diameter [mm]: 22  
Shock Absorber Design: Telescopic Shock Absorber  
Shock Absorber Mounting Type: Bottom Clamp  
Shock Absorber Mounting Type: Top pin  
Shock Absorber Type: Gas Pressure

## Mounting

### MJDR026

#### Shock Absorber

DR DR PK8



**OE**  
3360400056

Fitting Position: Rear Axle  
For OE number: 3360400056  
Length 1 [mm]: 615  
Length 2 [mm]: 390  
Shock Absorber Design: Telescopic Shock Absorber  
Shock Absorber Mounting Type: Bottom Clamp  
Shock Absorber Mounting Type: Top clamp  
Shock Absorber Type: Gas Pressure

### MJDR029

#### Shock Absorber

DR DR 1.0 2 volumi /Coda spiovente



**OE**  
3360100116

Fitting Position: Right Front  
For OE number: 3360100116  
Length 1 [mm]: 345  
Length 2 [mm]: 540  
Paired article numbers: MA-DR021  
Paired article numbers: MJDR021  
Paired article numbers: MM-DR021  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Bottom Clamp  
Shock Absorber Mounting Type: Top pin  
Shock Absorber Type: Gas Pressure

### GOJC07

#### Control Arm-/Trailing Arm Bush

DR DR ZERO



**OE**  
09319-10030  
0931910030  
0931910030000  
09319M10030  
45261 77A10  
4526177A00

Fitting Position: Front Axle left and right  
Fitting Position: inner  
Inner Diameter [mm]: 10  
Length [mm]: 52,5  
Outer Diameter [mm]: 28,5

### 106014

#### Rod/Strut, stabiliser

DR DR 1  
DR DR 2



**OE**  
722010075

Bar/Strut: Coupling Rod  
Fitting Position: Front Axle  
Fitting Position: Left and right  
Length [mm]: 60  
Specification: Lung perno-perno

### 106015L

#### Rod/Strut, stabiliser

DR DR 4



**OE**

Bar/Strut: Coupling Rod  
Fitting Position: Front Axle Left  
Specification: Lung perno-perno

## Mounting

### 106015R

Rod/Strut, stabiliser

DR DR 4



OE

Bar/Strut: Coupling Rod  
Fitting Position: Front Axle Right  
Specification: Lung perno-perno

### 106016L

Rod/Strut, stabiliser

DR DR 5



OE

Bar/Strut: Coupling Rod  
Fitting Position: Left  
Fitting Position: Rear Axle  
Length [mm]: 102  
Specification: Lung perno-perno

### 106016R

Rod/Strut, stabiliser

DR DR 5



OE

Bar/Strut: Coupling Rod  
Fitting Position: Rear Axle  
Fitting Position: Right  
Length [mm]: 102

### 106017

Rod/Strut, stabiliser

DR DR 3  
DR DR 5  
DR DR 6



OE

Bar/Strut: Coupling Rod  
Fitting Position: Front Axle Left  
Fitting Position: Front Axle Right  
Specification: Lung perno-perno

### 106220

Rod/Strut, stabiliser

DR DR 5



OE

48820-42020  
4882002020  
4882032010  
4882042020  
722010037  
T11-2906030

Bar/Strut: Coupling Rod  
Fitting Position: Front Axle  
Outer Thread [mm]: 10 X 1,25  
Overall Height [mm]: 50  
Overall Length [mm]: 314  
Specification: Lung perno-perno

### SMJ0061

Strut Mount

DR DR 5



OE

48609-42010  
48609-42011  
48609-42012  
4860942010  
4860942011  
4860942012

Fitting Position: Front Axle

## Mounting

### 111007L

#### Tie Rod End

DR DR 5



**OE**  
721010025

Fitted Diameter [mm]: 13  
Fitting Position: Front Axle Left  
Inner Thread [mm]: M 14X1,5  
Outer Thread [mm]: M 12X1,5  
Overall Height [mm]: 76

### 111007R

#### Tie Rod End

DR DR 5



**OE**  
721010026

Fitted Diameter [mm]: 13  
Fitting Position: Front Axle Right  
Inner Thread [mm]: M 14X1,5  
Outer Thread [mm]: M 12X1,5  
Overall Height [mm]: 76

### 111325

#### Tie Rod End

DR DR ZERO



**OE**  
8AB1-32-280  
8AB132280  
B09232280  
KB092-32-280  
KB09232280  
KKY01-32-280

Fitted Diameter [mm]: 13  
Fitting Position: Front Axle  
Inner Thread [mm]: 12 x 1,25  
Outer Thread 1 [mm]: 12 x 1,25  
Overall Height [mm]: 71  
Overall Length [mm]: 92  
Thread Length [mm]: 40