

The logo for JapKo, featuring the word "Jap" in white and "Ko" in red, with a registered trademark symbol (®) to the right. A white brushstroke underline is positioned below the text.

JapKo®

A large, light gray network diagram consisting of numerous interconnected nodes and lines, resembling a globe or a complex web, is overlaid on the page.

NEWS MAY 2025

www.japko.it

Brake system

1312116R

Cable, parking brake



ALFA ROMEO 145 (930)
ALFA ROMEO 146 (930)
ALFA ROMEO 155 (167)
FIAT TEMPRA (159)
FIAT TEMPRA S.W. (159)
FIAT TEMPRA S.W. (159_)

OE

46456850
46456852
60577826

Fitting Position: Right
Length [mm]: 1451

1312132

Cable, parking brake



CITROEN JUMPER Furgonato
FIAT DUCATO Furgonato (250)
PEUGEOT BOXER Furgonato


OE

1341031080
1612040080
474617

Fitting Position: Left Rear
Fitting Position: Right Rear

500150

Brake Pad Set, disc brake



OE

0980107590
0980107980

Fitting Position: Front Axle
For OE number: 0980107590
Height [mm]: 115,3
Length [mm]: 247
Thickness [mm]: 30
WVA Number: 29127
WVA Number: 29267

500666

Brake Pad Set, disc brake



CITROEN C4 III
CITROEN C4 X (BD_, BE_, BF_)
DS DS 3 CROSSBACK (U_)
FIAT 600e (365_)
JEEP AVENGER
OPEL CORSA F

OE

16 813 711 80
1681371180

Brake System: CBI
For OE number: 1681371180
Height [mm]: 63,8
Supplementary Article/Supplementary Info 2:
with brake caliper screws
Supplementary Article/Supplementary Info:
With accessories
Thickness [mm]: 18,5
Wear Warning Contact: Not prepared for wear
indicator
Width [mm]: 155,1
WVA Number: 26620

Clutch

16702126

Cable, manual transmission



FIAT PUNTO (188)

OE

46544422
46803967
46821880
46821889
55186861
55194774

Clutch

1540624

Clutch Cable



PEUGEOT 206 2 volumi /Coda spiovente (2A/C)

OE
2150X4

Standard: cambio BE4

1540703

Clutch Cable



RENAULT 4 (112_)
RENAULT 4 Furgonato (R21_, R23_)

OE
7700620231
7704001778

Length [mm]: 651

Cooling System

380237

Thermostat, coolant



FIAT 500L
FIAT 500X
JEEP RENEGADE Fuoristrada chiuso
JEEP RENEGADE Fuoristrada chiuso (BU)

OE
55241404

Housing Type: Synthetic Material Housing
Opening Temperature [°C]: 88
Supplementary Article/Supplementary Info:
with seal

380314

Thermostat, coolant



FORD FIESTA V (JH_, JD_)
FORD KA (RB_)
FORD STREET KA (RL2)

OE
1089792
1149617
1149691
1212852
1212853
1313546

Number of seals: 1
Opening Temperature [°C]: 82
Supplementary Article/Supplementary Info 2:
with sensor
Supplementary Article/Supplementary Info 2:
With thermostat
Supplementary Article/Supplementary Info:
With gaskets/seals

380316

Thermostat, coolant







FORD FOCUS (DAW, DBW)
FORD FOCUS Station wagon (DNW)
FORD FOCUS Tre volumi (DFW)
FORD MAVERICK

OE
1 319 480
1001993
1097897
1138451
1319480
XS4G9K478BB

Number of seals: 2
Opening Temperature [°C]: 91
Specification: no sensor
Supplementary Article/Supplementary Info 2:
With thermostat
Supplementary Article/Supplementary Info:
With gaskets/seals

Cooling System

380329 	Thermostat, coolant FORD FOCUS II (DA_) FORD GALAXY (WA6) FORD KUGA I FORD MONDEO IV (BA7) FORD MONDEO IV Tre volumi (BA7) FORD MONDEO IV Turnier (BA7)	OE 1371932 2018382 30650753 306507534 30650754 31319606	Opening Temperature [°C]: 90
380627 	Thermostat, coolant CHEVROLET CAMARO CITROEN BERLINGO (B9) CITROEN BERLINGO Furgonato (B9) CITROEN BERLINGO Furgonato (K9) CITROEN BERLINGO Pianale piatto/Telaio (B9) CITROEN C-ELYSEE	OE 9803549480 9850364680	
380929 	Thermostat, coolant SKODA FABIA (6Y2) SKODA FABIA Combi (6Y5) SKODA FABIA Praktik SKODA FABIA Tre volumi (6Y3)	OE 047121111S 047121111T	Supplementary Article/Supplementary Info 2: With thermostat
380957 	Thermostat, coolant AUDI A4 (8K2, B8) AUDI A4 Allroad (8KH, B8) AUDI A4 Avant (8K5, B8) AUDI A5 (8T3) AUDI A5 Cabriolet (8F7) AUDI A5 Sportback (8TA)	OE 03L 121 111 AD 03L 121 111 N 03L121111AD 3L 121 111 AD 3L 121 111 N	Opening Temperature [°C]: 87 Outer Diameter [mm]: 32,5 Weight [kg]: 0,3

Engine

6DW007 	Camshaft CHEVROLET MATIZ (M200, M250)	OE 96419960 96571022 96951785	Length [mm]: 350
---	---	---	------------------

Engine

6IS006 	Camshaft ISUZU TROOPER (UBS)	OE 5636043 8-94127797-4 97287657	
6KI008 	Camshaft KIA SPORTAGE (K00)	OE OK05412421	
6SZ006 	Camshaft SUZUKI SUPER CARRY Autobus (ED)	OE 1271077314000	
8SS000 	Crankshaft SSANGYONG ACTYON I SSANGYONG ACTYON SPORTS I (QJ) SSANGYONG KYRON	OE 6640310101	Number of Bores: 8 Overall Length [mm]: 525
1500215 	EGR Valve IVECO DAILY IV Autobus IVECO DAILY IV Cassone / Furgonato / Promiscuo IVECO DAILY IV Pianale piatto/Telaio	OE 500086368 504178568	Material: Stainless Steel Operating Mode: Pneumatic
1500320 	EGR Valve FORD RANGER (ER, EQ)	OE 1351240 3M35 9D475 BA 4386038 K5T57697 WLE720300 WLJ120300	

Engine

1500321

EGR Valve



FORD C-MAX (DM2)
 FORD FOCUS C-MAX
 FORD FOCUS II (DA_)
 FORD FOCUS II Station wagon (DA_)
 FORD FOCUS II Tre volumi (DA_)
 FORD GALAXY (WA6)

OE
 2409355
 4M5J9D475BA

For article number: 83.1776AS
 Standard: ARMAN

1500506

EGR Valve



MERCEDES-BENZ CLASSE A (W169)
 MERCEDES-BENZ CLASSE B (W245)

OE
 A 640 140 07 60
 A 640 140 14 60
 A 640 140 18 60

Operating Mode: Electric
 Supplementary Article/Supplementary Info:
 with seal
 Valve Type: Control Valve

1500605

EGR Valve



CITROEN BERLINGO (B9)
 CITROEN BERLINGO Furgonato (B9)
 CITROEN BERLINGO Furgonato (K9)
 CITROEN C-ELYSEE
 CITROEN C3 AIRCROSS II
 CITROEN C3 Cassone / coda spiovente (SC_)

OE
 1679828780
 9807369980
 9833095880

Exhaust Emission Norm: Euro 6
 Number of Poles: 5
 Operating Mode: Electric
 Supplementary Article/Supplementary Info 2:
 Without clamp
 Supplementary Article/Supplementary Info 2:
 Without vacuum bypass
 Supplementary Article/Supplementary Info:
 With gaskets/seals
 Supplementary Article/Supplementary Info:
 without EGR cooler
 Weight [kg]: 1,83

1500804

EGR Valve



FIAT DUCATO Pianale piatto/Telaio (250)
 SUZUKI GRAND VITARA II (JT)

OE
 147101993R
 1811167JG4

For article number: 83.1061AS
 Operating Mode: Electric
 Standard: ARMAN

1500942

EGR Valve



AUDI A3 (8V1)
 AUDI A3 Cabriolet (8V7)
 AUDI A3 Limousine (8VS)
 AUDI A3 Sportback (8VA)
 AUDI Q2
 AUDI Q3 (8U)

OE
 04L 131 501 C
 04L 131 501 M

Operating Mode: Electric
 Supplementary Article/Supplementary Info 2:
 Low Pressure Side
 Supplementary Article/Supplementary Info:
 with seal
 Valve Type: Control Valve
 Voltage [V]: 12

Engine

150114

EGR Valve



NISSAN ALMERA II (N16)
NISSAN ALMERA II Hatchback (N16)
NISSAN ALMERA TINO (V10)
NISSAN PRIMERA (P11)
NISSAN PRIMERA Hatchback (P11)
NISSAN PRIMERA Traveller (WP11)

OE

138483
147105M001
147105M002
147105M30B
2508483
AMV5107C

150117

EGR Valve



DACIA DOKKER
DACIA DOKKER Express
DACIA DUSTER
DACIA DUSTER Furgonato
DACIA LODGY
DACIA LOGAN II

OE

14 71 025 57R
14 71 033 71R
14 71 046 47R
14 71 099 13R
14710-00Q0Z
14710-00Q1D

Operating Mode: Electric
Supplementary Article/Supplementary Info 2:
Low Pressure Side
Supplementary Article/Supplementary Info:
with seal
Valve Type: Control Valve
Voltage [V]: 12

150118

EGR Valve



FIAT TALENTO Furgonato
FIAT TALENTO Kombi
FIAT TALENTO Pianale piatto/Telaio
MERCEDES-BENZ CLASSE C (W205)
MERCEDES-BENZ CLASSE C T-Model (S205)
MERCEDES-BENZ MARCO POLO Camper (W447)

OE

14 71 050 39R
14 71 098 16R
14 71 099 48R
14710-00Q1B
14710-00Q1G
14710-00Q1L

Operating Mode: Electric
Supplementary Article/Supplementary Info:
with seal
Valve Type: Control Valve

150505

EGR Valve



MITSUBISHI L 200 (K7_T, K6_T)
MITSUBISHI PAJERO III (V7_W, V6_W)
MITSUBISHI PAJERO III Fuoristrada aperto
(V6_W, V7_W)

OE

MR577141

150W09

EGR Valve



CHEVROLET CAPTIVA (C100, C140)
CHEVROLET CRUZE (J300)
CHEVROLET CRUZE 2 volumi /Coda spiovente
(J305)
CHEVROLET CRUZE Station Wagon (J308)
CHEVROLET ORLANDO (J309)

OE

04802055
096868923
4802055
96868923

Engine Timing Control

Engine Timing Control

KJK0203

Timing Chain Kit



FIAT 500 (312)
FIAT 500 C (312)
FIAT PANDA (519, 312, 319)
LANCIA YPSILON (312, 846)

OE

55227599
55267967
55267968
55267969
55267970
55267972

Chain Type: Closed chain
Number of Chain Links: 148
Number of Parts [parts]: 8

Filter

FA-0201JM

Air Filter



FIAT 500 (312)
FIAT 500 C (312)
FIAT PANDA (519, 312, 319)
FIAT PANDA VAN (312, 519)
LANCIA YPSILON (312, 846)


OE

52000306

Filter Type: Filter Insert
For OE number: 52000306
Height [mm]: 52
Length [mm]: 346
Width [mm]: 133

20063

Air Filter



DR DR PK8
EVO CROSS 4 Pick-up

OE

3340100047

Filter Type: Filter Insert
For OE number: 3340100047

20166

Air Filter



NISSAN QASHQAI III (J12)
NISSAN X-TRAIL IV (T33)


OE

16546-6RU0A
16546-6UM1A

Filter Type: Filter Insert
For OE number: 1780115090
Height [mm]: 57
Length [mm]: 330
Width [mm]: 137

FA-196JM

Air Filter



HONDA CIVIC V Coupé (EJ)
HONDA CIVIC VI Coupé (EJ, EM1)
HONDA CIVIC VI Fastback (MA, MB)
HONDA CIVIC VI Hatchback (EJ, EK)
HONDA CIVIC VI Tre volumi (EJ, EK)
INFINITI FX

OE

16516-73C10
16543-73C11
16546-30P00
16546-3J410
16546-73C10
16546-73C11

Filter Type: Filter Insert
For OE number: 17220P2A005
Height [mm]: 34,5
Length [mm]: 229,5
Width [mm]: 169,8

Filter

202027

Air Filter



BMW 2 Coupè (G42)
BMW 3 (G20)
BMW 3 Touring (G21)
BMW 3 Touring Van (G21)
BMW 4 Cabriolet (G23, G83)
BMW 4 Coupé (G22)

OE

13 71 8 580 428
17801-WAA02

Filter Type: Filter Insert
For OE number: 13718580428
Height [mm]: 42
Length [mm]: 275
Width [mm]: 234

20539

Air Filter



DACIA JOGGER
DACIA LOGAN III
DACIA SANDERO III
RENAULT CAPTUR II
RENAULT CLIO V (BF_)

OE

16 54 648 77R
16500-00Q4J

Filter Type: Filter Insert
Height [mm]: 55
Length [mm]: 205
Width [mm]: 140

FAA-017JM

Filter, interior air



INFINITI Q30
INFINITI QX30
MERCEDES-BENZ CLA Coupé (C117)
MERCEDES-BENZ CLA Shooting Brake (X117)
MERCEDES-BENZ CLASSE A (W176)
MERCEDES-BENZ CLASSE B (W246, W242)


OE

246 830 00 18
246 830 01 18
27277-5DA0A
27277-5DA2A
A 246 830 00 18
A 246 830 01 18

Filter Type: Activated Carbon Filter
For OE number: 272775DA2A
Height [mm]: 43
Length [mm]: 240
Width [mm]: 254

FAA-039JM

Filter, interior air



MG MARVEL R


OE

10452996

Filter Type: Activated Carbon Filter
For OE number: 10452996
Height [mm]: 28
Length [mm]: 291
Width [mm]: 179

21TY31

Filter, interior air



ALPINA B3 (G20)
ALPINA B3 Touring (G21)
ALPINA D3 (G20)
ALPINA D3 Touring (G21)
ALPINA XD3 (G01)
ALPINA XD4 (G02)

OE

64 11 9 382 885
64 11 9 382 886
87139-WAA01
87139-WAA02
9382885
9382886

Filter Type: Activated Carbon Filter
For OE number: 87139WAA02

Joints

Joins

660100

Tripod Hub, propshaft



MINI MINI (R50, R53)

OE
31607518237

Diameter 1 [mm]: 30,4
Diameter 2 [mm]: 10,7
Height [mm]: 24
Material: Steel
Number of Teeth: 21
Weight [g]: 252

660209

Tripod Hub, propshaft



ALFA ROMEO MITO (955)
FIAT 500 (312)
FIAT 500L
FIAT BRAVO II (198)
FIAT DOBLO (119)
FIAT DOBLO Pianale piatto/Telaio (263)

OE
46307552
46307825

Diameter [mm]: 31,9
Fitting Position: Front Axle Left
Fitting Position: Front Axle Right
Height 1 [mm]: 24
Number of Teeth: 21
Thickness [mm]: 10,5

660215

Tripod Hub, propshaft



FIAT PANDA (141A_)

OE
5946475
91104366

Diameter [mm]: 29,2
Number of Teeth: 20
Thickness [mm]: 9,5

660217

Tripod Hub, propshaft



FIAT DUCATO Autobus (230)
FIAT DUCATO Furgonato (230L)
FIAT DUCATO Pianale piatto/Telaio (230)

OE
1491235080

Diameter 1 [mm]: 38,8
Diameter 2 [mm]: 13,6
Fitting Position: Front Axle
Height [mm]: 28
Number of Teeth: 39
Weight [g]: 557

660219

Tripod Hub, propshaft



ALFA ROMEO 147 (937)
ALFA ROMEO 156 Sportwagon (932)
ALFA ROMEO 159 (939)
ALFA ROMEO 159 Sportwagon (939)
ALFA ROMEO 166 (936)
ALFA ROMEO BRERA

OE
46307523
46307864
46307910
46308031
46308032
46308064

Diameter [mm]: 43,2
Fitting Position: Front Axle Left
Fitting Position: Front Axle Right
Height [mm]: 21,8
Number of Teeth: 26
Thickness [mm]: 14,50

660220

Tripod Hub, propshaft



ALFA ROMEO 145 (930)
ALFA ROMEO 146 (930)
FIAT BRAVA (182)
FIAT BRAVO I (182)
FIAT MAREA (185)
FIAT MULTIPLA (186)

OE
46448513
60813073

Diameter [mm]: 31,90
Fitting Position: Front Axle Left
Fitting Position: Front Axle Right
Height [mm]: 24
Number of Teeth: 22
Thickness [mm]: 10,5

Joins

660223

Tripod Hub, propshaft



ALFA ROMEO 159 (939)
ALFA ROMEO 159 Sportwagon (939)
AUDI A4 (8K2, B8)
AUDI A4 Allroad (8KH, B8)
AUDI A4 Avant (8K5, B8)
AUDI A5 (8T3)

OE

1328362
1383753
1451463
1501261
2T14-3B436-AC
2T14-3B436-AD

Diameter 1 [mm]: 41,5
Diameter 2 [mm]: 14
Fitting Position: Front Axle Left
Fitting Position: Front Axle Right
Height [mm]: 20,6
Number of Teeth: 24

660300

Tripod Hub, propshaft



FORD GALAXY (WGR)
SEAT ALHAMBRA (7V8, 7V9)
VW SHARAN (7M8, 7M9, 7M6)

OE

1308629
3M217L606EA
7M0498103
7M0498103V
7M0498350V
JZW 498 350EX

Diameter 1 [mm]: 43,22
Diameter 2 [mm]: 14,5
Fitting Position: Front Axle left and right
Inner Diameter [mm]: 26,5
Number of Teeth: 34
Weight [g]: 458

660302

Tripod Hub, propshaft



FORD FOCUS C-MAX
FORD FOCUS II (DA_)

OE

1345646
1476895
1685795
1687410
4304005110

Int. teeth, diff.side, conn.to transm.: 23
Ring Thickness [mm]: 11,9
Roller diameter [mm]: 33,9

660400

Tripod Hub, propshaft



OPEL VIVARO Combi (J7)
OPEL VIVARO Furgonato (F7)
RENAULT 19 II (B/C53_)
RENAULT ESPACE III (JE0_)
RENAULT LAGUNA I (B56_ 556_)
RENAULT LAGUNA I Grandtour (K56_)

OE

4401693
7701056151
8200017277
89 50 628

Diameter 1 [mm]: 33,9
Diameter 2 [mm]: 14
Number of Teeth: 25
Weight [g]: 559

660600

Tripod Hub, propshaft



FIAT SCUDO Combinato (220P)
FIAT SCUDO Furgonato (220L)
FIAT ULYSSE (220)
LANCIA ZETA (220)

OE

1497191088
9619947588

Diameter 1 [mm]: 32,9
Diameter 2 [mm]: 12,7
Height [mm]: 26
Material: Steel
Number of Teeth: 34
Weight [g]: 376

660700

Tripod Hub, propshaft



RENAULT CLIO I (B/C57_ 5/357_)
RENAULT CLIO II (BB0/1/2_ CB0/1/2_)
RENAULT CLIO II Furgonato (SB0/1/2_)
RENAULT KANGOO (KC0/1_)
RENAULT KANGOO Express (FC0/1_)
RENAULT LAGUNA I (B56_ 556_)

OE

77 00 113 959
7700111779


Diameter 1 [mm]: 30
Diameter 2 [mm]: 12
Fitting Position: Left and right
Number of teeth (ratchet mechanism): 29
Weight [g]: 300


Joins

660701 	Tripod Hub, propshaft DACIA LOGAN (LS_) DACIA SANDERO RENAULT CLIO II (BB0/1/2_, CB0/1/2_) RENAULT CLIO II Furgonato (SB0/1/2_) RENAULT ESPACE III (JE0_) RENAULT KANGOO (KC0/1_)	OE 77 01 056 850 7700110484	Diameter 1 [mm]: 30 Diameter 2 [mm]: 12 Height [mm]: 24 Material: Steel Number of Teeth: 30 Weight [g]: 300
---	--	--	--

660902 	Tripod Hub, propshaft SKODA FAVORIT (781) SKODA FAVORIT Forman (785) SKODA FELICIA I (6U1) SKODA FELICIA I Station wagon (6U5)	OE 115420173 6U0407331	Diameter 1 [mm]: 32,05 Diameter 2 [mm]: 10,5 Fitting Position: Front Axle left and right Height [mm]: 24,4 Inner Diameter [mm]: 21,9 Number of Teeth: 30 Weight [g]: 315
---	---	-------------------------------------	--

Mounting

72377L 	Track Control Arm MAZDA CX-5 (KF)	OE KB7W 28 550	Bar/Strut: Push Rod Fitting Position: Lower Fitting Position: Rear Axle Left Length [mm]: 345 Steering Type: Trailing Arm
---	---	--------------------------	---

72377R 	Track Control Arm MAZDA CX-5 (KF)	OE KB7W 28 500	Bar/Strut: Push Rod Fitting Position: Lower Fitting Position: Rear Axle Right Length [mm]: 345 Steering Type: Trailing Arm
---	---	--------------------------	--

MJ01262 	Shock Absorber BMW Z4 Roadster (G29) TOYOTA SUPRA (DB_)	OE 31 31 6 879 191 6 879 191	Fitting Position: Front Axle Left For OE number: 31316879191 Paired article numbers: MA-01263 Paired article numbers: MJ01263 Paired article numbers: MM-01263 Shock Absorber Design: Suspension Strut Shock Absorber Mounting Type: Top pin Shock Absorber Type: Gas Pressure
--	--	---	---

Mounting

MJ01263

Shock Absorber



BMW Z4 Roadster (G29)
TOYOTA SUPRA (DB_)

OE
31 31 6 879 192
6 879 192

Fitting Position: Front Axle Right
For OE number: 31316879192
Paired article numbers: MA-01262
Paired article numbers: MJ01262
Paired article numbers: MM-01262
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Top pin
Shock Absorber Type: Gas Pressure

MJ01264

Shock Absorber



BMW Z4 Roadster (G29)
TOYOTA SUPRA (DB_)

OE
31 31 6 879 193
48520-WAA01
48520-WAA02
48520-WAA03
48520-WAA04
6 879 193

Fitting Position: Front Axle Left
For OE number: 31316879193
Paired article numbers: MA-01265
Paired article numbers: MJ01265
Paired article numbers: MM-01265
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Top pin
Shock Absorber Type: Gas Pressure

MJ01265

Shock Absorber



BMW Z4 Roadster (G29)
TOYOTA SUPRA (DB_)

OE
31 31 6 879 194
48510-WAA01
48510-WAA02
48510-WAA03
48510-WAA04
6 879 194

Fitting Position: Front Axle Right
For OE number: 31316879194
Paired article numbers: MA-01264
Paired article numbers: MJ01264
Paired article numbers: MM-01264
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Top pin
Shock Absorber Type: Gas Pressure

MJ01283

Shock Absorber



FORD FIESTA VII
FORD FIESTA VII Van

OE
2087074
2087077
2087080
2087088
2087093
2087100

Shock Absorber Design: Telescopic Shock Absorber
Shock Absorber Mounting Type: Bottom eye
Shock Absorber Mounting Type: Top eye
Shock Absorber Type: Gas Pressure
Weight [kg]: 1,6

MJ01284

Shock Absorber



CITROEN C4 III
CITROEN C4 X (BD_, BE_, BF_)

OE
9841379480

Fitting Position: Rear Axle
Shock Absorber Design: Telescopic Shock Absorber
Shock Absorber Mounting Type: Bottom eye
Shock Absorber Mounting Type: Top pin
Shock Absorber System: Twin-Tube
Shock Absorber Type: Gas Pressure

MJ01285

Shock Absorber



MERCEDES-BENZ CLA (C118)
MERCEDES-BENZ CLA Shooting Brake (X118)
MERCEDES-BENZ CLASSE B (W247)
MERCEDES-BENZ CLASSE-A (W177)
MERCEDES-BENZ CLASSE-A Tre volumi (W177)

OE
1183200001
1183200501
1183200601
1183200700
1183200800
1183201101

Fitting Position: Rear Axle
Shock Absorber Design: Telescopic Shock Absorber
Shock Absorber Mounting Type: Bottom eye
Shock Absorber Mounting Type: Top pin
Shock Absorber System: Monotube
Shock Absorber Type: Gas Pressure

Mounting

MJ01286

Shock Absorber



FORD FOCUS IV
FORD FOCUS IV Tre volumi (HM)

OE

2194222
2194225
2210870
2248977
2250173
2279421

Fitting Position: Rear Axle
Shock Absorber Design: Telescopic Shock Absorber
Shock Absorber Mounting Type: Top pin
Shock Absorber System: Monotube
Shock Absorber Type: Gas Pressure

MJ33115

Shock Absorber



MAZDA 2 2 volumi /Coda spiovente (KB)
TOYOTA YARIS (_P21_,_PA1_,_PH1_)

OE

48520-52F80
48520-52F90
48520-K0070
48520-K0080
48520-K0090
48520-K0120

Fitting Position: Front Axle Left
For OE number: 48520K0090
Paired article numbers: MA-33116
Paired article numbers: MJ33116
Paired article numbers: MM-33116
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Bottom Clamp
Shock Absorber Mounting Type: Top pin
Shock Absorber System: Twin-Tube
Shock Absorber Type: Gas Pressure

MJ33116

Shock Absorber



MAZDA 2 2 volumi /Coda spiovente (KB)
TOYOTA YARIS (_P21_,_PA1_,_PH1_)

OE

48510-52S80
48510-52S90
48510-K0070
48510-K0080
48510-K0090
48510-K0120

Fitting Position: Front Axle Right
For OE number: 48510K0090
Paired article numbers: MA-33115
Paired article numbers: MJ33115
Paired article numbers: MM-33115
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Bottom Clamp
Shock Absorber Mounting Type: Top pin
Shock Absorber System: Twin-Tube
Shock Absorber Type: Gas Pressure

MJ33126

Shock Absorber



MAZDA MX-30 (DR)

OE

DN4E-34-900
DN4E-34-900A

Fitting Position: Front Axle Left
For OE number: DN4E34900
Paired article numbers: MA-33127
Paired article numbers: MJ33127
Paired article numbers: MM-33127
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Bottom Clamp
Shock Absorber Mounting Type: Top pin
Shock Absorber System: Twin-Tube
Shock Absorber Type: Gas Pressure

Mounting

MJ33127

Shock Absorber



MAZDA MX-30 (DR)

OE
DN4E-34-700
DN4E-34-700A

Fitting Position: Front Axle Right
For OE number: DN4E34700
Paired article numbers: MA-33126
Paired article numbers: MJ33126
Paired article numbers: MM-33126
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Bottom Clamp
Shock Absorber Mounting Type: Top pin
Shock Absorber System: Twin-Tube
Shock Absorber Type: Gas Pressure

MJ50094

Shock Absorber



MITSUBISHI ASX (VSX_, VSE_)
NISSAN JUKE (F16_)
RENAULT CAPTUR II

OE
543020474R
543024540R
543026917R
543027186R
543032197R
543033662R

For OE number: E430300Q1J
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Bottom Clamp
Shock Absorber Mounting Type: Top eye
Shock Absorber System: Twin-Tube
Shock Absorber Type: Gas Pressure

MJAS397

Boot, air suspension



IVECO DAILY III Autobus
IVECO DAILY III Cassone / Furgonato / Promiscuo
IVECO DAILY III Pianale piatto/Telaio
IVECO DAILY IV Cassone / Furgonato / Promiscuo

OE
504035755
504035756

Fitting Position: Left and right
Fitting Position: Rear Axle
Spring Type: for vehicles with rear axle pneumatic suspension
Suspension: For vehicles with height-adjustable suspension

MJAS427

Shock Absorber



BMW X5 (E70)

OE
37 11 6 794 531
37 11 6 794 533
37 11 6 794 539
6 794 531
6 794 533
6 794 539

Fitting Position: Front Axle Left
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Top pin
Shock Absorber Type: Gas Pressure

MJAS428

Shock Absorber



BMW X5 (E70)

OE
37 11 6 794 532
37 11 6 794 534
37 11 6 794 540
6 794 532
6 794 534
6 794 540

Fitting Position: Front Axle Right
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Top pin
Shock Absorber Type: Gas Pressure

Mounting

MJAS465

Air Spring Strut



BMW 5 Touring (G31)
BMW 5 Touring Van (G31)
BMW 6 Gran Turismo (G32)

OE

37106872968
37106882822
37106882826
37106885955
37106897850
37106897854

Fitting Position: Right Rear
Paired article numbers: MA-AS466
Paired article numbers: MJAS466
Paired article numbers: MM-AS466
Shock Absorber Mounting Type: Bottom eye
Shock Absorber Mounting Type: Top yoke
Spring Type: for pneumatic suspension vehicles
Suspension: For vehicles without electronic suspension control

MJAS466

Air Spring Strut



BMW 5 Touring (G31)
BMW 5 Touring Van (G31)
BMW 6 Gran Turismo (G32)

OE

37106872967
37106882821
37106882825
37106885956
37106897849
37106897853

Fitting Position: Left Rear
Paired article numbers: MA-AS466
Paired article numbers: MJAS466
Paired article numbers: MM-AS466
Shock Absorber Mounting Type: Bottom eye
Shock Absorber Mounting Type: Top yoke
Spring Type: for pneumatic suspension vehicles
Suspension: For vehicles without electronic suspension control

GOJ4282

Engine Mounting



HONDA CIVIC VII Hatchback (EU, EP, EV)
HONDA STREAM (RN)

OE

50810S6A003
50810S6A013

GOJ5168

Engine Mounting



MITSUBISHI CARISMA (DA_)
MITSUBISHI CARISMA Tre volumi (DA_)
MITSUBISHI SPACE STAR (DG_A)

OE

MR554017

Height [mm]: 80
Inner Diameter [mm]: 12
Length [mm]: 125
Mounting Bores Distance [mm]: 100
Width 1 [mm]: 42
Width [mm]: 56

GOJ8012

Engine Mounting



SUZUKI SWIFT III (MZ, EZ)

OE

1161063J00
1161063J00000
1161063J10
1161063J10000

Fitting Position: Right
For OE number: 11610-63J10
Mounting Type: Hydro Bearing

Mounting

GOJW113

Engine Mounting



CHEVROLET AVEO 2 volumi /Coda spiovente (T250, T255)
CHEVROLET AVEO Tre volumi (T250, T255)

OE
96806636

Fitting Position: Front Axle Right

106015L

Sway Bar, suspension



DR DR 4

OE

Bar/Strut: Coupling Rod
Fitting Position: Front Axle Left
Specification: Lung perno-perno

106015R

Sway Bar, suspension



DR DR 4

OE

Bar/Strut: Coupling Rod
Fitting Position: Front Axle Right
Specification: Lung perno-perno

106016L

Sway Bar, suspension



DR DR 5

OE

Bar/Strut: Coupling Rod
Fitting Position: Left
Fitting Position: Rear Axle
Length [mm]: 285
Specification: Lung perno-perno

106016R

Sway Bar, suspension



DR DR 5

OE

Bar/Strut: Coupling Rod
Fitting Position: Rear Axle
Fitting Position: Right
Specification: Lung perno-perno

106941

Sway Bar, suspension



JEEP COMPASS (MK49)
JEEP PATRIOT (MK74)

OE
5151 803AA

Bar/Strut: Coupling Rod
Fitting Position: Rear Axle left and right
Length 1 [mm]: 148
Length [mm]: 148
Specification: Lung perno-perno

Mounting

106H83L

Sway Bar, suspension

HYUNDAI IONIQ 5 (NE)



OE
55530 GI000

Fitting Position: Rear Axle Left
Length 1 [mm]: 110
Specification: Lung perno-perno
Thread Size: MM12X1,25R

106H83R

Sway Bar, suspension

HYUNDAI IONIQ 5 (NE)



OE
55531 GI000

Fitting Position: Rear Axle Right
Length 1 [mm]: 110
Specification: Lung perno-perno
Thread Size: MM12X1,25R

106S09

Sway Bar, suspension

SSANGYONG RODIUS
SSANGYONG RODIUS II



OE
447 502 10 01
4475021001
4475021010
4575021000

Bar/Strut: Coupling Rod
Fitting Position: Front Axle Left
Fitting Position: Front Axle Right
Length [mm]: 193
Specification: Lung perno-perno

ZCJ00001

Coil Spring

MINI MINI (F55)
MINI MINI (F56)



OE
31336864176
31336864177

Fitting Position: Front Axle
Length [mm]: 266
Outer Diameter [mm]: 160
Spring Design: Coil Spring
Thickness/Strength 1 [mm]: 12,2

ZCJ00003

Coil Spring

OPEL CORSA E
OPEL CORSA E Van



OE
13433406
13433407
13433408
312649
312650
312651

Fitting Position: Front Axle
Length [mm]: 319
Outer Diameter [mm]: 150
Spring Design: Coil Spring
Thickness/Strength 1 [mm]: 12,8

ZCJ00004

Coil Spring

OPEL CORSA E
OPEL CORSA E Van



OE
13433131
424493

Fitting Position: Rear Axle
Length [mm]: 267
Outer Diameter [mm]: 119,4
Spring Design: Coil Spring
Thickness/Strength 1 [mm]: 11,2

Mounting

ZCJ00005

Coil Spring

AUDI A4 (8W2, B9)
AUDI A4 Avant (8W5, B9)



OE
8W0511115EM

Fitting Position: Rear Axle
Length [mm]: 270
Outer Diameter [mm]: 113,8
Spring Design: Coil Spring
Thickness/Strength 1 [mm]: 12,8

ZCJ1520A

Coil Spring

FORD TOURNEO COURIER Kombi
FORD TRANSIT COURIER Furgonato
FORD TRANSIT COURIER Kombi



OE
2207167
2207169

Fitting Position: Front Axle
Spring Design: Coil Spring

ZCJ1522A

Coil Spring

FORD FIESTA VII



OE
2116088
H1BC-5310-AAB

Fitting Position: Front Axle
Number of Coils: 5,25
Spring Design: Coil Spring

ZCJ1595A

Coil Spring

BMW 5 (G30)
BMW 5 Touring (G31)



OE
31 33 6 879 725
31 33 6 879 726

Fitting Position: Front Axle
Spring Design: Coil Spring

ZCJ1597A

Coil Spring

BMW 5 (G30)



OE
31 33 6 879 738
31 33 6 879 739

Fitting Position: Front Axle
Spring Design: Coil Spring

ZCJ1598A

Coil Spring

BMW 5 Touring (G31)



OE
31 33 6 881 893
31 33 6 881 894

Fitting Position: Front Axle
Spring Design: Coil Spring

Mounting

ZCJ1600A

Coil Spring

VW CRAFTER Furgonato



OE
2N0 411 105 AH

Fitting Position: Front Axle
Spring Design: Coil Spring

ZCJ1601A

Coil Spring

VOLVO S90 II
VOLVO V90 II



OE
31658913
31658914
31658915

Fitting Position: Front Axle
Spring Design: Coil Spring

ZCJ1604A

Coil Spring

VW CRAFTER Furgonato



OE
2N0 411 105 AM
2N0 411 105 AN

Fitting Position: Front Axle
Spring Design: Coil Spring

ZCJ1605A

Coil Spring

CITROEN JUMPER Furgonato
FIAT DUCATO Furgonato (250)
PEUGEOT BOXER Furgonato



OE
1608309680
50710432

Fitting Position: Front Axle
Reinforced Version:
Spring Design: Coil Spring

ZCJ1611A

Coil Spring

CITROEN JUMPY Furgonato
PEUGEOT EXPERT Furgonato



OE
98 145 385 80

Fitting Position: Front Axle
Spring Design: Coil Spring

ZCJ1613A

Coil Spring

CITROEN JUMPY Furgonato
PEUGEOT EXPERT Furgonato



OE
98 145 383 80
98 145 384 80

Fitting Position: Front Axle
Spring Design: Coil Spring

Mounting

ZCJ1614A

Coil Spring

CITROEN JUMPY Furgonato
PEUGEOT EXPERT Furgonato



OE
98 145 382 80

Fitting Position: Front Axle
Spring Design: Coil Spring

ZCJ1615A

Coil Spring

VOLVO S90 II
VOLVO V90 II



OE
31658907
31658908

Fitting Position: Front Axle
Spring Design: Coil Spring

ZCJ1616A

Coil Spring

VOLVO S90 II
VOLVO V90 II



OE
31681019

Fitting Position: Front Axle
Spring Design: Coil Spring

ZCJ1621A

Coil Spring

AUDI A4 (8EC, B7)
AUDI A4 Avant (8ED, B7)



OE
8E0411105BL
8E0411105DL

Fitting Position: Front Axle
Spring Design: Coil Spring

ZCJ1630A

Coil Spring

CITROEN JUMPY Furgonato
PEUGEOT EXPERT Furgonato



OE
98 145 381 80
98 191 831 80

Fitting Position: Front Axle
Spring Design: Coil Spring

ZCJ1635A

Coil Spring

VOLVO S90 II
VOLVO V90 II



OE
31681018

Fitting Position: Front Axle
Spring Design: Coil Spring

Mounting

ZCJ1636A

Coil Spring

BMW 5 Gran Turismo (F07)



OE
31 33 6 858 421

Fitting Position: Front Axle
Spring Design: Coil Spring

ZCJ1639A

Coil Spring

HYUNDAI KONA (OS)



OE
54632J9300
54632J9350

Fitting Position: Front Axle
Length [mm]: 304
Outer Diameter [mm]: 165
Spring Design: Coil Spring
Thickness/Strength 1 [mm]: 13

ZCJ1640A

Coil Spring

KIA SPORTAGE (QL)



OE
54630F 1DB0
54630F 1DB1

Fitting Position: Front Axle
Spring Design: Coil Spring

ZCJ1641A

Coil Spring

KIA SPORTAGE (QL)



OE
54630F 1DE0
54630F 1DE1

Fitting Position: Front Axle
Spring Design: Coil Spring

ZCJ1642A

Coil Spring

KIA SPORTAGE (QL)



OE
54630F 1DF0
54630F 1DF1

Fitting Position: Front Axle
Spring Design: Coil Spring

ZCJ1644A

Coil Spring

BMW 5 Touring (G31)



OE
31 33 6 882 395

Fitting Position: Front Axle
Spring Design: Coil Spring

Mounting

ZCJ1645A

Coil Spring

BMW 5 (G30)
BMW 5 Touring (F11)
BMW 5 Touring (G31)



OE

31 33 6 879 721
31 33 6 879 722
31 33 6 882 392

Fitting Position: Front Axle
Spring Design: Coil Spring
Suspension: For vehicles with M-technics

ZCJ1646A

Coil Spring

NISSAN NV200 EVALIA
NISSAN NV200 Furgonato



OE

54010BJ00A
54010JX52A

Fitting Position: Front Axle
Spring Design: Coil Spring

ZCJ1647A

Coil Spring

KIA SPORTAGE (QL)



OE

54630F 1DG0
54630F 1DG1

Fitting Position: Front Axle
Spring Design: Coil Spring

ZCJ1648A

Coil Spring

BMW 1 (F40)
MINI MINI COUNTRYMAN (F60)



OE

31336876874
31336876875
31336876876

Fitting Position: Front
Length [mm]: 275
Outer Diameter [mm]: 158
Spring Design: Coil Spring
Thickness/Strength 1 [mm]: 13,5

ZCJ1651A

Coil Spring

BMW 5 Touring (G31)



OE

31 33 6 881 898

Fitting Position: Front Axle
Spring Design: Coil Spring

ZCJ1652A

Coil Spring

BMW 5 (G30)



OE

31 33 6 879 735
31 33 6 879 736
31 33 6 879 737

Fitting Position: Front Axle
Spring Design: Coil Spring

Mounting

ZCJ1653A

Coil Spring

HYUNDAI KONA (OS)



OE

54632J 9320
54632J 9370
54632J 9EG0
54632J9320
54632J9370
54632J9EG0

Fitting Position: Front Axle
Length [mm]: 302
Outer Diameter [mm]: 155
Spring Design: Coil Spring
Thickness/Strength 1 [mm]: 13

ZCJ1654A

Coil Spring

HYUNDAI KONA (OS)



OE

54632K 4000

Fitting Position: Front
Spring Design: Coil Spring

ZCJ1655A

Coil Spring

HYUNDAI KONA (OS)



OE

54632J 9330
54632J 9340
54632J 9EB0
54632J9330
54632J9340
54632J9EB0

Fitting Position: Front Axle
Length [mm]: 307
Outer Diameter [mm]: 153
Spring Design: Coil Spring
Thickness/Strength 1 [mm]: 13

ZCJ1657A

Coil Spring

MINI MINI COUNTRYMAN (F60)



OE

31 33 6 872 337
31 33 6 872 338

Fitting Position: Front
Length 1 [mm]: 289
Thickness/Strength 1 [mm]: 13,25

ZCJ1658A

Coil Spring

FORD KA



OE


2019640
G1B5-5310-AB

Fitting Position: Front Axle
Spring Design: Coil Spring

ZCJ1659A

Coil Spring

HONDA CIVIC VIII Tre volumi (FD, FA)



OE

51401SNA902
51401SNA911

Fitting Position: Front Axle Right
Spring Design: Coil Spring

Mounting

ZCJ1664A

Coil Spring

SEAT IBIZA V (KJ1)
VW POLO (AW1)



OE

2Q0 411 105 C
2Q0 411 105 D

Fitting Position: Front Axle
Spring Design: Coil Spring

ZCJ1666A

Coil Spring

SEAT IBIZA V (KJ1)
VW POLO (AW1)



OE

2Q0 411 105 A
2Q0 411 105 B

Fitting Position: Front Axle
Spring Design: Coil Spring

ZCJ1667A

Coil Spring

BMW 3 (F30, F35, F80)
BMW 3 GRAN TURISMO (F34)
BMW 4 Cabriolet (F33, F83)
BMW 4 Coupé (F32, F82)
BMW 4 Gran Coupe (F36)



OE

31 33 6 851 923
31 33 6 851 924
31 33 6 851 925

Fitting Position: Front Axle
Spring Design: Coil Spring

ZCJ1675A

Coil Spring

PORSCHE BOXSTER (987)



OE

987 343 531 10 504
997 343 531 32 504
997 343 531 38 504
997 343 531 44 504
997 343 531 82 504
997 343 531 83 504

Fitting Position: Front Axle
Spring Design: Coil spring with constant wire diameter

ZCJ1676A

Coil Spring

AUDI A3 (8V1)
AUDI A3 Cabriolet (8V7)
AUDI A3 Limousine (8VS)
AUDI A3 Sportback (8VA)



OE

5Q0411105FC
5Q0411105FD

Fitting Position: Front Axle
Spring Design: Coil Spring

ZCJ5471A

Coil Spring

DACIA SANDERO II



OE

550205184R
550208332R

Fitting Position: Rear Axle
Spring Design: Coil Spring

Mounting

ZCJ5472A

Coil Spring

DACIA SANDERO II



OE

550201357R

Fitting Position: Rear Axle
Spring Design: Coil Spring

ZCJ5821A

Coil Spring

SKODA KODIAQ
VW TIGUAN ALLSPACE (BW2)



OE

5QF 511 115 BH
5QF511115BH
5QN 511 115 F
5QN511115F

Fitting Position: Rear Axle
Length [mm]: 347
Outer Diameter [mm]: 111
Spring Design: Coil Spring
Thickness/Strength 1 [mm]: 13,8

ZCJ5822A

Coil Spring

HYUNDAI TUCSON
KIA SPORTAGE (QL)



OE

55350D 7CA0
55350F 1CB0

Fitting Position: Rear Axle
Spring Design: Coil Spring

ZCJ5825A

Coil Spring

SUBARU LEGACY V Station wagon (BM, BR)



OE

20380AJ470

Fitting Position: Rear Axle
Spring Design: Coil Spring

ZCJ5827A

Coil Spring

BMW 3 (F30, F35, F80)
BMW 3 GRAN TURISMO (F34)
BMW 4 Cabriolet (F33, F83)



OE

33 53 6 851 932
33 53 6 851 933

Fitting Position: Rear Axle
Spring Design: Coil Spring

ZCJ5828A

Coil Spring

BMW 5 (F10, F18)



OE

33536786658

Fitting Position: Rear Axle
Spring Design: Coil Spring

Mounting

ZCJ5831A

Coil Spring

AUDI A3 (8V1)
AUDI A3 Sportback (8VA)



OE

5Q0511115GA
5Q0511115GB
5Q0511115KH
5Q0511115KJ

Fitting Position: Rear Axle
Spring Design: Coil Spring

ZCJ5833A

Coil Spring

BMW X1 (F48)



OE

33 53 6 872 297
33 53 6 872 298
6 872 297
6 872 298

Fitting Position: Rear Axle
Spring Design: Coil Spring

ZCJ5834A

Coil Spring

MINI MINI COUNTRYMAN (F60)



OE

33 53 6 866 775
33 53 6 869 750

Fitting Position: Rear Axle
Inner Diameter 1 [mm]: 58
Length 1 [mm]: 242
Outer Diameter 1 [mm]: 118
Specification: con diametro filo no
Specification: molla elicoidale

ZCJ5835A

Coil Spring

BMW 2 Coupé (F22)



OE

33 53 6 853 130

Fitting Position: Rear Axle
Spring Design: Coil Spring

ZCJ5836A

Coil Spring

RENAULT MEGANE CC (EZ0/1_)



OE

550200036R

Fitting Position: Rear Axle
Spring Design: Coil Spring

ZCJ5837A

Coil Spring

AUDI A3 Limousine (8VS)
AUDI A3 Sportback (8VA)



OE

5Q0511115DM
5Q0511115JT
5Q0511115KC

Fitting Position: Rear Axle
Spring Design: Coil Spring

Mounting

ZCJ5838A

Coil Spring

MINI MINI COUNTRYMAN (F60)



OE

33 53 6 869 751
33 53 6 869 752
33 53 6 869 753

Fitting Position: Rear Axle
Inner Diameter 1 [mm]: 58
Length 1 [mm]: 241
Outer Diameter 1 [mm]: 118

ZCJ5839A

Coil Spring

BMW 2 Active Tourer (F45)
BMW X1 (F48)



OE

33 53 6 866 776

Fitting Position: Rear Axle
Spring Design: Coil Spring

ZCJ5844A

Coil Spring

MAZDA CX-3 (DK)



OE

D10G-28-011A

Fitting Position: Rear Axle
Spring Design: Coil Spring

ZCJ5845A

Coil Spring

FORD KA



OE

2019642
G1B5-5560-AA

Fitting Position: Rear Axle
Spring Design: Coil Spring

ZCJ5846A

Coil Spring

SEAT IBIZA V (KJ1)
VW POLO (AW1)



OE

200 511 121 CJ
200 511 121 CK

Fitting Position: Rear Axle
Spring Design: Coil Spring

ZCJ90244

Coil Spring

FIAT DUCATO Autobus (250)
FIAT DUCATO Pianale piatto/Telaio (250)



OE

1608309780
50711909

Fitting Position: Front Axle
From Axle Load [kg]: 2000
Reinforced Version:
Spring Design: Coil Spring

Mounting

ZCJ90264

Coil Spring

PEUGEOT 207 (WA_, WC_)
PEUGEOT 207 SW (WK_)



OE
5002QP
5002QQ

Fitting Position: Front Axle
Spring Design: Coil Spring

ZCJ90599

Coil Spring

FIAT IDEA
LANCIA MUSA (350)



OE

Fitting Position: Front Axle
Length [mm]: 143
Outer Diameter [mm]: 143,0
Wire Diameter [mm]: 11,8