

JapKo[®]

NEWS 07/2026



www.japko.it

CATALOGUE
FOR CARS AND
COMMERCIAL VEHICLES

CATALOGO
PER AUTOMOBILI E VEICOLI
COMMERCIALI

Brake system

1311006

Cable, parking brake

NISSAN CABSTAR Pick-up



OE

36530F3903

Fitting Position: Right Rear
Length [mm]: 1292

1311007

Cable, parking brake

NISSAN CABSTAR Pick-up



OE

36531F3903

Fitting Position: Left Rear
Length [mm]: 2110

131195

Cable, parking brake

NISSAN PIXO (UA0)
SUZUKI ALTO (HA25, HA35)



OE

365304A00C
54401M68K00

Fitting Position: Right
Length 1 [mm]: 1460
Length 2 [mm]: 1245
Section: Rear Section

131196

Cable, parking brake

NISSAN PIXO (UA0)
SUZUKI ALTO (HA25, HA35)



OE

365314A00B
365314A00C
54402M68K00

Fitting Position: Left
Length 1 [mm]: 1475
Length 2 [mm]: 1260
Section: Rear Section

131862

Cable, parking brake

SUZUKI SWIFT IV (FZ, NZ)
SUZUKI SWIFT V (AZ)



OE

5440168L20
5440168L22

Fitting Position: Right
Length 1 [mm]: 1480
Length 2 [mm]: 1298
Section: Rear Section

131863

Cable, parking brake

SUZUKI SWIFT IV (FZ, NZ)
SUZUKI SWIFT V (AZ)



OE

5440268L20
5440268L20000

Fitting Position: Left
Length 1 [mm]: 1480
Length 2 [mm]: 1298
Section: Rear Section

Brake system

131H81

Cable, parking brake



HYUNDAI i30 (FD)
HYUNDAI i30 CW (FD)

OE
597702R500

Fitting Position: Right
Length 1 [mm]: 1720
Length 2 [mm]: 1710
Section: Rear Section

131H82

Cable, parking brake



HYUNDAI i10 (PA)

OE
597600X300

Fitting Position: Left
Length 1 [mm]: 1252
Length 2 [mm]: 1110
Section: Rear Section

131H83

Cable, parking brake



HYUNDAI i10 (PA)

OE
597700X300

Fitting Position: Right
Length 1 [mm]: 1263
Length 2 [mm]: 1117
Section: Rear Section

131H91L

Cable, parking brake



HYUNDAI SONATA VII (LF)
KIA OPTIMA
KIA OPTIMA Sportswagon

OE
59760C1000
59760C1100

Length 1 [mm]: 1755
Length 2 [mm]: 1580
Paired article numbers: 131-0H-H91R
Paired article numbers: 131H91R
Paired article numbers: BC-H91R

131H91R

Cable, parking brake



HYUNDAI SONATA VII (LF)
KIA OPTIMA
KIA OPTIMA Sportswagon

OE
59770C1000
59770C1100

Length 1 [mm]: 1758
Length 2 [mm]: 1570
Paired article numbers: 131-0H-H91L
Paired article numbers: 131H91L
Paired article numbers: BC-H91L

131H93L

Cable, parking brake



HYUNDAI ACCENT IV Tre volumi (RB)
HYUNDAI SOLARIS Tre volumi
KIA RIO III Tre volumi (UB)

OE
597601R300

Brake Type: Disc Brake
Length 1 [mm]: 1680
Length 2 [mm]: 1455
Paired article numbers: 131-0H-H93R
Paired article numbers: 131H93R
Paired article numbers: BC-H93R

Brake system

131H94L

Cable, parking brake



HYUNDAI ACCENT IV Tre volumi (RB)
KIA RIO III Tre volumi (UB)

OE
597601R000

Brake Type: Drum Brake
Length 1 [mm]: 1586
Length 2 [mm]: 1326
Paired article numbers: 131-0H-H94R
Paired article numbers: 131H94R
Paired article numbers: BC-H94R

131H94R

Cable, parking brake



HYUNDAI ACCENT IV Tre volumi (RB)
KIA RIO III Tre volumi (UB)

OE
597701R000

Brake Type: Drum Brake
Length 1 [mm]: 1655
Length 2 [mm]: 1394
Paired article numbers: 131-0H-H94L
Paired article numbers: 131H94L
Paired article numbers: BC-H94L

131K55L

Cable, parking brake



KIA CEE'D
KIA CEE'D Combi Van (JD)
KIA CEE'D Sportswagon
KIA PRO CEE'D Hatchback Van (JD)
KIA PRO CEE'D

OE
59760A2300
59760A2310

Brake Type: Disc Brake
Length 1 [mm]: 1742
Length 2 [mm]: 1534
Paired article numbers: 131-0K-K55R
Paired article numbers: 131K55R
Paired article numbers: BC-K55R

131K55R

Cable, parking brake



KIA CEE'D
KIA CEE'D Combi Van (JD)
KIA CEE'D Sportswagon
KIA PRO CEE'D Hatchback Van (JD)
KIA PRO CEE'D

OE
59770A2300
59770A2310

Brake Type: Disc Brake
Length 1 [mm]: 1878
Length 2 [mm]: 1672
Paired article numbers: 131-0K-K55L
Paired article numbers: 131K55L
Paired article numbers: BC-K55L

CAL1000LJM

Brake Caliper



BMW 1 Coupé (E82)
BMW 3 (E90)
BMW 3 Cabriolet (E93)
BMW 3 Coupé (E92)
BMW 5 (E60)
BMW 6 (E63)

OE
34 21 2 283 163
34 21 6 753 679
3421015350
34210153505
34212283163
34216753679

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 24
Brake System: ATE
Diameter [mm]: 46
Fitting Position: behind the axle
Fitting Position: Rear Axle Left
Paired article numbers: CAL1000RJM

CAL1000RJM

Brake Caliper



BMW 1 Coupé (E82)
BMW 3 (E90)
BMW 3 Cabriolet (E93)
BMW 3 Coupé (E92)
BMW 5 (E60)
BMW 6 (E63)

OE
34 21 2 283 164
34 21 6 753 680
3421015350
34210153506
34212283164
34216753680

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 24
Brake System: ATE
Diameter [mm]: 46
Fitting Position: behind the axle
Fitting Position: Rear Axle Right
Paired article numbers: CAL1000LJM

Brake system

CAL1003LJM

Brake Caliper



BMW 3 (E36)
BMW 3 Cabriolet (E36)
BMW 3 Coupe (E36)
BMW Z1
MG MG ZT
MG MG ZT- T

OE

34 21 1 160 333
3421116033
34211160333
GBC 90196
GBC90196
SOB100020

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 10
Brake System: ATE
Diameter [mm]: 36
Fitting Position: behind the axle
Fitting Position: Rear Axle Left
Paired article numbers: CAL1003RJM

CAL1003RJM

Brake Caliper



BMW 3 (E36)
BMW 3 Cabriolet (E36)
BMW 3 Coupe (E36)
BMW Z1
MG MG ZT
MG MG ZT- T

OE

34 21 1 160 334
3421116033
34211160334
GBC 90194
GBC90194
SOB100030

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 10
Brake System: ATE
Diameter [mm]: 36
Fitting Position: behind the axle
Fitting Position: Rear Axle Right
Paired article numbers: CAL1003LJM

CAL1005LJM

Brake Caliper



BMW 5 (E60)
BMW 5 Touring (E61)

OE

34 11 6 763 023
3411676302
34116763023

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 24
Brake System: ATE
Diameter [mm]: 60
Fitting Position: behind the axle
Fitting Position: Front Axle Left
Paired article numbers: CAL1005RJM

CAL1005RJM

Brake Caliper



BMW 5 (E60)
BMW 5 Touring (E61)

OE

34 11 6 763 024
3411676302
34116763024

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 24
Brake System: ATE
Diameter [mm]: 60
Fitting Position: behind the axle
Fitting Position: Front Axle Right
Paired article numbers: CAL1005LJM

CAL1009LJM

Brake Caliper



BMW 5 (E60)
BMW 6 (E63)
BMW 6 Cabriolet (E64)

OE

34 21 6 758 057
3421675805
34216758057

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 20
Brake System: ATE
Diameter [mm]: 42
Fitting Position: behind the axle
Fitting Position: Rear Axle Left
Paired article numbers: CAL1009RJM

CAL1009RJM

Brake Caliper



BMW 5 (E60)
BMW 6 (E63)
BMW 6 Cabriolet (E64)

OE

34 21 6 758 058
3421675805
34216758058

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 20
Brake System: ATE
Diameter [mm]: 42
Fitting Position: behind the axle
Fitting Position: Rear Axle Right
Paired article numbers: CAL1009LJM

Brake system

CAL1012LJM

Brake Caliper



BMW 3 (E90)
BMW 3 Cabriolet (E93)
BMW 3 Coupé (E92)
BMW 3 Touring (E91)
BMW Z4 (E89)

OE

34 11 6 769 091
3411676909
34116769091

Brake Caliper Type: Aluminium brake caliper
Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 24
Brake System: ATE
Diameter [mm]: 57
Fitting Position: behind the axle
Fitting Position: Front Axle Left
Paired article numbers: CAL1012RJM

CAL1012RJM

Brake Caliper



BMW 3 (E90)
BMW 3 Cabriolet (E93)
BMW 3 Coupé (E92)
BMW 3 Touring (E91)
BMW Z4 (E89)

OE

34 11 6 769 092
3411676909
34116769092

Brake Caliper Type: Aluminium brake caliper
Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 24
Brake System: ATE
Diameter [mm]: 57
Fitting Position: behind the axle
Fitting Position: Front Axle Right
Paired article numbers: CAL1012LJM

CAL1013LJM

Brake Caliper



CHEVROLET LANOS Tre volumi
DAEWOO ARANOS
DAEWOO CIELO
DAEWOO ESPERO (KLEJ)
DAEWOO LANOS (KLAT)
DAEWOO LANOS Tre volumi (KLAT)

OE

5 42 231
5 42 251
542231
542251
5542049
90297765

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 24
Brake System: ATE
Diameter [mm]: 52
Fitting Position: Front Axle Left
Fitting Position: in front of axle
Paired article numbers: CAL1013RJM

CAL1013RJM

Brake Caliper



DAEWOO ARANOS
DAEWOO CIELO
DAEWOO ESPERO (KLEJ)
DAEWOO LANOS (KLAT)
DAEWOO LANOS Tre volumi (KLAT)
DAEWOO NEXIA (KLETN)

OE

5 42 232
5 42 250
542232
542250
5542050
90297766

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 24
Brake System: ATE
Diameter [mm]: 52
Fitting Position: Front Axle Right
Fitting Position: in front of axle
Paired article numbers: CAL1013LJM

CAL1014LJM

Brake Caliper



AUDI A3 (8V1)
AUDI A3 Cabriolet (8V7)
AUDI A3 Limousine (8VS)
AUDI A3 Limousine (8YS)
AUDI A3 Sportback (8VA)
AUDI Q2

OE

3Q0 615 423F
3Q0 615 423FSL7
3Q0615423F
3Q0615423FSL7
5Q0 615 423
5Q0 615 423 QC8

Brake Disc Thickness [mm]: 22
Brake System: ATE
Diameter [mm]: 42
Fitting Position: in front of axle
Fitting Position: Rear Axle Left
Paired article numbers: CAL1014RJM
Supplementary Article/Supplementary Info:
with electric motor

CAL1014RJM

Brake Caliper



AUDI A3 (8V1)
AUDI A3 Cabriolet (8V7)
AUDI A3 Limousine (8VS)
AUDI A3 Limousine (8YS)
AUDI A3 Sportback (8VA)
AUDI Q2

OE

3Q0615424F
3Q0615424FSL7
5Q0615424
5Q0615424G
5Q0615424GQB7
5Q0615424GQC8

Brake Disc Thickness [mm]: 22
Brake System: ATE
Diameter [mm]: 42
Fitting Position: in front of axle
Fitting Position: Rear Axle Right
Paired article numbers: CAL1014LJM
Supplementary Article/Supplementary Info:
with electric motor

Brake system

CAL1017LJM

Brake Caliper



BMW 3 Cabriolet (E46)
BMW 3 Coupe (E46)
BMW Z4 (E85)
BMW Z4 Coupé (E86)

OE

34112282175
34112282617

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 28
Brake System: ATE
Diameter [mm]: 60
Fitting Position: behind the axle
Fitting Position: Front Axle Left
Paired article numbers: CAL1017RJM

CAL1017RJM

Brake Caliper



BMW 3 Cabriolet (E46)
BMW 3 Coupe (E46)
BMW Z4 (E85)
BMW Z4 Coupé (E86)

OE

34112282176
34112282618

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 28
Brake System: ATE
Diameter [mm]: 60
Fitting Position: behind the axle
Fitting Position: Front Axle Right
Paired article numbers: CAL1017LJM

CAL1018LJM

Brake Caliper



BMW X5 (E70)
BMW X5 (F15, F85)
BMW X6 (E71, E72)
BMW X6 (F16, F86)

OE

34116776785

Brake Caliper Type: Caliper (2 pistons)
Brake Disc Thickness [mm]: 36
Brake System: ATE
Diameter [mm]: 42
Fitting Position: behind the axle
Fitting Position: Front Axle Left
Paired article numbers: CAL1018RJM

CAL1018RJM

Brake Caliper



BMW X5 (E70)
BMW X5 (F15, F85)
BMW X6 (E71, E72)
BMW X6 (F16, F86)

OE

34116776786

Brake Caliper Type: Caliper (2 pistons)
Brake Disc Thickness [mm]: 36
Brake System: ATE
Diameter [mm]: 42
Fitting Position: behind the axle
Fitting Position: Front Axle Right
Paired article numbers: CAL1018LJM

CAL1022LJM

Brake Caliper



CITROEN JUMPER Autobus (230P)
CITROEN JUMPER Autobus (244, Z_)
CITROEN JUMPER Furgonato (230L)
CITROEN JUMPER Furgonato (244)
CITROEN JUMPER Pianale piatto/Telaio (230)
CITROEN JUMPER Pianale piatto/Telaio (244)

OE

1607378280
4401F0
4401G6
4401J2
4401N2
735289107

Brake Caliper Type: Caliper (2 pistons)
Brake Disc Thickness [mm]: 24
Brake System: BREMBO
Diameter 1/ Diameter 2 [mm]: 46/52
Fitting Position: Front Axle Left
Fitting Position: in front of axle
Number of Inlets / Outlets: 1
Paired article numbers: CAL1022RJM

CAL1022RJM

Brake Caliper



CITROEN JUMPER Autobus (230P)
CITROEN JUMPER Autobus (244, Z_)
CITROEN JUMPER Furgonato (230L)
CITROEN JUMPER Furgonato (244)
CITROEN JUMPER Pianale piatto/Telaio (230)
CITROEN JUMPER Pianale piatto/Telaio (244)

OE

1607378380
4401F1
4401G7
4401J3
4401N3
735289108

Brake Caliper Type: Caliper (2 pistons)
Brake Disc Thickness [mm]: 24
Brake System: BREMBO
Diameter 1/ Diameter 2 [mm]: 46/52
Fitting Position: Front Axle Right
Fitting Position: in front of axle
Number of Inlets / Outlets: 1
Paired article numbers: CAL1022LJM

Brake system

CAL1024LJM

Brake Caliper



BMW 5 (E34)
BMW 7 (E32)

OE

34211157555
34211157557
34211160381

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 10
Brake System: ATE
Diameter [mm]: 38
Fitting Position: behind the axle
Fitting Position: Rear Axle Left
Paired article numbers: CAL1024RJM

CAL1024RJM

Brake Caliper



BMW 5 (E34)
BMW 7 (E32)

OE

34211157556
34211157558
34211160382

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 10
Brake System: ATE
Diameter [mm]: 38
Fitting Position: behind the axle
Fitting Position: Rear Axle Right
Paired article numbers: CAL1024LJM

CAL1028LJM

Brake Caliper



AUDI 100 (4A, C4)
AUDI 100 Avant (4A, C4)
AUDI 80 (89, 89Q, 8A, B3)
AUDI 90 (89, 89Q, 8A, B3)
AUDI A6 (4A, C4)
AUDI A6 Avant (4A, C4)

OE

853615423A
853615423AX

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 10
Brake System: GIRLING
Diameter [mm]: 38
Fitting Position: in front of axle
Fitting Position: Rear Axle Left
Paired article numbers: CAL1028RJM

CAL1028RJM

Brake Caliper



AUDI 100 (4A, C4)
AUDI 100 Avant (4A, C4)
AUDI 80 (89, 89Q, 8A, B3)
AUDI 90 (89, 89Q, 8A, B3)
AUDI A6 (4A, C4)
AUDI A6 Avant (4A, C4)

OE

853615424A
853615424AX

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 10
Brake System: GIRLING
Diameter [mm]: 38
Fitting Position: in front of axle
Fitting Position: Rear Axle Right
Paired article numbers: CAL1028LJM

CAL1029LJM

Brake Caliper



BMW X5 (E53)

OE

34216768443

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 12
Brake System: ATE
Diameter [mm]: 42
Fitting Position: behind the axle
Fitting Position: Rear Axle Left
Paired article numbers: CAL1029RJM

CAL1029RJM

Brake Caliper



BMW X5 (E53)

OE

34216768444

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 12
Brake System: ATE
Diameter [mm]: 42
Fitting Position: behind the axle
Fitting Position: Rear Axle Right
Paired article numbers: CAL1029LJM

Brake system

CAL1033LJM

Brake Caliper



OPEL CORSA C (F08, F68)
OPEL CORSA C Furgonato (F08, W5L)
OPEL TIGRA TwinTop
VAUXHALL CORSA Mk II (C) (W5L, F08)
VAUXHALL CORSAVAN Mk II (C)
VAUXHALL TIGRA TwinTop

OE
542454
5542263
5542269
9200127
93173327
93174752

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 10
Brake System: LUCAS
Diameter [mm]: 34
Fitting Position: behind the axle
Fitting Position: Rear Axle Left
Paired article numbers: CAL1033RJM

CAL1033RJM

Brake Caliper



OPEL CORSA C (F08, F68)
OPEL CORSA C Furgonato (F08, W5L)
OPEL TIGRA TwinTop
VAUXHALL CORSA Mk II (C) (W5L, F08)
VAUXHALL CORSAVAN Mk II (C)
VAUXHALL TIGRA TwinTop

OE
542455
5542264
5542270
9200128
93173329
93174753

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 10
Brake System: LUCAS
Diameter [mm]: 34
Fitting Position: behind the axle
Fitting Position: Rear Axle Right
Paired article numbers: CAL1033LJM

CAL1038LJM

Brake Caliper



NISSAN INTERSTAR Furgonato (X62B)
NISSAN INTERSTAR Pianale piatto/Telaio (X62B)
NISSAN NV400 Autobus
NISSAN NV400 Furgonato
NISSAN NV400 Pianale piatto/Telaio
OPEL MOVANO B Autobus

OE
1685344180
1686229980
4401100Q0D
4401100Q0F
4401100Q0K
4401100Q0M

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 18
Brake System: BREMBO
Diameter [mm]: 60
Paired article numbers: CAL1038RJM

CAL1038RJM

Brake Caliper



NISSAN INTERSTAR Furgonato (X62B)
NISSAN INTERSTAR Pianale piatto/Telaio (X62B)
NISSAN NV400 Autobus
NISSAN NV400 Furgonato
NISSAN NV400 Pianale piatto/Telaio
OPEL MOVANO B Autobus

OE
1685548180
1686229880
4400100Q0C
4400100Q0F
4400100Q0J
4400100Q0M

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 18
Brake System: BREMBO
Diameter [mm]: 60
Fitting Position: behind the axle
Fitting Position: Rear Axle Right
Paired article numbers: CAL1038LJM

CAL1040RJM

Brake Caliper



ISUZU TROOPER
ISUZU TROOPER (UB)
ISUZU TROOPER Fuoristrada aperto
ISUZU TROOPER Fuoristrada aperto (UB)
ISUZU VEHICROSS (.U.)
OPEL FRONTERA A (5_MWL4)

OE
542266
542268
542284
8970352580
8971444780
97035258

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 18
Brake System: AKEBONO
Diameter [mm]: 42
Fitting Position: behind the axle
Fitting Position: Rear Axle Right
Paired article numbers: CAL1040LJM

CAL1041LJM

Brake Caliper



FIAT CROMA (194)
OPEL SIGNUM
OPEL VECTRA C
OPEL VECTRA C GTS
OPEL VECTRA C Station wagon
SAAB 9-3 (YS3F)

OE
542023
735350351
77363596
93172170

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 25
Brake System: ATE
Diameter [mm]: 57
Fitting Position: Front Axle Left
Fitting Position: in front of axle
Paired article numbers: CAL1041RJM

Brake system

CAL1041RJM

Brake Caliper



FIAT CROMA (194)
OPEL SIGNUM
OPEL VECTRA C
OPEL VECTRA C GTS
OPEL VECTRA C Station wagon
SAAB 9-3 (YS3F)

OE
542024
735350352
77363687
93172171

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 25
Brake System: ATE
Diameter [mm]: 57
Fitting Position: Front Axle Right
Fitting Position: in front of axle
Paired article numbers: CAL1041LJM

CAL1042LJM

Brake Caliper



SEAT CORDOBA (6K1, 6K2)
SEAT CORDOBA Vario (6K5)
SEAT IBIZA II (6K1)
VW CADDY I (14)
VW GOLF I (17)
VW GOLF I Cabriolet (155)

OE
1H0615123A

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 12
Brake System: ATE
Diameter [mm]: 48
Fitting Position: Front Axle Left
Fitting Position: in front of axle
Paired article numbers: CAL1042RJM

CAL1042RJM

Brake Caliper



SEAT CORDOBA (6K1, 6K2)
SEAT CORDOBA Vario (6K5)
SEAT IBIZA II (6K1)
VW CADDY I (14)
VW GOLF I (17)
VW GOLF I Cabriolet (155)

OE
1H0615124A

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 12
Brake System: ATE
Diameter [mm]: 48
Fitting Position: Front Axle Right
Fitting Position: in front of axle
Paired article numbers: CAL1042LJM

CAL1043LJM

Brake Caliper



AUDI 80 (8C, B4)
AUDI 80 Avant (8C, B4)

OE
1A8615124
8A0615123
8A0615123X

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 13
Brake System: GIRLING
Diameter [mm]: 54
Fitting Position: behind the axle
Fitting Position: Front Axle Left
Paired article numbers: CAL1043RJM

CAL1043RJM

Brake Caliper



AUDI 80 (8C, B4)
AUDI 80 Avant (8C, B4)

OE
1A8615123
8A0615124
8A0615124X

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 13
Brake System: GIRLING
Diameter [mm]: 54
Fitting Position: behind the axle
Fitting Position: Front Axle Right
Paired article numbers: CAL1043LJM

CAL1046LJM

Brake Caliper



SEAT AROSA (6H)
VW LUPO (6X1, 6E1)
VW POLO (6N1)
VW POLO (6N2)

OE
6N0615123C
6N0615123CX
6N0615123D

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 20
Brake System: GIRLING
Diameter [mm]: 54
Fitting Position: Front Axle Left
Fitting Position: in front of axle
Paired article numbers: CAL1046RJM

Brake system

CAL1046RJM

Brake Caliper



SEAT AROSA (6H)
VW LUPO (6X1, 6E1)
VW POLO (6N1)
VW POLO (6N2)

OE

6N0615124C
6N0615124CX
6N0615124D

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 20
Brake System: GIRLING
Diameter [mm]: 54
Fitting Position: Front Axle Right
Fitting Position: in front of axle
Paired article numbers: CAL1046LJM

CAL1048LJM

Brake Caliper



CITROEN EVASION (22, U6)
CITROEN EVASION Van (U6_, AF_)
CITROEN JUMPY (U6U)
CITROEN JUMPY Furgonato (BS_, BT_, BY_, BZ_)
CITROEN JUMPY Pianale piatto/Telaio (BU_, BV_, BW_, BX_)

OE

440192
441073
9404401928
9946008
9946009

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 26
Brake System: GIRLING
Diameter [mm]: 57
Fitting Position: Front Axle Left
Fitting Position: in front of axle
Paired article numbers: CAL1048RJM

CAL1048RJM

Brake Caliper



CITROEN EVASION (22, U6)
CITROEN EVASION Van (U6_, AF_)
CITROEN JUMPY (U6U)
CITROEN JUMPY Furgonato (BS_, BT_, BY_, BZ_)
CITROEN JUMPY Pianale piatto/Telaio (BU_, BV_, BW_, BX_)

OE

440193
441074
9404401938
9946011
9946012

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 26
Brake System: GIRLING
Diameter [mm]: 57
Fitting Position: Front Axle Right
Fitting Position: in front of axle
Paired article numbers: CAL1048LJM

CAL1050LJM

Brake Caliper



CITROEN C4 Grand Picasso II
CITROEN C4 Picasso II
CITROEN C4 PICASSO II Van (DD_)
CITROEN C4 SPACETOURER
CITROEN C4 SPACETOURER Van (3D_)
CITROEN C5 AIRCROSS

OE

1608999580
1651758380
95525389
95526191

Brake Disc Thickness [mm]: 12
Brake System: BOSCH
Diameter [mm]: 42
Fitting Position: behind the axle
Fitting Position: Rear Axle Left
Number of Poles: 4
Paired article numbers: CAL1050RJM
Supplementary Article/Supplementary Info:
with electric motor

CAL1050RJM

Brake Caliper



CITROEN C4 Grand Picasso II
CITROEN C4 Picasso II
CITROEN C4 PICASSO II Van (DD_)
CITROEN C4 SPACETOURER
CITROEN C4 SPACETOURER Van (3D_)
CITROEN C5 AIRCROSS

OE

1608999680
1651758480
95525390
95526190

Brake Disc Thickness [mm]: 12
Brake System: BOSCH
Diameter [mm]: 42
Fitting Position: behind the axle
Fitting Position: Rear Axle Right
Number of Poles: 4
Paired article numbers: CAL1050LJM
Supplementary Article/Supplementary Info:
with electric motor

Brake system

CAL1051LJM

Brake Caliper



ALFA ROMEO GIULIETTA (940)
ALFA ROMEO GIULIETTA Furgonato (940_)
FIAT 500X
JEEP RENEGADE Fuoristrada chiuso
JEEP RENEGADE Fuoristrada chiuso (BU)
JEEP RENEGADE VAN (BU, B1)

OE

52071151
71797953
77365611
77367229

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 26
Brake System: ATE
Diameter [mm]: 57
Fitting Position: Front Axle Left
Fitting Position: in front of axle
Paired article numbers: CAL1051RJM

CAL1051RJM

Brake Caliper



ALFA ROMEO GIULIETTA (940)
ALFA ROMEO GIULIETTA Furgonato (940_)
FIAT 500X
JEEP RENEGADE Fuoristrada chiuso
JEEP RENEGADE Fuoristrada chiuso (BU)
JEEP RENEGADE VAN (BU, B1)

OE

52071152
71797983
77365614
77367228

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 26
Brake System: ATE
Diameter [mm]: 57
Fitting Position: Front Axle Right
Fitting Position: in front of axle
Paired article numbers: CAL1051LJM

CAL1056LJM

Brake Caliper



MERCEDES-BENZ SPRINTER 2-t Autobus (901, 902)
MERCEDES-BENZ SPRINTER 2-t Furgonato (901, 902)
MERCEDES-BENZ SPRINTER 2-t Pianale piatto/Telaio (901, 902)

OE

0014206983
0024205783
2D0615123A
9044200101
9044202301
9044203501

Brake Caliper Type: Caliper (2 pistons)
Brake Disc Thickness [mm]: 22
Brake System: BOSCH
Diameter [mm]: 45
Fitting Position: behind the axle
Fitting Position: Rear Axle Left
Paired article numbers: CAL1056RJM

CAL1056RJM

Brake Caliper



MERCEDES-BENZ SPRINTER 2-t Autobus (901, 902)
MERCEDES-BENZ SPRINTER 2-t Furgonato (901, 902)
MERCEDES-BENZ SPRINTER 2-t Pianale piatto/Telaio (901, 902)

OE

0014207083
0024205883
2D0615124A
9044200201
9044202401
9044203601

Brake Caliper Type: Caliper (2 pistons)
Brake Disc Thickness [mm]: 22
Brake System: BOSCH
Diameter [mm]: 45
Fitting Position: behind the axle
Fitting Position: Rear Axle Right
Paired article numbers: CAL1056LJM

CAL1058LJM

Brake Caliper



ALFA ROMEO 147 (937)
ALFA ROMEO 156 (932)
ALFA ROMEO 156 Sportwagon (932)
ALFA ROMEO GT (937)
FIAT PUNTO (188)
LANCIA LYBRA (839AX)

OE

46522345
71793491
735457083
77364768
77365071
9448124

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 22
Brake System: ATE/BOSCH
Diameter [mm]: 54
Fitting Position: Front Axle Left
Fitting Position: in front of axle
Paired article numbers: CAL1058RJM

CAL1058RJM

Brake Caliper



ALFA ROMEO 147 (937)
ALFA ROMEO 156 (932)
ALFA ROMEO 156 Sportwagon (932)
ALFA ROMEO GT (937)
FIAT PUNTO (188)
LANCIA LYBRA (839AX)

OE

46522346
71793857
735457084
77364769
77365072
9947895

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 22
Brake System: ATE/BOSCH
Diameter [mm]: 54
Fitting Position: Front Axle Right
Fitting Position: in front of axle
Paired article numbers: CAL1058LJM

Brake system

CAL1062LJM

Brake Caliper



OPEL ASTRA G 2 volumi /Coda spiovente (F48_, F08_)
 OPEL ASTRA G Cabriolet (F67)
 OPEL ASTRA G CLASSIC (T98)
 OPEL ASTRA G CLASSIC Caravan (F35)
 OPEL ASTRA G CLASSIC Tre volumi (T98)

OE
 542473
 93179154

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 10
 Brake System: LUCAS
 Diameter [mm]: 34
 Fitting Position: behind the axle
 Fitting Position: Rear Axle Left
 For cable [mm]: 6
 Paired article numbers: CAL1062RJM

CAL1062RJM

Brake Caliper



OPEL ASTRA G 2 volumi /Coda spiovente (F48_, F08_)
 OPEL ASTRA G Cabriolet (F67)
 OPEL ASTRA G CLASSIC (T98)
 OPEL ASTRA G CLASSIC Caravan (F35)
 OPEL ASTRA G CLASSIC Tre volumi (T98)

OE
 542474
 93179155

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 10
 Brake System: LUCAS
 Diameter [mm]: 34
 Fitting Position: behind the axle
 Fitting Position: Rear Axle Right
 For cable [mm]: 6
 Paired article numbers: CAL1062LJM

CAL1063LJM

Brake Caliper



FORD GALAXY (WGR)
 FORD GALAXY MK I VAN (WGR)
 SEAT ALHAMBRA (7V8, 7V9)
 SEAT ALHAMBRA VAN (7V8, 7V9)
 VW CALIFORNIA T4 Camper (7DJ, 7DK, 70J)
 VW SHARAN (7M8, 7M9, 7M6)

OE
 1138653
 7M3615123A
 YM212B119DA

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 26
 Brake System: ATE
 Diameter [mm]: 57
 Fitting Position: Front Axle Left
 Fitting Position: in front of axle
 Paired article numbers: CAL1063RJM

CAL1063RJM

Brake Caliper



FORD GALAXY (WGR)
 FORD GALAXY MK I VAN (WGR)
 SEAT ALHAMBRA (7V8, 7V9)
 SEAT ALHAMBRA VAN (7V8, 7V9)
 VW CALIFORNIA T4 Camper (7DJ, 7DK, 70J)
 VW SHARAN (7M8, 7M9, 7M6)

OE
 1138651
 7M3615124A
 YM212B118DA

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 26
 Brake System: ATE
 Diameter [mm]: 57
 Fitting Position: Front Axle Right
 Fitting Position: in front of axle
 Paired article numbers: CAL1063LJM

CAL1064LJM

Brake Caliper



AUDI A4 (8D2, B5)
 AUDI A4 Avant (8D5, B5)

OE
 8D0615123
 8D0615123X

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 13
 Brake System: GIRLING
 Diameter [mm]: 54
 Fitting Position: behind the axle
 Fitting Position: Front Axle Left
 Paired article numbers: CAL1064RJM

CAL1064RJM

Brake Caliper



AUDI A4 (8D2, B5)
 AUDI A4 Avant (8D5, B5)

OE
 8D0615124
 8D0615124X

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 13
 Brake System: GIRLING
 Diameter [mm]: 54
 Fitting Position: behind the axle
 Fitting Position: Front Axle Right
 Paired article numbers: CAL1064LJM

Brake system

CAL1067LJM

Brake Caliper



CITROEN JUMPER Autobus (230P)
 CITROEN JUMPER Autobus (244, Z_)
 CITROEN JUMPER Furgonato (230L)
 CITROEN JUMPER Furgonato (244)
 CITROEN JUMPER Pianale piatto/Telaio (230)
 CITROEN JUMPER Pianale piatto/Telaio (244)

OE
 1607378080
 4401E8
 4401J0
 4401N0
 735289105
 735361980

Brake Caliper Type: Caliper (2 pistons)
 Brake Disc Thickness [mm]: 24
 Brake System: BREMBO
 Diameter 1/ Diameter 2 [mm]: 46/52
 Fitting Position: Front Axle Left
 Fitting Position: in front of axle
 Number of Inlets / Outlets: 2
 Paired article numbers: CAL1067RJM

CAL1067RJM

Brake Caliper



CITROEN JUMPER Autobus (230P)
 CITROEN JUMPER Autobus (244, Z_)
 CITROEN JUMPER Furgonato (230L)
 CITROEN JUMPER Furgonato (244)
 CITROEN JUMPER Pianale piatto/Telaio (230)
 CITROEN JUMPER Pianale piatto/Telaio (244)

OE
 1607378180
 4401E9
 4401J1
 4401N1
 735289106
 735361981

Brake Caliper Type: Caliper (2 pistons)
 Brake Disc Thickness [mm]: 24
 Brake System: BREMBO
 Diameter 1/ Diameter 2 [mm]: 46/52
 Fitting Position: Front Axle Right
 Fitting Position: in front of axle
 Number of Inlets / Outlets: 2
 Paired article numbers: CAL1067LJM

CAL1069LJM

Brake Caliper



VW CALIFORNIA T5 Camper (7EC, 7EF, 7EG, 7HF)
 VW MULTIVAN V (7HM, 7HN, 7HF, 7EF, 7EM, 7EN)
 VW TRANSPORTER V Autobus (7HB, 7HJ, 7EB, 7EJ, 7EF)
 VW TRANSPORTER V Furgonato (7HA, 7HH, 7EA,

OE
 7H0615123
 7H0615123B

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 32,5
 Brake System: ATE
 Diameter [mm]: 60
 Fitting Position: Front Axle Left
 Fitting Position: in front of axle
 Paired article numbers: CAL1069RJM

CAL1069RJM

Brake Caliper



VW CALIFORNIA T5 Camper (7EC, 7EF, 7EG, 7HF)
 VW MULTIVAN V (7HM, 7HN, 7HF, 7EF, 7EM, 7EN)
 VW TRANSPORTER V Autobus (7HB, 7HJ, 7EB, 7EJ, 7EF)
 VW TRANSPORTER V Furgonato (7HA, 7HH, 7EA,

OE
 7H0615124
 7H0615124B

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 32,5
 Brake System: ATE
 Diameter [mm]: 60
 Fitting Position: Front Axle Right
 Fitting Position: in front of axle
 Paired article numbers: CAL1069LJM

CAL1070LJM

Brake Caliper



AUDI A3 (8P1)
 AUDI A3 Sportback (8PA)
 AUDI TT (8J3)
 AUDI TT Roadster (8J9)
 SEAT LEON (1P1)
 VW GOLF VI (5K1)

OE
 1K0615123L
 8J0615123B
 8J0615123C
 8J0615123D
 8J0615123E
 8P0615123

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 30
 Brake System: ATE
 Diameter [mm]: 57
 Fitting Position: Front Axle Left
 Fitting Position: in front of axle
 Paired article numbers: CAL1070RJM

CAL1070RJM

Brake Caliper



AUDI A3 (8P1)
 AUDI A3 Sportback (8PA)
 AUDI TT (8J3)
 AUDI TT Roadster (8J9)
 SEAT LEON (1P1)
 VW GOLF VI (5K1)

OE
 1K0615124L
 8J0615124B
 8J0615124C
 8J0615124D
 8J0615124E
 8P0615124

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 30
 Brake System: ATE
 Diameter [mm]: 57
 Fitting Position: Front Axle Right
 Fitting Position: in front of axle
 Paired article numbers: CAL1070LJM

Brake system

CAL1071RJM

Brake Caliper



AUDI A6 (4G2, C7, 4GC)
AUDI A6 Allroad (4GH, 4GJ)
AUDI A6 Avant (4G5, C7, 4GD)
AUDI A7 Sportback (4GA, 4GF)
AUDI Q5 (8R)
AUDI Q5 Van (8RB)

OE

4G0615124A
4G0615124D
8K0615124D
8K0615124E
8K0615124J

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 30
Brake System: TRW
Diameter [mm]: 60
Fitting Position: behind the axle
Fitting Position: Front Axle Right
Paired article numbers: CAL1071LJM

CAL1073LJM

Brake Caliper



CITROEN EVASION (22, U6)
CITROEN JUMPY (U6U)
CITROEN JUMPY Furgonato (BS_, BT_, BY_, BZ_)
CITROEN JUMPY Pianale piatto/Telaio (BU_, BV_, BW_, BX_)
FIAT SCUDO Combinato (220P)

OE

4400F7
441071
71793090
77362802
9567477080

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 20
Brake System: BENDIX/BOSCH
Diameter [mm]: 57
Fitting Position: Front Axle Left
Fitting Position: in front of axle
Paired article numbers: CAL1073RJM

CAL1073RJM

Brake Caliper



CITROEN EVASION (22, U6)
CITROEN JUMPY (U6U)
CITROEN JUMPY Furgonato (BS_, BT_, BY_, BZ_)
CITROEN JUMPY Pianale piatto/Telaio (BU_, BV_, BW_, BX_)
FIAT SCUDO Combinato (220P)

OE

4400F8
441072
71793093
77362803
9567477180

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 20
Brake System: BENDIX/BOSCH
Diameter [mm]: 57
Fitting Position: Front Axle Right
Fitting Position: in front of axle
Paired article numbers: CAL1073LJM

CAL1075LJM

Brake Caliper



FORD COUGAR (EC_)
FORD MONDEO I (GBP)
FORD MONDEO I Station wagon (BNP)
FORD MONDEO I Tre volumi (GBP)
FORD MONDEO II (BAP)
FORD MONDEO II Station wagon (BNP)

OE

1072953
1072961
1121758
1138597
1138602
1478491

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 24
Brake System: ATE
Diameter [mm]: 60
Distance of fastening bolts [mm]: 100
Fitting Position: Front Axle Left
Fitting Position: in front of axle
Paired article numbers: CAL1075RJM

CAL1075RJM

Brake Caliper



FORD COUGAR (EC_)
FORD MONDEO I (GBP)
FORD MONDEO I Station wagon (BNP)
FORD MONDEO I Tre volumi (GBP)
FORD MONDEO II (BAP)
FORD MONDEO II Station wagon (BNP)

OE

1072759
1072951
1072959
1121753
1138591
1478469

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 24
Brake System: ATE
Diameter [mm]: 60
Distance of fastening bolts [mm]: 100
Fitting Position: Front Axle Right
Fitting Position: in front of axle
Paired article numbers: CAL1075LJM

CAL1077LJM

Brake Caliper



BMW 3 Cabriolet (E46)
BMW 3 Coupe (E46)

OE

34212282195

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 20
Brake System: ATE
Diameter [mm]: 42
Fitting Position: behind the axle
Fitting Position: Rear Axle Left
Paired article numbers: CAL1077RJM

Brake system

CAL1077RJM

Brake Caliper



BMW 3 Cabriolet (E46)
BMW 3 Coupe (E46)

OE
34212282196

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 20
Brake System: ATE
Diameter [mm]: 42
Fitting Position: behind the axle
Fitting Position: Rear Axle Right
Paired article numbers: CAL1077LJM

CAL1079LJM

Brake Caliper



SEAT IBIZA II (6K1)

OE
6K0615423

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 10
Brake System: LUCAS
Diameter [mm]: 38
Fitting Position: behind the axle
Fitting Position: Rear Axle Left
Paired article numbers: CAL1079RJM

CAL1079RJM

Brake Caliper



SEAT CORDOBA (6K1, 6K2)
SEAT CORDOBA Vario (6K5)
SEAT IBIZA II (6K1)
VW POLO CLASSIC (6KV2)

OE
6K0615424
6K0615424A
6K0615424D
6K0615424E

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 10
Brake System: LUCAS
Diameter [mm]: 38
Fitting Position: behind the axle
Fitting Position: Rear Axle Right
Paired article numbers: CAL1079LJM

CAL1080LJM

Brake Caliper



FIAT CROMA (194)

OE
735364071
735414699
735483698
77363636

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 20
Brake System: TRW
Diameter [mm]: 41
Fitting Position: behind the axle
Fitting Position: Rear Axle Left
Paired article numbers: CAL1080RJM

CAL1080RJM

Brake Caliper



FIAT CROMA (194)

OE
735364072
735414700
735483699
77363637

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 20
Brake System: TRW
Diameter [mm]: 41
Fitting Position: behind the axle
Fitting Position: Rear Axle Right
Paired article numbers: CAL1080LJM

CAL1081LJM

Brake Caliper



FIAT GRANDE PUNTO (199)
FIAT GRANDE PUNTO Van (199_)
OPEL CORSA D
OPEL CORSA D Van
VAUXHALL CORSA Mk III (D) (L_8)

OE
542401
542542
77363924
77364397
93191690
95516250

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 12
Brake System: BOSCH
Diameter [mm]: 54
Fitting Position: Front Axle Left
Fitting Position: in front of axle
Paired article numbers: CAL1081RJM

Brake system

CAL1081RJM

Brake Caliper



FIAT GRANDE PUNTO (199)
FIAT GRANDE PUNTO Van (199_)
OPEL CORSA D
OPEL CORSA D Van
VAUXHALL CORSA Mk III (D) (L_8)

OE
542402
542543
77363925
77364396
93191691
95516252

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 12
Brake System: BOSCH
Diameter [mm]: 54
Fitting Position: Front Axle Right
Fitting Position: in front of axle
Paired article numbers: CAL1081LJM

CAL1082LJM

Brake Caliper



BMW 5 (E39)

OE
34211163649

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 20
Brake System: ATE
Diameter [mm]: 40
Fitting Position: behind the axle
Fitting Position: Rear Axle Left
Paired article numbers: CAL1082RJM

CAL1082RJM

Brake Caliper



BMW 5 (E39)

OE
34211163650

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 20
Brake System: ATE
Diameter [mm]: 40
Fitting Position: behind the axle
Fitting Position: Rear Axle Right
Paired article numbers: CAL1082LJM

CAL1083LJM

Brake Caliper



FORD B-MAX (JK)
FORD B-MAX Van
FORD FIESTA Tre volumi
FORD FIESTA VI
FORD FIESTA VI Van
FORD TOURNEO COURIER Kombi

OE
1751876
1785191
1791153
1834045
1858166
1858167

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 23
Brake System: TRW
Diameter [mm]: 54
Fitting Position: Front Axle Left
Fitting Position: in front of axle
Paired article numbers: CAL1083RJM

CAL1083RJM

Brake Caliper



FORD B-MAX (JK)
FORD B-MAX Van
FORD FIESTA Tre volumi
FORD FIESTA VI
FORD FIESTA VI Van
FORD TOURNEO COURIER Kombi

OE
1751875
1785190
1791151
1834044
1858142
1858145

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 23
Brake System: TRW
Diameter [mm]: 54
Fitting Position: Front Axle Right
Fitting Position: in front of axle
Paired article numbers: CAL1083LJM

CAL1085LJM

Brake Caliper



FORD GALAXY (WGR)
FORD GALAXY MK I VAN (WGR)
SEAT ALHAMBRA (7V8, 7V9)
SEAT ALHAMBRA VAN (7V8, 7V9)
VW SHARAN (7M8, 7M9, 7M6)
VW SHARAN VAN (7M_)

OE
1049937
7201630
7M0615123A
7M0615123B
7M0615123C
95VW2B119BA

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 25
Brake System: ATE
Diameter [mm]: 57
Fitting Position: Front Axle Left
Fitting Position: in front of axle
Paired article numbers: CAL1085RJM

Brake system

CAL1085RJM

Brake Caliper



FORD GALAXY (WGR)
 FORD GALAXY MK I VAN (WGR)
 SEAT ALHAMBRA (7V8, 7V9)
 SEAT ALHAMBRA VAN (7V8, 7V9)
 VW SHARAN (7M8, 7M9, 7M6)
 VW SHARAN VAN (7M_)

OE
 1049936
 7201628
 7M0615124A
 7M0615124B
 7M0615124C
 95VW2B118BA

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 25
 Brake System: ATE
 Diameter [mm]: 57
 Fitting Position: Front Axle Right
 Fitting Position: in front of axle
 Paired article numbers: CAL1085LJM

CAL1086LJM

Brake Caliper



AUDI A3 (8V1)
 AUDI A3 Cabriolet (8V7)
 AUDI A3 Limousine (8VS)
 AUDI A3 Limousine (8YS)
 AUDI A3 Sportback (8VA)
 AUDI Q2

OE
 5F0615123
 5F0615123A
 5G0615123A
 5G0615123D
 8V0615123B
 8V0615123C

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 30
 Brake System: TRW
 Diameter [mm]: 60
 Fitting Position: Front Axle Left
 Fitting Position: in front of axle
 Paired article numbers: CAL1086RJM

CAL1086RJM

Brake Caliper



AUDI A3 (8V1)
 AUDI A3 Cabriolet (8V7)
 AUDI A3 Limousine (8VS)
 AUDI A3 Limousine (8YS)
 AUDI A3 Sportback (8VA)
 AUDI Q2

OE
 5F0615124
 5F0615124A
 5G0615124A
 5G0615124D
 8V0615124B
 8V0615124C

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 30
 Brake System: TRW
 Diameter [mm]: 60
 Fitting Position: Front Axle Right
 Fitting Position: in front of axle
 Paired article numbers: CAL1086LJM

CAL1090LJM

Brake Caliper



MERCEDES-BENZ SPRINTER 2-t Autobus (901, 902)
 MERCEDES-BENZ SPRINTER 2-t Furgonato (901, 902)
 MERCEDES-BENZ SPRINTER 2-t Pianale piatto/Telaio (901, 902)

OE
 0024206183
 9014201801
 9014202001
 9014202201
 A0024206183
 A9014201801

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 22
 Brake System: ATE
 Diameter [mm]: 60
 Fitting Position: Front Axle Left
 Fitting Position: in front of axle
 Paired article numbers: CAL1090RJM

CAL1090RJM

Brake Caliper



MERCEDES-BENZ SPRINTER 2-t Autobus (901, 902)
 MERCEDES-BENZ SPRINTER 2-t Furgonato (901, 902)
 MERCEDES-BENZ SPRINTER 2-t Pianale piatto/Telaio (901, 902)

OE
 0024206283
 9014201701
 9014201901
 9014202101
 A0024206283
 A9014201701

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 22
 Brake System: ATE
 Diameter [mm]: 60
 Fitting Position: Front Axle Right
 Fitting Position: in front of axle
 Paired article numbers: CAL1090LJM

CAL1091LJM

Brake Caliper



FIAT CROMA (194)
 FIAT CROMA Furgonato (194_)

OE
 735364069
 735414678
 735483694
 77363644

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 12
 Brake System: TRW
 Diameter [mm]: 41
 Fitting Position: behind the axle
 Fitting Position: Rear Axle Left
 Paired article numbers: CAL1091RJM

Brake system

CAL1091RJM

Brake Caliper



FIAT CROMA (194)
FIAT CROMA Furgonato (194_)

OE

735364070
735414679
735483695
77363646

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 12
Brake System: TRW
Diameter [mm]: 41
Fitting Position: behind the axle
Fitting Position: Rear Axle Right
Paired article numbers: CAL1091LJM

CAL1092LJM

Brake Caliper



RENAULT ESPACE IV (JK0/1_)
RENAULT LAGUNA II (BG0/1_)
RENAULT LAGUNA II Grandtour (KG0/1_)
RENAULT VEL SATIS (BJ0_)

OE

7701049762
7711135697
8253965

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 28
Brake System: ATE
Diameter [mm]: 60
Fitting Position: Front Axle Left
Fitting Position: in front of axle
Paired article numbers: CAL1092RJM

CAL1092RJM

Brake Caliper



RENAULT ESPACE IV (JK0/1_)
RENAULT LAGUNA II (BG0/1_)
RENAULT LAGUNA II Grandtour (KG0/1_)
RENAULT VEL SATIS (BJ0_)

OE

7701049763
7711135698
8253966

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 28
Brake System: ATE
Diameter [mm]: 60
Fitting Position: Front Axle Right
Fitting Position: in front of axle
Paired article numbers: CAL1092LJM

CAL1093LJM

Brake Caliper



FORD ESCORT '91 Express (AVL)
FORD ESCORT '95 Furgonato (AVL)
FORD ESCORT CLASSIC (AAL, ABL)
FORD ESCORT CLASSIC Turnier (ANL)
FORD ESCORT III (GAA)
FORD ESCORT III Cabriolet (ALD)

OE

1048298
1138612
1478496
6180380
91AB2B302BA
97AG2B302BA

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 20
Brake System: BENDIX
Diameter [mm]: 54
Fitting Position: Front Axle Left
Fitting Position: in front of axle
Paired article numbers: CAL1093RJM

CAL1093RJM

Brake Caliper



FORD ESCORT '91 Express (AVL)
FORD ESCORT '95 Furgonato (AVL)
FORD ESCORT CLASSIC (AAL, ABL)
FORD ESCORT CLASSIC Turnier (ANL)
FORD ESCORT III (GAA)
FORD ESCORT III Cabriolet (ALD)

OE

1048296
1138611
1478468
6180378
91AB2B294BA
97AG2B294BA

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 20
Brake System: BENDIX
Diameter [mm]: 54
Fitting Position: Front Axle Right
Fitting Position: in front of axle
Paired article numbers: CAL1093LJM

CAL1095LJM

Brake Caliper



AUDI A8 (4D2, 4D8)

OE

4D0615423
4D0615423B

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 20
Brake System: LUCAS
Diameter [mm]: 43
Fitting Position: behind the axle
Fitting Position: Rear Axle Left
Paired article numbers: CAL1095RJM

Brake system

CAL1095RJM

Brake Caliper



AUDI A8 (4D2, 4D8)

OE

4D0615424
4D0615424B

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 20
Brake System: LUCAS
Diameter [mm]: 43
Fitting Position: behind the axle
Fitting Position: Rear Axle Right
Paired article numbers: CAL1095LJM

CAL1096LJM

Brake Caliper



HYUNDAI MATRIX (FC)
HYUNDAI SONATA IV (EF)
HYUNDAI SONATA VI (YF)
HYUNDAI XG (XG)
HYUNDAI XG Tre volumi
KIA MAGENTIS (GD)

OE

5821017300
5821017A00
5821017A10
5831038A10

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 10
Brake System: MANDO
Diameter [mm]: 34
Fitting Position: in front of axle
Fitting Position: Rear Axle Left
Paired article numbers: CAL1096RJM

CAL1096RJM

Brake Caliper



HYUNDAI MATRIX (FC)
HYUNDAI SONATA IV (EF)
HYUNDAI SONATA VI (YF)
HYUNDAI XG (XG)
HYUNDAI XG Tre volumi
KIA MAGENTIS (GD)

OE

5821117A00
5821117A10
5823017300
5831138A10
5836017000
5836017300

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 10
Brake System: MANDO
Diameter [mm]: 34
Fitting Position: in front of axle
Fitting Position: Rear Axle Right
Paired article numbers: CAL1096LJM

CAL1099LJM

Brake Caliper



FIAT 500L

OE

51913515
51953239
51976483
52019414
52022016
52022748

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 10
Brake System: LUCAS
Diameter [mm]: 38
Fitting Position: behind the axle
Fitting Position: Rear Axle Left
Paired article numbers: CAL1099RJM

CAL1099RJM

Brake Caliper



FIAT 500L

OE

51913516
51953240
51956582
51976484
52019415
52022017

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 10
Brake System: LUCAS
Diameter [mm]: 38
Fitting Position: behind the axle
Fitting Position: Rear Axle Right
Paired article numbers: CAL1099LJM

CAL1100LJM

Brake Caliper



CHEVROLET CAPTIVA (C100, C140)
CHEVROLET CAPTIVA SPORT
CHEVROLET CAPTIVA Van (C100)
OPEL ANTARA
VAUXHALL ANTARA (J26, H26)

OE

25964182
4808843
4808859
4814330
96625936
96626067

Brake Caliper Type: Caliper (2 pistons)
Brake Disc Thickness [mm]: 29
Brake System: MANDO
Diameter [mm]: 45
Fitting Position: Front Axle Left
Fitting Position: in front of axle
Paired article numbers: CAL1100RJM

Brake system

CAL1101RJM

Brake Caliper



BMW 3 (F30, F35, F80)
BMW 3 GRAN TURISMO (F34)
BMW 3 Touring (F31)
BMW 3 Touring Van (F31)
BMW 4 Cabriolet (F33, F83)
BMW 4 Coupé (F32, F82)

OE
34216850974

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 20
Brake System: BOSCH
Diameter [mm]: 42
Fitting Position: in front of axle
Fitting Position: Rear Axle Right
Paired article numbers: CAL1101LJM

CAL1102LJM

Brake Caliper



NISSAN INTERSTAR Autobus (X70)
NISSAN INTERSTAR Furgonato (X70)
NISSAN INTERSTAR Pianale piatto/Telaio
OPEL MOVANO Combi (J9)
OPEL MOVANO Furgonato (F9)
OPEL MOVANO Pianale piatto/Telaio (U9, E9)

OE
4101100Q0C
4101100QAD
4402988
7701206725
7711135723
8253847

Brake Caliper Type: Caliper (2 pistons)
Brake Disc Thickness [mm]: 28
Brake System: BOSCH
Diameter [mm]: 45
Fitting Position: Front Axle Left
Fitting Position: in front of axle
Paired article numbers: CAL1102RJM

CAL1102RJM

Brake Caliper



NISSAN INTERSTAR Autobus (X70)
NISSAN INTERSTAR Furgonato (X70)
NISSAN INTERSTAR Pianale piatto/Telaio
OPEL MOVANO Combi (J9)
OPEL MOVANO Furgonato (F9)
OPEL MOVANO Pianale piatto/Telaio (U9, E9)

OE
4100100Q0C
4100100QAD
4402990
7701206726
7711135724
8253848

Brake Caliper Type: Caliper (2 pistons)
Brake Disc Thickness [mm]: 28
Brake System: BOSCH
Diameter [mm]: 45
Fitting Position: Front Axle Right
Fitting Position: in front of axle
Paired article numbers: CAL1102LJM

CAL1110LJM

Brake Caliper



OPEL ASTRA K
OPEL ASTRA K Cassone / coda spiovente
OPEL ASTRA K Cassone / Furgonato /
Promiscuo
OPEL ASTRA K Sports Tourer
VAUXHALL ASTRA Mk VII (K) (B16)

OE
13508993
13589725
95522586
95524065

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 26
Brake System: ATE
Diameter [mm]: 54
Fitting Position: Front Axle Left
Fitting Position: in front of axle
Paired article numbers: CAL1110RJM

CAL1110RJM

Brake Caliper



OPEL ASTRA K
OPEL ASTRA K Cassone / coda spiovente
OPEL ASTRA K Cassone / Furgonato /
Promiscuo
OPEL ASTRA K Sports Tourer
VAUXHALL ASTRA Mk VII (K) (B16)

OE
13508994
13589727
95522590
95524468

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 26
Brake System: ATE
Diameter [mm]: 54
Fitting Position: Front Axle Right
Fitting Position: in front of axle
Paired article numbers: CAL1110LJM

CAL1111LJM

Brake Caliper



OPEL ASTRA K
OPEL ASTRA K Cassone / coda spiovente
OPEL ASTRA K Cassone / Furgonato /
Promiscuo
OPEL ASTRA K Sports Tourer
VAUXHALL ASTRA Mk VII (K) (B16)

OE
13507388
13528005
95522573
95528869

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 10
Brake System: TRW
Diameter [mm]: 36
Fitting Position: behind the axle
Fitting Position: Rear Axle Left
Paired article numbers: CAL1111RJM

Brake system

CAL1111RJM

Brake Caliper



OPEL ASTRA K
OPEL ASTRA K Cassone / coda spiovente
OPEL ASTRA K Cassone / Furgonato /
Promiscuo
OPEL ASTRA K Sports Tourer
VAUXHALL ASTRA Mk VII (K) (B16)

OE

13507389
13528006
95522578
95528872

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 10
Brake System: TRW
Diameter [mm]: 36
Fitting Position: behind the axle
Fitting Position: Rear Axle Right
Paired article numbers: CAL1111LJM

CAL1112LJM

Brake Caliper



MITSUBISHI CARISMA (DA_)
MITSUBISHI CARISMA Tre volumi (DA_)
MITSUBISHI SPACE STAR (DG_A)
VOLVO S40 I (VS)
VOLVO V40 Station wagon (VW)

OE

3345667
8602076
86020765
8602144
MR249222

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 24
Brake System: LUCAS
Diameter [mm]: 54
Fitting Position: Front Axle Left
Fitting Position: in front of axle
Paired article numbers: CAL1112RJM

CAL1112RJM

Brake Caliper



MITSUBISHI CARISMA (DA_)
MITSUBISHI CARISMA Tre volumi (DA_)
MITSUBISHI SPACE STAR (DG_A)
VOLVO S40 I (VS)
VOLVO V40 Station wagon (VW)

OE

3345668
8602077
86020773
8602145
MR249223

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 24
Brake System: LUCAS
Diameter [mm]: 54
Fitting Position: Front Axle Right
Fitting Position: in front of axle
Paired article numbers: CAL1112LJM

CAL1123LJM

Brake Caliper



RENAULT MEGANE IV
RENAULT MEGANE IV Grandtour (K9A/M_)
RENAULT MEGANE IV Tre volumi

OE

410110528R

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 24
Brake System: TRW
Diameter [mm]: 54
Fitting Position: Front Axle Left
Fitting Position: in front of axle
Paired article numbers: CAL1123RJM

CAL1123RJM

Brake Caliper



RENAULT MEGANE IV
RENAULT MEGANE IV Grandtour (K9A/M_)
RENAULT MEGANE IV Tre volumi

OE

410012354R

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 24
Brake System: TRW
Diameter [mm]: 54
Fitting Position: Front Axle Right
Fitting Position: in front of axle
Paired article numbers: CAL1123LJM

CAL1127LJM

Brake Caliper



MERCEDES-BENZ CLA Coupé (C117)
MERCEDES-BENZ CLA Shooting Brake (X117)
MERCEDES-BENZ CLASSE A (W176)
MERCEDES-BENZ CLASSE B (W246, W242)
MERCEDES-BENZ CLASSE GLA (X156)

OE

0004203981
0004213981
0004216181
0004217381
A0004203981
A0004213981

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 28
Brake System: TRW
Diameter [mm]: 60
Fitting Position: Front Axle Left
Fitting Position: in front of axle
Paired article numbers: CAL1127RJM

Brake system

CAL1127RJM

Brake Caliper



MERCEDES-BENZ CLA Coupé (C117)
 MERCEDES-BENZ CLA Shooting Brake (X117)
 MERCEDES-BENZ CLASSE A (W176)
 MERCEDES-BENZ CLASSE B (W246, W242)
 MERCEDES-BENZ CLASSE GLA (X156)

OE

0004214081
 0004216281
 0004217481
 A0004214081
 A0004216281
 A0004217481

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 28
 Brake System: TRW
 Diameter [mm]: 60
 Fitting Position: Front Axle Right
 Fitting Position: in front of axle
 Paired article numbers: CAL1127LJM

CAL1128LJM

Brake Caliper



CITROEN JUMPER Autobus (230P)
 CITROEN JUMPER Furgonato (230L)
 CITROEN JUMPER Pianale piatto/Telaio (230)
 FIAT DUCATO Autobus (230)
 FIAT DUCATO Furgonato (230L)
 FIAT DUCATO Pianale piatto/Telaio (230)

OE

440186
 9945798
 9945800

Brake Caliper Type: Caliper (2 pistons)
 Brake Disc Thickness [mm]: 24
 Brake System: LUCAS
 Diameter 1/ Diameter 2 [mm]: 40/48
 Fitting Position: Front Axle Left
 Fitting Position: in front of axle
 Number of Inlets / Outlets: 1
 Paired article numbers: CAL1128RJM

CAL1131LJM

Brake Caliper



AUDI A1 (8X1, 8XF)
 AUDI A1 Sportback (8XA, 8XK)

OE

8X0615123A
 8X0615123B
 8X0615123C
 8X0615123D

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 25
 Brake System: ATE
 Diameter [mm]: 54
 Fitting Position: Front Axle Left
 Fitting Position: in front of axle
 Paired article numbers: CAL1131RJM

CAL1131RJM

Brake Caliper



AUDI A1 (8X1, 8XF)
 AUDI A1 Sportback (8XA, 8XK)

OE

8X0615124A
 8X0615124B
 8X0615124C
 8X0615124D

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 25
 Brake System: ATE
 Diameter [mm]: 54
 Fitting Position: Front Axle Right
 Fitting Position: in front of axle
 Paired article numbers: CAL1131LJM

CAL1133LJM

Brake Caliper



AUDI A4 (8E2, B6)
 AUDI A4 (8EC, B7)
 AUDI A4 Avant (8E5, B6)
 AUDI A4 B7 Cabriolet (8HE)
 AUDI A4 Cabriolet (8H7, B6, 8HE, B7)

OE

8E0615423C
 8E0615423F
 8E0615423J

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 22
 Brake System: TRW
 Diameter [mm]: 43
 Fitting Position: behind the axle
 Fitting Position: Rear Axle Left
 Paired article numbers: CAL1133RJM

CAL1133RJM

Brake Caliper



AUDI A4 (8E2, B6)
 AUDI A4 (8EC, B7)
 AUDI A4 Avant (8E5, B6)
 AUDI A4 B7 Cabriolet (8HE)
 AUDI A4 Cabriolet (8H7, B6, 8HE, B7)

OE

8E0615424C
 8E0615424F
 8E0615424J

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 22
 Brake System: TRW
 Diameter [mm]: 43
 Fitting Position: behind the axle
 Fitting Position: Rear Axle Right
 Paired article numbers: CAL1133LJM

Brake system

CAL1134LJM

Brake Caliper



CITROEN C3 AIRCROSS II
CITROEN C3 AIRCROSS II VAN (2C_, 2R_)
CITROEN C3 Cassone / coda spiovente (SC_)
CITROEN C3 II
CITROEN C3 III (SX)
CITROEN C3 III Van (SX_, SY_)

OE

1617293580
1651756880
3649091
4401P8

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 26
Brake System: BOSCH
Diameter [mm]: 54
Fitting Position: Front Axle Left
Fitting Position: in front of axle
Paired article numbers: CAL1134RJM

CAL1134RJM

Brake Caliper



CITROEN C3 AIRCROSS II
CITROEN C3 AIRCROSS II VAN (2C_, 2R_)
CITROEN C3 Cassone / coda spiovente (SC_)
CITROEN C3 II
CITROEN C3 III (SX)
CITROEN C3 III Van (SX_, SY_)

OE

1617293680
1651756980
3649093
4401P9

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 26
Brake System: BOSCH
Diameter [mm]: 54
Fitting Position: Front Axle Right
Fitting Position: in front of axle
Paired article numbers: CAL1134LJM

CAL1135LJM

Brake Caliper



CITROEN BERLINGO (K9)
CITROEN BERLINGO Furgonato (B9)
CITROEN BERLINGO Furgonato (K9)
OPEL ASTRA L
OPEL ASTRA L Sports Tourer (O5)
OPEL COMBO Cassone / Furgonato / Promiscuo

OE

1610428180
1651764880

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 26
Brake System: BOSCH
Diameter [mm]: 57
Fitting Position: Front Axle Left
Fitting Position: in front of axle
Paired article numbers: CAL1135RJM

CAL1135RJM

Brake Caliper



CITROEN BERLINGO (K9)
CITROEN BERLINGO Furgonato (B9)
CITROEN BERLINGO Furgonato (K9)
OPEL ASTRA L
OPEL ASTRA L Sports Tourer (O5)
OPEL COMBO Cassone / Furgonato / Promiscuo

OE

1610428280
1651764980

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 26
Brake System: BOSCH
Diameter [mm]: 57
Fitting Position: Front Axle Right
Fitting Position: in front of axle
Paired article numbers: CAL1135LJM

CAL1139LJM

Brake Caliper



TOYOTA AVENSIS (_T22_)
TOYOTA AVENSIS Liftback (_T22_)
TOYOTA AVENSIS Station Wagon (_T22_)

OE

4775009010
4775009011

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 25
Brake System: ATE
Diameter [mm]: 57
Fitting Position: Front Axle Left
Fitting Position: in front of axle
Paired article numbers: CAL1139RJM

CAL1139RJM

Brake Caliper



TOYOTA AVENSIS (_T22_)
TOYOTA AVENSIS Liftback (_T22_)
TOYOTA AVENSIS Station Wagon (_T22_)

OE

4773009010
4773009011

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 25
Brake System: ATE
Diameter [mm]: 57
Fitting Position: Front Axle Right
Fitting Position: in front of axle
Paired article numbers: CAL1139LJM

Brake system

CAL1141LJM

Brake Caliper



RENAULT ESPACE III (JE0_)
 RENAULT LAGUNA I (B56_, 556_)
 RENAULT LAGUNA I Grandtour (K56_)
 RENAULT MEGANE I (BA0/1_)
 RENAULT MEGANE I Cabriolet (EA0/1_)
 RENAULT MEGANE I Coach (DA0/1_)

OE

32052063
 6025370397
 7701203659

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 22
 Brake System: LUCAS
 Diameter [mm]: 54
 Fitting Position: Front Axle Left
 Fitting Position: in front of axle
 Paired article numbers: CAL1141RJM

CAL1142LJM

Brake Caliper



RENAULT GRAND SCÉNIC II (JM0/1_)
 RENAULT MEGANE II (BM0/1_, CM0/1_)
 RENAULT MEGANE II Cassone / Furgonato /
 Promiscuo (KM_)
 RENAULT MEGANE II Coupe-Cabriolet (EM0/1_)
 RENAULT MEGANE II Hatchback van (KM0/2_)

OE

7701207685
 7711135734
 8253028

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 24
 Brake System: BOSCH
 Diameter [mm]: 54
 Fitting Position: Front Axle Left
 Fitting Position: in front of axle
 Paired article numbers: CAL1142RJM

CAL1142RJM

Brake Caliper



RENAULT GRAND SCÉNIC II (JM0/1_)
 RENAULT MEGANE II (BM0/1_, CM0/1_)
 RENAULT MEGANE II Cassone / Furgonato /
 Promiscuo (KM_)
 RENAULT MEGANE II Coupe-Cabriolet (EM0/1_)
 RENAULT MEGANE II Hatchback van (KM0/2_)

OE

7701207686
 7711135735
 8253029

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 24
 Brake System: BOSCH
 Diameter [mm]: 54
 Fitting Position: Front Axle Right
 Fitting Position: in front of axle
 Paired article numbers: CAL1142LJM

CAL1144LJM

Brake Caliper



NISSAN ALMERA II (N16)
 NISSAN ALMERA II Hatchback (N16)

OE

44011BM500
 44011BM50A

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 10
 Brake System: TRW
 Diameter [mm]: 34
 Fitting Position: behind the axle
 Fitting Position: Rear Axle Left
 Paired article numbers: CAL1144RJM

CAL1144RJM

Brake Caliper



NISSAN ALMERA II (N16)
 NISSAN ALMERA II Hatchback (N16)
 TOYOTA COROLLA (ZZE12_, NDE12_, ZDE12_)
 TOYOTA COROLLA Station wagon (_E12J_,
 E12T)
 TOYOTA COROLLA Tre volumi (_E12J_, _E12T_)

OE

44001BM500
 44001BM50A
 4773012500

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 10
 Brake System: TRW
 Diameter [mm]: 34
 Fitting Position: behind the axle
 Fitting Position: Rear Axle Right
 Paired article numbers: CAL1144LJM

CAL1146LJM

Brake Caliper



FIAT SEDICI
 SUZUKI SX4 (EY, GY)
 SUZUKI SX4 Tre volumi (GY)

OE

5512079J00
 5512079J10
 71742848
 71750080

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 22
 Brake System: TRW
 Diameter [mm]: 57
 Fitting Position: Front Axle Left
 Fitting Position: in front of axle
 Paired article numbers: CAL1146RJM

Brake system

CAL1146RJM

Brake Caliper



FIAT SEDICI
SUZUKI SX4 (EY, GY)
SUZUKI SX4 Tre volumi (GY)

OE

5511079J00
5511079J10
71742847
71750079

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 22
Brake System: TRW
Diameter [mm]: 57
Fitting Position: Front Axle Right
Fitting Position: in front of axle
Paired article numbers: CAL1146LJM

CAL1147LJM

Brake Caliper



HYUNDAI HIGHWAY VAN
HYUNDAI SANTA FÉ I (SM)
HYUNDAI SANTA FÉ I Cassone/SUV (SM)
HYUNDAI TRAJET (FO)
HYUNDAI TRAJET Cassone/Limousine spaziosa (FO)

OE

5811026020
5811026100
5811026120
581103A200
5818026A00
5818026A10

Brake Caliper Type: Caliper (2 pistons)
Brake Disc Thickness [mm]: 26
Brake System: MANDO
Diameter [mm]: 43
Fitting Position: Front Axle Left
Fitting Position: in front of axle
Paired article numbers: CAL1147RJM

CAL1147RJM

Brake Caliper



HYUNDAI HIGHWAY VAN
HYUNDAI SANTA FÉ I (SM)
HYUNDAI SANTA FÉ I Cassone/SUV (SM)
HYUNDAI TRAJET (FO)
HYUNDAI TRAJET Cassone/Limousine spaziosa (FO)

OE

5813026020
5813026100
5813026120
581303A200
5819026A00
5819026A10

Brake Caliper Type: Caliper (2 pistons)
Brake Disc Thickness [mm]: 26
Brake System: MANDO
Diameter [mm]: 43
Fitting Position: Front Axle Right
Fitting Position: in front of axle
Paired article numbers: CAL1147LJM

CAL1149LJM

Brake Caliper



NISSAN ALMERA I (N15)
NISSAN ALMERA I Hatchback (N15)
NISSAN ALMERA II (N16)
NISSAN ALMERA II Hatchback (N16)
NISSAN BLUEBIRD

OE

440110N600
440115M50A

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 9
Brake System: NISSAN
Diameter [mm]: 34
Fitting Position: behind the axle
Fitting Position: Rear Axle Left
Paired article numbers: CAL1149RJM

CAL1154LJM

Brake Caliper



CITROEN C4 Coupé (LA_)
CITROEN C4 I (LC_)
CITROEN C4 I Cassone / coda spiovente (LR_)
PEUGEOT 207 (WA_, WC_)
PEUGEOT 207 SW (WK_)
PEUGEOT 307 (3A/C)

OE

1607376680
4400R0
4400T2

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 26
Brake System: ATE
Diameter [mm]: 57
Fitting Position: Front Axle Left
Fitting Position: in front of axle
Paired article numbers: CAL1154RJM

CAL1154RJM

Brake Caliper



CITROEN C4 Coupé (LA_)
CITROEN C4 I (LC_)
CITROEN C4 I Cassone / coda spiovente (LR_)
PEUGEOT 207 (WA_, WC_)
PEUGEOT 207 SW (WK_)
PEUGEOT 307 (3A/C)

OE

1607376780
4400R1
4400T3

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 26
Brake System: ATE
Diameter [mm]: 57
Fitting Position: Front Axle Right
Fitting Position: in front of axle
Paired article numbers: CAL1154LJM

Brake system

CAL1156LJM

Brake Caliper



HYUNDAI ix20 (JC)
KIA SOUL II (PS)

OE

581101K000
58110B2100
58110B2700
581801KA00
58180B2A10
58180B2A70

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 26
Brake System: MOBIS
Diameter [mm]: 57
Fitting Position: Front Axle Left
Fitting Position: in front of axle
Paired article numbers: CAL1156RJM

CAL1156RJM

Brake Caliper



HYUNDAI ix20 (JC)
KIA SOUL II (PS)

OE

581301K000
58130B2100
58130B2700
581901KA00
58190B2A10
58190B2A70

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 26
Brake System: MOBIS
Diameter [mm]: 57
Fitting Position: Front Axle Right
Fitting Position: in front of axle
Paired article numbers: CAL1156LJM

CAL1157LJM

Brake Caliper



PEUGEOT 607 (9D, 9U)

OE

1651768880
4401H0

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 12
Brake System: TRW
Diameter [mm]: 38
Fitting Position: in front of axle
Fitting Position: Rear Axle Left
for brake disk diameter [mm]: 290
Paired article numbers: CAL1157RJM

CAL1157RJM

Brake Caliper



PEUGEOT 607 (9D, 9U)

OE

1651768980
4401H1

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 12
Brake System: TRW
Diameter [mm]: 38
Fitting Position: in front of axle
Fitting Position: Rear Axle Right
for brake disk diameter [mm]: 290
Paired article numbers: CAL1157LJM

CAL1158LJM

Brake Caliper



OPEL ASTRA GTC J
OPEL ZAFIRA TOURER C (P12)
OPEL ZAFIRA TOURER C VAN (P12)
VAUXHALL ASTRA GTC Mk VI (J)
VAUXHALL ZAFIRA Mk III (P12)

OE

13417967
13417971
542387
542395
95522615

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 23
Brake System: ATE
Diameter [mm]: 40
Fitting Position: behind the axle
Fitting Position: Rear Axle Left
Paired article numbers: CAL1158RJM

CAL1158RJM

Brake Caliper



OPEL ASTRA GTC J
OPEL ZAFIRA TOURER C (P12)
OPEL ZAFIRA TOURER C VAN (P12)
VAUXHALL ASTRA GTC Mk VI (J)
VAUXHALL ZAFIRA Mk III (P12)

OE

13417968
13417972
542388
542396
95522618

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 23
Brake System: ATE
Diameter [mm]: 40
Fitting Position: behind the axle
Fitting Position: Rear Axle Right
Paired article numbers: CAL1158LJM

Brake system

CAL1159RJM

Brake Caliper



MERCEDES-BENZ SPRINTER 3,5-t Furgonato (906)
 MERCEDES-BENZ SPRINTER 3-t Autobus (903)
 MERCEDES-BENZ SPRINTER 3-t Furgonato (903)
 MERCEDES-BENZ SPRINTER 3-t Pianale piatto/Telaio (903)

OE

9024201201
 9044202401
 9044203601
 A9024201201

Brake Caliper Type: Caliper (2 pistons)
 Brake Disc Thickness [mm]: 22
 Brake System: PERROT
 Diameter [mm]: 44
 Fitting Position: behind the axle
 Fitting Position: Rear Axle Right
 Paired article numbers: CAL1159LJM

CAL1160LJM

Brake Caliper



NISSAN PATROL GR II Wagon (Y61)
 NISSAN PATROL II Pianale piatto/Telaio (Y61)

OE

44011VB200
 44011VC700
 44011VS40A

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 18
 Brake System: NISSAN
 Diameter [mm]: 48
 Fitting Position: behind the axle
 Fitting Position: Rear Axle Left
 Paired article numbers: CAL1160RJM

CAL1160RJM

Brake Caliper



NISSAN PATROL GR II Wagon (Y61)
 NISSAN PATROL II Pianale piatto/Telaio (Y61)

OE

44001VB200
 44001VC700
 44001VS40A

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 18
 Brake System: NISSAN
 Diameter [mm]: 48
 Fitting Position: behind the axle
 Fitting Position: Rear Axle Right
 Paired article numbers: CAL1160LJM

CAL1162LJM

Brake Caliper



PEUGEOT 405 I (15B)
 PEUGEOT 405 I Break (15E)
 PEUGEOT 405 I Cassone / Furgonato / Promiscuo (15_)
 PEUGEOT 405 II (4B)
 PEUGEOT 405 II Break (4E)

OE

440170

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 10
 Brake System: GIRLING
 Diameter [mm]: 38
 Fitting Position: behind the axle
 Fitting Position: Rear Axle Left
 Paired article numbers: CAL1162RJM

CAL1162RJM

Brake Caliper



PEUGEOT 405 I (15B)
 PEUGEOT 405 I Break (15E)
 PEUGEOT 405 I Cassone / Furgonato / Promiscuo (15_)
 PEUGEOT 405 II (4B)
 PEUGEOT 405 II Break (4E)

OE

440166
 440171

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 10
 Brake System: GIRLING
 Diameter [mm]: 38
 Fitting Position: behind the axle
 Fitting Position: Rear Axle Right
 Paired article numbers: CAL1162LJM

CAL1168LJM

Brake Caliper



CITROEN BERLINGO (MF)
 CITROEN BERLINGO Furgonato (M_)
 PEUGEOT PARTNER Combispaces (5F)
 PEUGEOT PARTNER Furgonato (5)
 PEUGEOT PARTNER ORIGIN Combispaces (G_)
 PEUGEOT PARTNER ORIGIN Furgonato (G_)

OE

1607377280
 4401A6

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 13
 Brake System: LUCAS
 Diameter [mm]: 54
 Fitting Position: Front Axle Left
 Fitting Position: in front of axle
 Paired article numbers: CAL1168RJM

Brake system

CAL1168RJM

Brake Caliper



CITROEN BERLINGO (MF)
CITROEN BERLINGO Furgonato (M_)
PEUGEOT PARTNER Combispace (5F)
PEUGEOT PARTNER Furgonato (5)
PEUGEOT PARTNER ORIGIN Combispace (G_)
PEUGEOT PARTNER ORIGIN Furgonato (G_)

OE
1607377380
4401A7

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 13
Brake System: LUCAS
Diameter [mm]: 54
Fitting Position: Front Axle Right
Fitting Position: in front of axle
Paired article numbers: CAL1168LJM

CAL1169LJM

Brake Caliper



BMW 1 (F40)
BMW 2 Active Tourer (F45)
BMW 2 Active Tourer Van (F45)
BMW 2 Coupè (G42)
BMW 2 Gran Coupe (F44)
BMW 2 Gran Tourer (F46)

OE
34116860265

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 24
Brake System: TRW
Diameter [mm]: 54
Fitting Position: Front Axle Left
Fitting Position: in front of axle
Paired article numbers: CAL1169RJM

CAL1169RJM

Brake Caliper



BMW 1 (F40)
BMW 2 Active Tourer (F45)
BMW 2 Active Tourer Van (F45)
BMW 2 Coupè (G42)
BMW 2 Gran Coupe (F44)
BMW 2 Gran Tourer (F46)

OE
34116860266

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 24
Brake System: TRW
Diameter [mm]: 54
Fitting Position: Front Axle Right
Fitting Position: in front of axle
Paired article numbers: CAL1169LJM

CAL1171LJM

Brake Caliper



AUDI A4 (8W2, B9)
AUDI A4 Allroad (8WH, B9)
AUDI A4 Avant (8W5, B9)
AUDI A5
AUDI A5 Cabriolet
AUDI A5 Sportback (F5A)

OE
8W0615403
8W0615403G
8W0615403M
8W0615403MQC8
8W0615403MSL7

Brake Disc Thickness [mm]: 12
Brake System: TRW
Diameter [mm]: 42
Fitting Position: in front of axle
Fitting Position: Rear Axle Left
Paired article numbers: CAL1171RJM
Supplementary Article/Supplementary Info:
with electric motor

CAL1171RJM

Brake Caliper



AUDI A4 (8W2, B9)
AUDI A4 Allroad (8WH, B9)
AUDI A4 Avant (8W5, B9)
AUDI A5
AUDI A5 Cabriolet
AUDI A5 Sportback (F5A)

OE
8W0615404
8W0615404G
8W0615404M
8W0615404MQC8
8W0615404MSL7

Brake Disc Thickness [mm]: 12
Brake System: TRW
Diameter [mm]: 42
Fitting Position: in front of axle
Fitting Position: Rear Axle Right
Paired article numbers: CAL1171LJM
Supplementary Article/Supplementary Info:
with electric motor

CAL1172RJM

Brake Caliper



VW PHAETON (3D_)

OE
3D0615424
3D0615424A

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 22
Brake System: TRW
Diameter [mm]: 43
Fitting Position: behind the axle
Fitting Position: Rear Axle Right
Paired article numbers: CAL1172LJM

Brake system

CAL1173LJM

Brake Caliper



AUDI A8 (4D2, 4D8)

OE
4D0615423E

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 22
Brake System: LUCAS
Diameter [mm]: 43
Fitting Position: behind the axle
Fitting Position: Rear Axle Left
Paired article numbers: CAL1173RJM

CAL1173RJM

Brake Caliper



AUDI A8 (4D2, 4D8)

OE
4D0615424E

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 22
Brake System: LUCAS
Diameter [mm]: 43
Fitting Position: behind the axle
Fitting Position: Rear Axle Right
Paired article numbers: CAL1173LJM

CAL1174LJM

Brake Caliper



OPEL ADAM
OPEL CORSA E
OPEL CORSA E Van
VAUXHALL ADAM
VAUXHALL CORSA Mk IV (E)
VAUXHALL CORSAVAN Mk IV (E) (X15)

OE
542416
542418
542420
95517074
95517082
95517086

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 10
Brake System: TRW
Diameter [mm]: 36
Fitting Position: behind the axle
Fitting Position: Rear Axle Left
Paired article numbers: CAL1174RJM

CAL1174RJM

Brake Caliper



OPEL ADAM
OPEL CORSA E
OPEL CORSA E Van
VAUXHALL ADAM
VAUXHALL CORSA Mk IV (E)
VAUXHALL CORSAVAN Mk IV (E) (X15)

OE
542417
542419
542421
95517075
95517083
95517087

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 10
Brake System: TRW
Diameter [mm]: 36
Fitting Position: behind the axle
Fitting Position: Rear Axle Right
Paired article numbers: CAL1174LJM

CAL1180LJM

Brake Caliper



BMW 2 Active Tourer (F45)
BMW 2 Active Tourer Van (F45)
BMW 2 Gran Tourer (F46)
BMW X1 (F48)
BMW X2 (F39)
MINI MINI (F55)

OE
34116860263

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 22
Brake System: TRW
Diameter [mm]: 54
Fitting Position: Front Axle Left
Fitting Position: in front of axle
Paired article numbers: CAL1180RJM

CAL1180RJM

Brake Caliper



BMW 2 Active Tourer (F45)
BMW 2 Active Tourer Van (F45)
BMW 2 Gran Tourer (F46)
BMW X1 (F48)
BMW X2 (F39)
MINI MINI (F55)

OE
34116860264

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 22
Brake System: TRW
Diameter [mm]: 54
Fitting Position: Front Axle Right
Fitting Position: in front of axle
Paired article numbers: CAL1180LJM

Brake system

CAL1185LJM

Brake Caliper



AUDI 100 (4A, C4)
AUDI 100 Avant (4A, C4)
AUDI A6 (4A, C4)
AUDI A6 Avant (4A, C4)

OE
4A0615123A

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 25
Brake System: ATE
Diameter [mm]: 57
Fitting Position: Front Axle Left
Fitting Position: in front of axle
for brake disk diameter [mm]: 288
Paired article numbers: CAL1185RJM

CAL1185RJM

Brake Caliper



AUDI 100 (4A, C4)
AUDI 100 Avant (4A, C4)
AUDI A6 (4A, C4)
AUDI A6 Avant (4A, C4)

OE
4A0615124A

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 25
Brake System: ATE
Diameter [mm]: 57
Fitting Position: Front Axle Right
Fitting Position: in front of axle
for brake disk diameter [mm]: 288
Paired article numbers: CAL1185LJM

CAL1190LJM

Brake Caliper



OPEL ASTRA F (56_, 57_)
OPEL ASTRA F 2 volumi /Coda spiovente (53_,
54_, 58_, 5
OPEL ASTRA F Cabriolet (53_B)
OPEL ASTRA F Station wagon (51_, 52_)
OPEL CALIBRA A (85_)

OE
542229
90297534

Brake Caliper Type: Caliper (2 pistons)
Brake Disc Thickness [mm]: 10
Brake System: ATE
Diameter [mm]: 35
Fitting Position: behind the axle
Fitting Position: Rear Axle Left
Paired article numbers: CAL1190RJM

CAL1190RJM

Brake Caliper



OPEL ASTRA F (56_, 57_)
OPEL ASTRA F 2 volumi /Coda spiovente (53_,
54_, 58_, 5
OPEL ASTRA F Cabriolet (53_B)
OPEL ASTRA F Station wagon (51_, 52_)
OPEL CALIBRA A (85_)

OE
542230
90297533

Brake Caliper Type: Caliper (2 pistons)
Brake Disc Thickness [mm]: 10
Brake System: ATE
Diameter [mm]: 35
Fitting Position: behind the axle
Fitting Position: Rear Axle Right
Paired article numbers: CAL1190LJM

CAL1193LJM

Brake Caliper



CHEVROLET VECTRA
OPEL SIGNUM
OPEL VECTRA C
OPEL VECTRA C GTS
OPEL VECTRA C Station wagon
VAUXHALL SIGNUM

OE
542479
93181406
95520101

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 20
Brake System: ATE
Diameter [mm]: 40
Fitting Position: behind the axle
Fitting Position: Rear Axle Left
Paired article numbers: CAL1193RJM

CAL1193RJM

Brake Caliper



OPEL SIGNUM
OPEL VECTRA C
OPEL VECTRA C GTS
OPEL VECTRA C Station wagon
VAUXHALL SIGNUM
VAUXHALL VECTRA Mk II (C)

OE
5542450
93181407
95520119

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 20
Brake System: ATE
Diameter [mm]: 40
Fitting Position: behind the axle
Fitting Position: Rear Axle Right
Paired article numbers: CAL1193LJM

Brake system

CAL1196LJM

Brake Caliper



FIAT 500 (312)
FIAT 500 C (312)
FIAT PANDA (169)
FIAT PANDA Van (141_)
FIAT PANDA Van (169)
FORD KA (RU8)

OE

1554757
51945622
71724252
71773854
71793078
71793080

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 20
Brake System: BOSCH
Diameter [mm]: 48
Fitting Position: Front Axle Left
Fitting Position: in front of axle
Paired article numbers: CAL1196RJM

CAL1196RJM

Brake Caliper



FIAT 500 (312)
FIAT 500 C (312)
FIAT PANDA (169)
FIAT PANDA Van (141_)
FIAT PANDA Van (169)
FORD KA (RU8)

OE

1554749
1731137
51945624
71773853
71793081
71793083

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 20
Brake System: BOSCH
Diameter [mm]: 48
Fitting Position: Front Axle Right
Fitting Position: in front of axle
Paired article numbers: CAL1196LJM

CAL1198LJM

Brake Caliper



MERCEDES-BENZ CLASSE V (638/2)
MERCEDES-BENZ CLASSE V Furgonato (638/2)
MERCEDES-BENZ VITO Autobus (638)
MERCEDES-BENZ VITO Furgonato (638)

OE

0014206283
9014202601
A0014206283
A9014202601
A9014204101
A9014204201

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 22
Brake System: BOSCH
Diameter [mm]: 60
Fitting Position: Front Axle Left
Fitting Position: in front of axle
Paired article numbers: CAL1198RJM

CAL1199LJM

Brake Caliper



CITROEN C5 III (RD_)
CITROEN C5 III Break (TD_)
PEUGEOT 407 (6D_)
PEUGEOT 407 Coupé (6C_)
PEUGEOT 407 SW (6E_)
PEUGEOT 407 SW Cassone / Furgonato /

OE

4400V3

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 28
Brake System: ATE
Diameter [mm]: 60
Fitting Position: Front Axle Left
Fitting Position: in front of axle
Paired article numbers: CAL1199RJM

CAL1199RJM

Brake Caliper



CITROEN C5 III (RD_)
CITROEN C5 III Break (TD_)
PEUGEOT 407 (6D_)
PEUGEOT 407 Coupé (6C_)
PEUGEOT 407 SW (6E_)
PEUGEOT 407 SW Cassone / Furgonato /

OE

4400V4

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 28
Brake System: ATE
Diameter [mm]: 60
Fitting Position: Front Axle Right
Fitting Position: in front of axle
Paired article numbers: CAL1199LJM

CAL1202LJM

Brake Caliper



CITROEN C5 III (RD_)
CITROEN C5 III Break (TD_)
CITROEN C6 (TD_)
PEUGEOT 407 (6D_)
PEUGEOT 407 Coupé (6C_)
PEUGEOT 407 SW (6E_)

OE

4401G2
4401H4

Brake Caliper Type: Caliper (2 pistons)
Brake Disc Thickness [mm]: 30
Brake System: TRW
Diameter 1/ Diameter 2 [mm]: 40/45
Fitting Position: Front Axle Left
Fitting Position: in front of axle
Paired article numbers: CAL1202RJM

Brake system

CAL1202RJM

Brake Caliper



CITROEN C5 III (RD_)
CITROEN C5 III Break (TD_)
CITROEN C6 (TD_)
PEUGEOT 407 (6D_)
PEUGEOT 407 Coupé (6C_)
PEUGEOT 407 SW (6E_)

OE
4401G3
4401H5

Brake Caliper Type: Caliper (2 pistons)
Brake Disc Thickness [mm]: 30
Brake System: TRW
Diameter 1/ Diameter 2 [mm]: 40/45
Fitting Position: Front Axle Right
Fitting Position: in front of axle
Paired article numbers: CAL1202LJM

CAL1203LJM

Brake Caliper



ACURA NSX
HONDA ACCORD IV Aerodeck (CB)
HONDA ACCORD V Aerodeck (CE)
HONDA ACCORD V Coupé (CD)
HONDA CR-V I (RD)
HONDA HR-V (GH)

OE
45019SL0J01
45019SM5000
45019SS0A00
45019SW5003
45230SM5A01
45230SM5G51

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 25
Brake System: NISSIN
Diameter [mm]: 57
Fitting Position: Front Axle Left
Fitting Position: in front of axle
Paired article numbers: CAL1203RJM

CAL1203RJM

Brake Caliper



ACURA NSX
HONDA ACCORD IV Aerodeck (CB)
HONDA ACCORD V Aerodeck (CE)
HONDA ACCORD V Coupé (CD)
HONDA CR-V I (RD)
HONDA HR-V (GH)

OE
45018SL0J01
45018SM5000
45018SS0A00
45018SW5003
45210SM5A01
45210SM5G51

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 25
Brake System: NISSIN
Diameter [mm]: 57
Fitting Position: Front Axle Right
Fitting Position: in front of axle
Paired article numbers: CAL1203LJM

CAL1207LJM

Brake Caliper



OPEL ASTRA GTC J
OPEL ZAFIRA TOURER C (P12)
OPEL ZAFIRA TOURER C VAN (P12)
VAUXHALL ASTRA GTC Mk VI (J)
VAUXHALL ZAFIRA Mk III (P12)

OE
13417969
13417973
542389
542397
95522621

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 23
Brake System: ATE
Diameter [mm]: 40
Fitting Position: behind the axle
Fitting Position: Rear Axle Left
Paired article numbers: CAL1207RJM

CAL1207RJM

Brake Caliper



OPEL ASTRA GTC J
OPEL ZAFIRA TOURER C (P12)
OPEL ZAFIRA TOURER C VAN (P12)
VAUXHALL ASTRA GTC Mk VI (J)
VAUXHALL ZAFIRA Mk III (P12)

OE
13417970
13417974
542394
542398
95522623

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 23
Brake System: ATE
Diameter [mm]: 40
Fitting Position: behind the axle
Fitting Position: Rear Axle Right
Paired article numbers: CAL1207LJM

CAL1210LJM

Brake Caliper



VOLVO S60 I
VOLVO XC90 I
VOLVO XC90 I VAN (275)

OE
8252177
8602739
8602898

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 28
Brake System: ATE
Diameter [mm]: 60
Fitting Position: Front Axle Left
Fitting Position: in front of axle
Paired article numbers: CAL1210RJM

Brake system

CAL1210RJM

Brake Caliper



VOLVO S60 I
VOLVO XC90 I
VOLVO XC90 I VAN (275)

OE

8252178
8602740
8602899

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 28
Brake System: ATE
Diameter [mm]: 60
Fitting Position: Front Axle Right
Fitting Position: in front of axle
Paired article numbers: CAL1210LJM

CAL1214LJM

Brake Caliper



FORD COURIER Pick-up
FORD FIESTA Furgonato (J5_, J3_)
FORD FIESTA Furgonato (JV_)
FORD FIESTA III (GFJ)
FORD FIESTA IV (JA_, JB_)
FORD PUMA (EC_)

OE

1007818
1121381
1138601
1477771
96FX2B302BA
R96FX2B302BA

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 20
Brake System: ATE
Diameter [mm]: 54
Fitting Position: Front Axle Left
Fitting Position: in front of axle
Paired article numbers: CAL1214RJM

CAL1214RJM

Brake Caliper



FORD COURIER Pick-up
FORD FIESTA Furgonato (J5_, J3_)
FORD FIESTA Furgonato (JV_)
FORD FIESTA III (GFJ)
FORD FIESTA IV (JA_, JB_)
FORD PUMA (EC_)

OE

1007819
1121380
1138590
1478467
96FX2B294BA
R96FX2B294BA

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 20
Brake System: ATE
Diameter [mm]: 54
Fitting Position: Front Axle Right
Fitting Position: in front of axle
Paired article numbers: CAL1214LJM

CAL1215LJM

Brake Caliper



AUDI 100 (4A, C4)
AUDI 100 Avant (4A, C4)
AUDI A6 (4A, C4)
AUDI A6 Avant (4A, C4)

OE

4A0615123

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 15
Brake System: ATE
Diameter [mm]: 57
Fitting Position: Front Axle Left
Fitting Position: in front of axle
Paired article numbers: CAL1215RJM

CAL1215RJM

Brake Caliper



AUDI 100 (4A, C4)
AUDI 100 Avant (4A, C4)
AUDI A6 (4A, C4)
AUDI A6 Avant (4A, C4)

OE

4A0615124

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 15
Brake System: ATE
Diameter [mm]: 57
Fitting Position: Front Axle Right
Fitting Position: in front of axle
Paired article numbers: CAL1215LJM

CAL1218LJM

Brake Caliper



TOYOTA AURIS (NRE15_, ZZE15_, ADE15_, ZRE15_, NDE15_)
TOYOTA AURIS (NZE18_, ZRE18_)
TOYOTA AURIS TOURING SPORTS (ADE18_, ZWE18_, ZRE18_)
TOYOTA AVENSIS

OE

4775002360
4775002361
477500F030

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 26
Brake System: BOSCH
Diameter [mm]: 57
Distance of fastening bolts [mm]: 176
Fitting Position: Front Axle Left
Fitting Position: in front of axle
Paired article numbers: CAL1218RJM

Brake system

CAL1218RJM

Brake Caliper



TOYOTA AURIS (NRE15_, ZZE15_, ADE15_, ZRE15_, NDE15_)
 TOYOTA AURIS (NZE18_, ZRE18_)
 TOYOTA AURIS TOURING SPORTS (ADE18_, ZWE18_, ZRE18_)
 TOYOTA AVENSIS

OE

4773002360
 4773002361
 477300F030

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 26
 Brake System: BOSCH
 Diameter [mm]: 57
 Distance of fastening bolts [mm]: 176
 Fitting Position: Front Axle Right
 Fitting Position: in front of axle
 Paired article numbers: CAL1218LJM

CAL1219LJM

Brake Caliper



CHRYSLER SEBRING Coupé (FJ)
 MITSUBISHI ECLIPSE Cabriolet
 MITSUBISHI ECLIPSE Cabriolet (D5_A)
 MITSUBISHI ECLIPSE II (D3_A)
 MITSUBISHI ECLIPSE III (D5_A)
 MITSUBISHI FTO Coupé (DE_A)

OE

MB950195
 MR129583

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 10
 Brake System: AKEBONO
 Diameter [mm]: 35
 Fitting Position: in front of axle
 Fitting Position: Rear Axle Left
 Paired article numbers: CAL1219RJM

CAL1219RJM

Brake Caliper



CHRYSLER SEBRING Coupé (FJ)
 MITSUBISHI ECLIPSE Cabriolet
 MITSUBISHI ECLIPSE Cabriolet (D5_A)
 MITSUBISHI ECLIPSE II (D3_A)
 MITSUBISHI ECLIPSE III (D5_A)
 MITSUBISHI FTO Coupé (DE_A)

OE

MB950196
 MR129584

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 10
 Brake System: AKEBONO
 Diameter [mm]: 35
 Fitting Position: in front of axle
 Fitting Position: Rear Axle Right
 Paired article numbers: CAL1219LJM

CAL1220LJM

Brake Caliper



RENAULT 11 (B/C37_)
 RENAULT 19 I (B/C53_)
 RENAULT 19 I Cabriolet (D53_)
 RENAULT 19 I Chamade (L53_)
 RENAULT 19 I Furgonato (S53_)
 RENAULT 19 II (B/C53_)

OE

7701202142

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 8
 Brake System: BENDIX
 Diameter [mm]: 30
 Fitting Position: behind the axle
 Fitting Position: Rear Axle Left
 Paired article numbers: CAL1220RJM

CAL1220RJM

Brake Caliper



RENAULT 11 (B/C37_)
 RENAULT 19 I (B/C53_)
 RENAULT 19 I Cabriolet (D53_)
 RENAULT 19 I Chamade (L53_)
 RENAULT 19 I Furgonato (S53_)
 RENAULT 19 II (B/C53_)

OE

7701202143

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 8
 Brake System: BENDIX
 Diameter [mm]: 30
 Fitting Position: behind the axle
 Fitting Position: Rear Axle Right
 Paired article numbers: CAL1220LJM

CAL1221LJM

Brake Caliper



MITSUBISHI COLT Cassone / coda spiovente (Z3_V)
 MITSUBISHI COLT CZC Cabriolet (RG)
 MITSUBISHI COLT VI (Z3_A, Z2_A)
 SMART FORFOUR (454)

OE

4544200501
 4605A065

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 24
 Brake System: TRW
 Diameter [mm]: 54
 Fitting Position: Front Axle Left
 Fitting Position: in front of axle
 Paired article numbers: CAL1221RJM

Brake system

CAL1221RJM

Brake Caliper



MITSUBISHI COLT Cassone / coda spiovente (Z3_V)
MITSUBISHI COLT CZC Cabriolet (RG)
MITSUBISHI COLT VI (Z3_A, Z2_A)
SMART FORFOUR (454)

OE
4544200601
4605A066

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 24
Brake System: TRW
Diameter [mm]: 54
Fitting Position: Front Axle Right
Fitting Position: in front of axle
Paired article numbers: CAL1221LJM

CAL1222LJM

Brake Caliper



CITROEN JUMPY
CITROEN JUMPY Furgonato
CITROEN JUMPY Pianale piatto/Telaio
CITROEN SPACETOURER
OPEL VIVARO C Combi (K0)
OPEL VIVARO C Furgonato (K0)

OE
1617937580
1651761780
SU001A6138

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 22
Brake System: TRW
Diameter [mm]: 45
Fitting Position: behind the axle
Fitting Position: Rear Axle Left
Paired article numbers: CAL1222RJM

CAL1224LJM

Brake Caliper



AUDI A8 (4H_)

OE
4H0615403A
4H0615403B

Brake Disc Thickness [mm]: 22
Brake System: TRW
Diameter [mm]: 43
Fitting Position: in front of axle
Fitting Position: Rear Axle Left
Paired article numbers: CAL1224RJM
Supplementary Article/Supplementary Info: with electric motor

CAL1224RJM

Brake Caliper



AUDI A8 (4H_)

OE
4H0615404A
4H0615404B

Brake Disc Thickness [mm]: 22
Brake System: TRW
Diameter [mm]: 43
Fitting Position: in front of axle
Fitting Position: Rear Axle Right
Paired article numbers: CAL1224LJM
Supplementary Article/Supplementary Info: with electric motor

CAL1225LJM

Brake Caliper



RENAULT FLUENCE (L30_)
RENAULT GRAND SCÉNIC III (JZ0/1_)
RENAULT LAGUNA Coupé (DT0/1)
RENAULT LAGUNA III (BT0/1)
RENAULT LAGUNA III Grandtour (KT0/1)
RENAULT LATITUDE (L70_)

OE
410110001R
410110354R

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 26
Brake System: ATE
Diameter [mm]: 57
Fitting Position: Front Axle Left
Fitting Position: in front of axle
for brake disk diameter [mm]: 296
Paired article numbers: CAL1225RJM

CAL1225RJM

Brake Caliper



RENAULT FLUENCE (L30_)
RENAULT GRAND SCÉNIC III (JZ0/1_)
RENAULT LAGUNA Coupé (DT0/1)
RENAULT LAGUNA III (BT0/1)
RENAULT LAGUNA III Grandtour (KT0/1)
RENAULT LATITUDE (L70_)

OE
410010001R
410016711R

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 26
Brake System: ATE
Diameter [mm]: 57
Fitting Position: Front Axle Right
Fitting Position: in front of axle
for brake disk diameter [mm]: 296
Paired article numbers: CAL1225LJM

Brake system

CAL1229LJM

Brake Caliper



AUDI A4 (8W2, B9)
AUDI A4 Allroad (8WH, B9)
AUDI A4 Avant (8W5, B9)
AUDI A5
AUDI A5 Cabriolet
AUDI A5 Sportback (F5A)

OE

80A615403A
80A615403D
80A615403DSL7
80A615404A
8W0615403A
8W0615403F

Brake Disc Thickness [mm]: 22
Brake System: TRW
Diameter [mm]: 43
Fitting Position: in front of axle
Fitting Position: Rear Axle Left
Paired article numbers: CAL1229RJM
Supplementary Article/Supplementary Info:
with electric motor

CAL1229RJM

Brake Caliper



AUDI A4 (8W2, B9)
AUDI A4 Allroad (8WH, B9)
AUDI A4 Avant (8W5, B9)
AUDI A5
AUDI A5 Cabriolet
AUDI A5 Sportback (F5A)

OE

80A615404D
80A615404DSL7
8W0615404A
8W0615404F
8W0615404H
8W0615404KSL7

Brake Disc Thickness [mm]: 22
Brake System: TRW
Diameter [mm]: 43
Fitting Position: in front of axle
Fitting Position: Rear Axle Right
Paired article numbers: CAL1229LJM
Supplementary Article/Supplementary Info:
with electric motor

CAL1230LJM

Brake Caliper



HYUNDAI i30 (FD)
HYUNDAI i30 CW (FD)

OE

581102L500
581802LA00
581802LA10

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 28
Brake System: MOBIS
Diameter [mm]: 57
Fitting Position: behind the axle
Fitting Position: Front Axle Left
Paired article numbers: CAL1230RJM

CAL1230RJM

Brake Caliper



HYUNDAI i30 (FD)
HYUNDAI i30 CW (FD)


OE

581302L500
581902LA00
581902LA10

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 28
Brake System: MOBIS
Diameter [mm]: 57
Fitting Position: behind the axle
Fitting Position: Front Axle Right
Paired article numbers: CAL1230LJM

CAL1233LJM

Brake Caliper



AUDI A4 (8D2, B5)
AUDI A4 Avant (8D5, B5)

OE

8D0615123A

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 15
Brake System: ATE
Diameter [mm]: 57
Fitting Position: behind the axle
Fitting Position: Front Axle Left
Paired article numbers: CAL1233RJM

CAL1233RJM

Brake Caliper



AUDI A4 (8D2, B5)
AUDI A4 Avant (8D5, B5)

OE

8D0615124A

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 15
Brake System: ATE
Diameter [mm]: 57
Fitting Position: behind the axle
Fitting Position: Front Axle Right
Paired article numbers: CAL1233LJM

Brake system

CAL1235LJM

Brake Caliper



VW AMAROK (2H_, S1B)
VW AMAROK Pianale piatto/Telaio (S1B)

OE

2H0615123
2H0615123A
2H0615123B

Brake Caliper Type: Caliper (2 pistons)
Brake Disc Thickness [mm]: 28
Brake System: BOSCH
Diameter [mm]: 48
Fitting Position: Front Axle Left
Fitting Position: in front of axle
Paired article numbers: CAL1235RJM

CAL1236LJM

Brake Caliper



OPEL CORSA C (F08, F68)
OPEL CORSA C Furgonato (F08, W5L)
VAUXHALL CORSA Mk II (C) (W5L, F08)
VAUXHALL CORSAVAN Mk II (C)

OE

542071
5542082
9195982
93173331
R1740108

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 11
Brake System: LUCAS
Diameter [mm]: 48
Fitting Position: Front Axle Left
Fitting Position: in front of axle
Paired article numbers: CAL1236RJM

CAL1236RJM

Brake Caliper



OPEL CORSA C (F08, F68)
OPEL CORSA C Furgonato (F08, W5L)
VAUXHALL CORSA Mk II (C) (W5L, F08)
VAUXHALL CORSAVAN Mk II (C)

OE

542072
5542083
9195983
93173333
R1740109

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 11
Brake System: LUCAS
Diameter [mm]: 48
Fitting Position: Front Axle Right
Fitting Position: in front of axle
Paired article numbers: CAL1236LJM

CAL1237LJM

Brake Caliper



FORD GRANADA (GU)
FORD SCORPIO I (GAE, GGE)
FORD SCORPIO I Station wagon (GGE)
FORD SCORPIO I Tre volumi (GGE)
FORD SCORPIO II (GFR, GGR)
FORD SIERRA (GBG, GB4)

OE

1138626
1478413
1478526
5021818
5023226
6152223

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 10
Brake System: GIRLING
Diameter [mm]: 43
Fitting Position: in front of axle
Fitting Position: Rear Axle Left
Paired article numbers: CAL1237RJM

CAL1243LJM

Brake Caliper



JAGUAR X-TYPE (CF1)
JAGUAR X-TYPE Estate

OE

C2S18004
C2S43449

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 12
Brake System: BOSCH
Diameter [mm]: 38
Fitting Position: behind the axle
Fitting Position: Rear Axle Left
Paired article numbers: CAL1243RJM

CAL1243RJM

Brake Caliper



JAGUAR X-TYPE (CF1)
JAGUAR X-TYPE Estate

OE

C2S18003
C2S43448

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 12
Brake System: BOSCH
Diameter [mm]: 38
Fitting Position: behind the axle
Fitting Position: Rear Axle Right
Paired article numbers: CAL1243LJM

Brake system

CAL1249LJM

Brake Caliper



MERCEDES-BENZ CLASSE A (W169)

OE

1694200383
1694201183
A1694200383
A1694201183

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 12
Brake System: TRW
Diameter [mm]: 57
Fitting Position: behind the axle
Fitting Position: Front Axle Left
Paired article numbers: CAL1249RJM

CAL1249RJM

Brake Caliper



MERCEDES-BENZ CLASSE A (W169)

OE

1694200483
1694201283
A1694200483
A1694201283

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 12
Brake System: TRW
Diameter [mm]: 57
Fitting Position: behind the axle
Fitting Position: Front Axle Right
Paired article numbers: CAL1249LJM

CAL1252LJM

Brake Caliper



OPEL AGILA (A) (H00)
SUZUKI IGNIS II
SUZUKI WAGON R
SUZUKI WAGON R+ (EM)
SUZUKI WAGON R+ (MM)
VAUXHALL AGILA Mk I (A)

OE

4706756
5510484
5510484E00
9214008

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 17
Brake System: BOSCH
Diameter [mm]: 48
Fitting Position: Front Axle Left
Fitting Position: in front of axle
Paired article numbers: CAL1252RJM

CAL1252RJM

Brake Caliper



OPEL AGILA (A) (H00)
SUZUKI IGNIS II
SUZUKI WAGON R
SUZUKI WAGON R+ (EM)
SUZUKI WAGON R+ (MM)
VAUXHALL AGILA Mk I (A)

OE

4706757
5510384
5510384E00
9214007

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 17
Brake System: BOSCH
Diameter [mm]: 48
Fitting Position: Front Axle Right
Fitting Position: in front of axle
Paired article numbers: CAL1252LJM

CAL1256LJM

Brake Caliper



LEXUS RX (MHU3_, G3U3_, MCU3_)
TOYOTA HARRIER (MCU3_, MHU3_, ACU3_, G3U3_)
TOYOTA HIGHLANDER / KLUGER (_U2_)

OE

4785048050
478504805084

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 10
Brake System: AKEBONO
Diameter [mm]: 42
Fitting Position: behind the axle
Fitting Position: Rear Axle Left
Paired article numbers: CAL1256RJM

CAL1256RJM

Brake Caliper



LEXUS RX (MHU3_, G3U3_, MCU3_)
TOYOTA HARRIER (MCU3_, MHU3_, ACU3_, G3U3_)
TOYOTA HIGHLANDER / KLUGER (_U2_)

OE

4783048050
478304805084

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 10
Brake System: AKEBONO
Diameter [mm]: 42
Fitting Position: behind the axle
Fitting Position: Rear Axle Right
Paired article numbers: CAL1256LJM

Brake system

CAL1260LJM

Brake Caliper



HONDA ACCORD V (CC, CD)
HONDA ACCORD V (CE, CF)
ROVER 600 (RH)

OE
43013SN7G00
GBC90178

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 10
Brake System: LUCAS
Diameter [mm]: 34
Fitting Position: behind the axle
Fitting Position: Rear Axle Left
Paired article numbers: CAL1260RJM

CAL1260RJM

Brake Caliper



HONDA ACCORD V (CC, CD)
HONDA ACCORD V (CE, CF)
ROVER 600 (RH)

OE
43012SN7G00
GBC90179

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 10
Brake System: LUCAS
Diameter [mm]: 34
Fitting Position: behind the axle
Fitting Position: Rear Axle Right
Paired article numbers: CAL1260LJM

CAL1261LJM

Brake Caliper



HONDA ACCORD IV (CB)
HONDA ACCORD IV Aerodeck (CB)
HONDA ACCORD V Coupé (CD)
HONDA INSPIRE

OE
43019SV4A00
43019SV4A01
43230SM4G02
43230SM4G03
43230SM4G04
43230SV4A02

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 10
Brake System: NISSIN
Diameter [mm]: 34
Fitting Position: behind the axle
Fitting Position: Rear Axle Left
Paired article numbers: CAL1261RJM

CAL1261RJM

Brake Caliper



HONDA ACCORD IV (CB)
HONDA ACCORD IV Aerodeck (CB)
HONDA ACCORD V Coupé (CD)
HONDA INSPIRE

OE
43018SV4A00
43018SV4A01
43210SM4G02
43210SM4G03
43210SM4G04
43210SV4A02

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 10
Brake System: NISSIN
Diameter [mm]: 34
Fitting Position: behind the axle
Fitting Position: Rear Axle Right
Paired article numbers: CAL1261LJM

CAL1268LJM

Brake Caliper



VW CADDY I (14)
VW GOLF I (17)
VW GOLF I Cabriolet (155)
VW JETTA I (16)

OE
321615124A

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 12
Brake System: ATE
Diameter [mm]: 48
Fitting Position: Front Axle Left
Fitting Position: in front of axle
Paired article numbers: CAL1268RJM

CAL1268RJM

Brake Caliper



SEAT CORDOBA (6K1, 6K2)
SEAT CORDOBA Vario (6K5)
SEAT IBIZA II (6K1)
VW CADDY I (14)
VW GOLF I (17)
VW GOLF I Cabriolet (155)

OE
321615123A

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 12
Brake System: ATE
Diameter [mm]: 48
Fitting Position: Front Axle Right
Fitting Position: in front of axle
Paired article numbers: CAL1268LJM

Brake system

CAL1269LJM

Brake Caliper



MERCEDES-BENZ CLASSE V (638/2)
 MERCEDES-BENZ CLASSE V Furgonato (638/2)
 MERCEDES-BENZ VITO Autobus (638)
 MERCEDES-BENZ VITO Furgonato (638)

OE
 0014206483
 A0014206483

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 10
 Brake System: BOSCH
 Diameter [mm]: 33
 Fitting Position: behind the axle
 Fitting Position: Rear Axle Left
 Paired article numbers: CAL1269RJM

CAL1269RJM

Brake Caliper



MERCEDES-BENZ CLASSE V (638/2)
 MERCEDES-BENZ CLASSE V Furgonato (638/2)
 MERCEDES-BENZ VITO Autobus (638)
 MERCEDES-BENZ VITO Furgonato (638)

OE
 0014206583
 A0014206583

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 10
 Brake System: BOSCH
 Diameter [mm]: 33
 Fitting Position: behind the axle
 Fitting Position: Rear Axle Right
 Paired article numbers: CAL1269LJM

CAL1270LJM

Brake Caliper



INFINITI I30
 NISSAN CEFIRO Tre volumi
 NISSAN MAXIMA QX (A32)
 NISSAN MAXIMA Station Wagon

OE
 4401131U10
 4401131U13
 D401131U13

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 9
 Brake System: NISSAN
 Diameter [mm]: 34
 Fitting Position: behind the axle
 Fitting Position: Rear Axle Left
 Paired article numbers: CAL1270RJM

CAL1270RJM

Brake Caliper



INFINITI I30
 NISSAN CEFIRO Tre volumi
 NISSAN MAXIMA QX (A32)
 NISSAN MAXIMA Station Wagon

OE
 4400131U10
 4400131U13
 D400131U13

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 9
 Brake System: NISSAN
 Diameter [mm]: 34
 Fitting Position: behind the axle
 Fitting Position: Rear Axle Right
 Paired article numbers: CAL1270LJM

CAL1272LJM

Brake Caliper



OPEL OMEGA A (16_, 17_, 19_)
 SAAB 900 II
 SAAB 900 II Cabriolet
 SAAB 900 II Coupe

OE
 4243218
 542253
 8828956

Brake Caliper Type: Caliper (2 pistons)
 Brake Disc Thickness [mm]: 10
 Brake System: ATE
 Diameter [mm]: 35
 Fitting Position: behind the axle
 Fitting Position: Rear Axle Left
 Paired article numbers: CAL1272RJM

CAL1281LJM

Brake Caliper



TOYOTA ALLION I (ZZT24_, NZT24_, AZT24_)
 TOYOTA CALDINA (ZZT24_, ST24_, AZT24_)
 TOYOTA CELICA (ZZT23_)
 TOYOTA COROLLA Station wagon (_E12J_,
 E12T)
 TOYOTA COROLLA Verso (ZDE12_, CDE12_)

OE
 4775013030
 4775013050
 4775020600
 4775020640

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 25
 Brake System: AKEBONO
 Diameter [mm]: 57
 Fitting Position: Front Axle Left
 Fitting Position: in front of axle
 Paired article numbers: CAL1281RJM

Brake system

CAL1281RJM

Brake Caliper



TOYOTA ALLION I (ZZT24_, NZT24_, AZT24_)
 TOYOTA CALDINA (ZZT24_, ST24_, AZT24_)
 TOYOTA CELICA (ZZT23_)
 TOYOTA COROLLA Station wagon (_E12J_,
 E12T)
 TOYOTA COROLLA Verso (ZDE12_, CDE12_)

OE

4773013030
 4773013050
 4773020610
 4773020640

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 25
 Brake System: AKEBONO
 Diameter [mm]: 57
 Fitting Position: Front Axle Right
 Fitting Position: in front of axle
 Paired article numbers: CAL1281LJM

CAL1282LJM

Brake Caliper



RENAULT ESPACE III (JE0_)
 RENAULT LAGUNA I (B56_, 556_)
 RENAULT LAGUNA I Grandtour (K56_)

OE

6025308765
 7701204221

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 10,5
 Brake System: BREMBO
 Diameter [mm]: 36
 Fitting Position: behind the axle
 Fitting Position: Rear Axle Left
 Paired article numbers: CAL1282RJM

CAL1283LJM

Brake Caliper



NISSAN LEAF
 NISSAN LEAF (ZE1)

OE

440113NA0A
 440113NK0A

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 16
 Brake System: AKEBONO
 Diameter [mm]: 38
 Fitting Position: behind the axle
 Fitting Position: Rear Axle Left
 Paired article numbers: CAL1283RJM

CAL1283RJM

Brake Caliper



NISSAN LEAF
 NISSAN LEAF (ZE1)


OE

440013NA0A
 440013NK0A

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 16
 Brake System: AKEBONO
 Diameter [mm]: 38
 Fitting Position: behind the axle
 Fitting Position: Rear Axle Right
 Paired article numbers: CAL1283LJM

CAL1285LJM

Brake Caliper



RENAULT LAGUNA Coupé (DT0/1)
 RENAULT LAGUNA III (BT0/1)
 RENAULT LAGUNA III Grandtour (KT0/1)
 RENAULT TWINGO II (CN0_)
 RENAULT WIND (E4M_)


OE

410110002R
 410119577R

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 28
 Brake System: ATE
 Diameter [mm]: 57
 Fitting Position: Front Axle Left
 Fitting Position: in front of axle
 Paired article numbers: CAL1285RJM

CAL1285RJM

Brake Caliper



RENAULT LAGUNA Coupé (DT0/1)
 RENAULT LAGUNA III (BT0/1)
 RENAULT LAGUNA III Grandtour (KT0/1)
 RENAULT TWINGO II (CN0_)
 RENAULT WIND (E4M_)

OE

410010002R
 410012136R

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 28
 Brake System: ATE
 Diameter [mm]: 57
 Fitting Position: Front Axle Right
 Fitting Position: in front of axle
 Paired article numbers: CAL1285LJM

Brake system

CAL1290LJM

Brake Caliper



TOYOTA GRANVIA (_H2_, _H1_)
 TOYOTA HIACE / COMMUTER IV (TRH2_, KDH2_)
 TOYOTA HIACE III Furgonato (YH7_, LH6_, LH7_, LH5_, YH5_,
 TOYOTA HIACE IV Autobus (LH1_)
 TOYOTA HIACE IV Furgonato (H100)

OE

4775026120
 4775026121
 4775026122
 4775026H00
 4775026H10
 4775026H20

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 28
 Brake System: AISIN
 Diameter [mm]: 67
 Fitting Position: behind the axle
 Fitting Position: Front Axle Left
 Paired article numbers: CAL1290RJM

CAL1290RJM

Brake Caliper



TOYOTA GRANVIA (_H2_, _H1_)
 TOYOTA HIACE / COMMUTER IV (TRH2_, KDH2_)
 TOYOTA HIACE III Furgonato (YH7_, LH6_, LH7_, LH5_, YH5_,
 TOYOTA HIACE IV Autobus (LH1_)
 TOYOTA HIACE IV Furgonato (H100)

OE

4773026120
 4773026121
 4773026122
 4773026H00
 4773026H10
 4773026H20

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 28
 Brake System: AISIN
 Diameter [mm]: 67
 Fitting Position: behind the axle
 Fitting Position: Front Axle Right
 Paired article numbers: CAL1290LJM

CAL1291LJM

Brake Caliper



DODGE NITRO
 DODGE NITRO VAN (KA)
 JEEP CHEROKEE (KK)
 JEEP WRANGLER III (JK)

OE

68003774AA
 K68003774AA

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 12
 Brake System: TRW
 Diameter [mm]: 48
 Fitting Position: behind the axle
 Fitting Position: Rear Axle Left
 Paired article numbers: CAL1291RJM

CAL1291RJM

Brake Caliper



DODGE NITRO
 DODGE NITRO VAN (KA)
 JEEP CHEROKEE (KK)
 JEEP WRANGLER III (JK)

OE

68003778AA
 K68003778AA

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 12
 Brake System: TRW
 Diameter [mm]: 48
 Fitting Position: behind the axle
 Fitting Position: Rear Axle Right
 Paired article numbers: CAL1291LJM

CAL1292LJM

Brake Caliper



MERCEDES-BENZ CLASSE A (W168)

OE

1684200083
 A1684200083

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 12
 Brake System: LUCAS
 Diameter [mm]: 54
 Fitting Position: behind the axle
 Fitting Position: Front Axle Left
 Paired article numbers: CAL1292RJM

CAL1292RJM

Brake Caliper



MERCEDES-BENZ CLASSE A (W168)

OE

1684200183
 A1684200183

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 12
 Brake System: LUCAS
 Diameter [mm]: 54
 Fitting Position: behind the axle
 Fitting Position: Front Axle Right
 Paired article numbers: CAL1292LJM

Brake system

CAL1297LJM

Brake Caliper



NISSAN LEAF (ZE1)
NISSAN QASHQAI (J11, J11_)
NISSAN X-TRAIL (T32)
NISSAN X-TRAIL VAN (T32)

OE

440114CA0A
440114CA0B
440114CA1A

Brake Disc Thickness [mm]: 13
Brake System: TRW
Diameter [mm]: 38
Fitting Position: behind the axle
Fitting Position: Rear Axle Left
Paired article numbers: CAL1297RJM
Supplementary Article/Supplementary Info:
with electric motor

CAL1297RJM

Brake Caliper



NISSAN LEAF (ZE1)
NISSAN QASHQAI (J11, J11_)
NISSAN X-TRAIL (T32)
NISSAN X-TRAIL VAN (T32)

OE

440014CA0A
440014CA0B
440014CA1A

Brake Disc Thickness [mm]: 13
Brake System: TRW
Diameter [mm]: 38
Fitting Position: behind the axle
Fitting Position: Rear Axle Right
Paired article numbers: CAL1297LJM
Supplementary Article/Supplementary Info:
with electric motor

CAL1299LJM

Brake Caliper



RENAULT GRAND SCÉNIC III (JZ0/1_)
RENAULT LAGUNA Coupé (DT0/1)
RENAULT LAGUNA III (BT0/1)
RENAULT LAGUNA III Grandtour (KT0/1)
RENAULT LATITUDE (L70_)

OE

410110004R

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 28
Brake System: ATE
Diameter [mm]: 60
Fitting Position: Front Axle Left
Fitting Position: in front of axle
Paired article numbers: CAL1299RJM

CAL1299RJM

Brake Caliper



RENAULT GRAND SCÉNIC III (JZ0/1_)
RENAULT LAGUNA Coupé (DT0/1)
RENAULT LAGUNA III (BT0/1)
RENAULT LAGUNA III Grandtour (KT0/1)
RENAULT LATITUDE (L70_)

OE

410010004R

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 28
Brake System: ATE
Diameter [mm]: 60
Fitting Position: Front Axle Right
Fitting Position: in front of axle
Paired article numbers: CAL1299LJM

CAL1301LJM

Brake Caliper



MERCEDES-BENZ 190 (W201)
MERCEDES-BENZ CLASSE C (W202)
MERCEDES-BENZ CLASSE C Station wagon (S202)
MERCEDES-BENZ CLASSE E (W124)
MERCEDES-BENZ CLASSE E Cabriolet (A124)

OE

2014200083
A2014200083

Brake Caliper Type: Brake Caliper with 2 holding pins
Brake Caliper Type: Caliper (2 pistons)
Brake Disc Thickness [mm]: 9
Brake System: ATE
Diameter [mm]: 35
Fitting Position: behind the axle
Fitting Position: Rear Axle Left
Paired article numbers: CAL1301RJM

Brake system

CAL1301RJM

Brake Caliper



MERCEDES-BENZ 190 (W201)
 MERCEDES-BENZ CLASSE C (W202)
 MERCEDES-BENZ CLASSE C Station wagon (S202)
 MERCEDES-BENZ CLASSE E (W124)
 MERCEDES-BENZ CLASSE E Cabriolet (A124)

OE
 2014200183
 A2014200183

Brake Caliper Type: Brake Caliper with 2 holding pins
 Brake Caliper Type: Caliper (2 pistons)
 Brake Disc Thickness [mm]: 9
 Brake System: ATE
 Diameter [mm]: 35
 Fitting Position: behind the axle
 Fitting Position: Rear Axle Right
 Paired article numbers: CAL1301LJM

CAL1302LJM

Brake Caliper



MERCEDES-BENZ SPRINTER 2-t Autobus (901, 902)
 MERCEDES-BENZ SPRINTER 2-t Furgonato (901, 902)
 MERCEDES-BENZ SPRINTER 2-t Pianale piatto/Telaio (901, 902)

OE
 0024203483
 2D0615423C
 A0024203483

Brake Caliper Type: Caliper (2 pistons)
 Brake Disc Thickness [mm]: 22
 Brake System: BOSCH
 Diameter [mm]: 45
 Fitting Position: behind the axle
 Fitting Position: Rear Axle Left
 Paired article numbers: CAL1302RJM

CAL1302RJM

Brake Caliper



MERCEDES-BENZ SPRINTER 2-t Autobus (901, 902)
 MERCEDES-BENZ SPRINTER 2-t Furgonato (901, 902)
 MERCEDES-BENZ SPRINTER 2-t Pianale piatto/Telaio (901, 902)

OE
 0024203583
 2D0615424C
 A0024203583

Brake Caliper Type: Caliper (2 pistons)
 Brake Disc Thickness [mm]: 22
 Brake System: BOSCH
 Diameter [mm]: 45
 Fitting Position: behind the axle
 Fitting Position: Rear Axle Right
 Paired article numbers: CAL1302LJM

CAL1305LJM

Brake Caliper



RENAULT LAGUNA II (BG0/1_)
 RENAULT LAGUNA II Grandtour (KG0/1_)

OE
 7701049091
 7711135691
 8253962

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 24
 Brake System: ATE
 Diameter [mm]: 57
 Fitting Position: Front Axle Left
 Fitting Position: in front of axle
 Paired article numbers: CAL1305RJM

CAL1305RJM

Brake Caliper



RENAULT LAGUNA II (BG0/1_)
 RENAULT LAGUNA II Grandtour (KG0/1_)

OE
 7701049092
 7711135692
 8253963

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 24
 Brake System: ATE
 Diameter [mm]: 57
 Fitting Position: Front Axle Right
 Fitting Position: in front of axle
 Paired article numbers: CAL1305LJM

Brake system

CAL1306LJM

Brake Caliper



MERCEDES-BENZ CLASSE E (W212)
 MERCEDES-BENZ CLASSE E T-Model (S212)
 MERCEDES-BENZ CLASSE S (W221)
 MERCEDES-BENZ CLS (C218)
 MERCEDES-BENZ CLS Shooting Brake (X218)
 MERCEDES-BENZ SL (R230)

OE

2124230081
 2214230181
 A2124230081
 A2214230181

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 10
 Brake Disc Thickness [mm]: 12
 Brake System: ATE
 Diameter [mm]: 42
 Fitting Position: behind the axle
 Fitting Position: Rear Axle Left
 Paired article numbers: CAL1306RJM

CAL1306RJM

Brake Caliper



MERCEDES-BENZ CLASSE E (W212)
 MERCEDES-BENZ CLASSE E T-Model (S212)
 MERCEDES-BENZ CLASSE S (W221)
 MERCEDES-BENZ CLS (C218)
 MERCEDES-BENZ CLS Shooting Brake (X218)
 MERCEDES-BENZ SL (R230)

OE

2124230181
 2214230281
 A2124230181
 A2214230281

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 10
 Brake Disc Thickness [mm]: 12
 Brake System: ATE
 Diameter [mm]: 42
 Fitting Position: behind the axle
 Fitting Position: Rear Axle Right
 Paired article numbers: CAL1306LJM

CAL1308LJM

Brake Caliper



LEXUS ES (MCV_, VZV_)
 TOYOTA AVENSIS (_T22_)
 TOYOTA AVENSIS Liftback (_T22_)
 TOYOTA AVENSIS Station Wagon (_T22_)
 TOYOTA CAMRY (_CV1_, _XV1_, _V1_)
 TOYOTA CAMRY (_CV2_, _XV2_)

OE

4775033020
 4775033060
 4775033061
 4775033140

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 10
 Brake System: AISIN
 Diameter [mm]: 38
 Fitting Position: behind the axle
 Fitting Position: Rear Axle Left
 Paired article numbers: CAL1308RJM

CAL1308RJM

Brake Caliper



LEXUS ES (MCV_, VZV_)
 TOYOTA AVENSIS (_T22_)
 TOYOTA AVENSIS Liftback (_T22_)
 TOYOTA AVENSIS Station Wagon (_T22_)
 TOYOTA CAMRY (_CV1_, _XV1_, _V1_)
 TOYOTA CAMRY (_CV2_, _XV2_)

OE

4773033020
 4773033060
 4773033061
 4773033140

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 10
 Brake System: AISIN
 Diameter [mm]: 38
 Fitting Position: behind the axle
 Fitting Position: Rear Axle Right
 Paired article numbers: CAL1308LJM

CAL1309LJM

Brake Caliper



LEXUS RX (MHU3_, GSU3_, MCU3_)
 TOYOTA HARRIER (MCU3_, MHU3_, ACU3_,
 GSU3_)
 TOYOTA HIGHLANDER / KLUGER (_U2_)

OE

4775048120
 4775048140
 477504814084

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 28
 Brake System: AKEBONO
 Diameter [mm]: 63
 Fitting Position: Front Axle Left
 Fitting Position: in front of axle
 Paired article numbers: CAL1309RJM

CAL1309RJM

Brake Caliper



LEXUS RX (MHU3_, GSU3_, MCU3_)
 TOYOTA HARRIER (MCU3_, MHU3_, ACU3_,
 GSU3_)
 TOYOTA HIGHLANDER / KLUGER (_U2_)

OE

4773048120
 4773048140
 477304814084

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 28
 Brake System: AKEBONO
 Diameter [mm]: 63
 Fitting Position: Front Axle Right
 Fitting Position: in front of axle
 Paired article numbers: CAL1309LJM

Brake system

CAL1316RJM

Brake Caliper



HYUNDAI i20
HYUNDAI i20 (PB, PBT)

OE
581301J100
581901JA10

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 22
Brake System: MANDO
Diameter [mm]: 54
Fitting Position: Front Axle Right
Fitting Position: in front of axle
Paired article numbers: CAL1316LJM

CAL1320LJM

Brake Caliper



SAAB 9000
SAAB 9000 2 volumi /Coda spiovente

OE
4543765
7895303
8828980
8968927
8968943

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 25
Brake System: ATE
Diameter [mm]: 57
Fitting Position: Front Axle Left
Fitting Position: in front of axle
Paired article numbers: CAL1320RJM

CAL1320RJM

Brake Caliper



SAAB 9000
SAAB 9000 2 volumi /Coda spiovente

OE
4543773
7895311
8828998
8968935
8968950

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 25
Brake System: ATE
Diameter [mm]: 57
Fitting Position: Front Axle Right
Fitting Position: in front of axle
Paired article numbers: CAL1320LJM

CAL1321LJM

Brake Caliper



KIA SOUL (AM)
KIA SOUL II (PS)

OE
582102K100
583102KA10

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 10
Brake System: MANDO
Diameter [mm]: 34
Fitting Position: behind the axle
Fitting Position: Rear Axle Left
Paired article numbers: CAL1321RJM

CAL1323LJM

Brake Caliper



OPEL AGILA (A) (H00)
SUZUKI WAGON R
SUZUKI WAGON R+ (EM)
SUZUKI WAGON R+ (MM)
VAUXHALL AGILA Mk I (A)

OE
4701929
5510283E00
5542072
9195321
93173287

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 12
Brake System: BOSCH
Diameter [mm]: 48
Fitting Position: Front Axle Left
Fitting Position: in front of axle
Paired article numbers: CAL1323RJM

CAL1323RJM

Brake Caliper



OPEL AGILA (A) (H00)
SUZUKI WAGON R
SUZUKI WAGON R+ (EM)
SUZUKI WAGON R+ (MM)
VAUXHALL AGILA Mk I (A)

OE
4701930
5510183E00
5542073
9195322
93173289

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 12
Brake System: BOSCH
Diameter [mm]: 48
Fitting Position: Front Axle Right
Fitting Position: in front of axle
Paired article numbers: CAL1323LJM

Brake system

CAL1330LJM

Brake Caliper



TOYOTA AVENSIS VERSO (_CLM2_, _ACM2_)
TOYOTA NOAH/VOXY (_AZR6_)

OE
4775044020
4775044021
477504402184

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 28
Brake System: AKEBONO
Diameter [mm]: 63
Fitting Position: Front Axle Left
Fitting Position: in front of axle
Paired article numbers: CAL1330RJM

CAL1330RJM

Brake Caliper



TOYOTA AVENSIS VERSO (_CLM2_, _ACM2_)
TOYOTA NOAH/VOXY (_AZR6_)

OE
4773044020
4773044021

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 28
Brake System: AKEBONO
Diameter [mm]: 63
Fitting Position: Front Axle Right
Fitting Position: in front of axle
Paired article numbers: CAL1330LJM

CAL1331LJM

Brake Caliper



TOYOTA VIOS (SCP4_, NCP4_, AXP4_)
TOYOTA YARIS (SCP1_, NLP1_, NCP1_)

OE
4775052040

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 9
Brake System: SUMITOMO
Diameter [mm]: 30
Fitting Position: behind the axle
Fitting Position: Rear Axle Left
Paired article numbers: CAL1331RJM

CAL1331RJM

Brake Caliper



TOYOTA VIOS (SCP4_, NCP4_, AXP4_)
TOYOTA YARIS (SCP1_, NLP1_, NCP1_)

OE
4773052040

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 9
Brake System: SUMITOMO
Diameter [mm]: 30
Fitting Position: behind the axle
Fitting Position: Rear Axle Right
Paired article numbers: CAL1331LJM

CAL1332LJM

Brake Caliper



TOYOTA COROLLA (ZZE12_, NDE12_, ZDE12_)
TOYOTA COROLLA Station wagon (_E12J_,
E12T)
TOYOTA COROLLA Tre volumi (_E12J_, _E12T_)
TOYOTA COROLLA Verso (ZDE12_, CDE12_)
TOYOTA MATRIX (ZZE13_)

OE
4775013020

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 9
Brake System: SUMITOMO
Diameter [mm]: 36
Fitting Position: in front of axle
Fitting Position: Rear Axle Left
Paired article numbers: CAL1332RJM

CAL1332RJM

Brake Caliper



TOYOTA COROLLA (ZZE12_, NDE12_, ZDE12_)
TOYOTA COROLLA Station wagon (_E12J_,
E12T)
TOYOTA COROLLA Tre volumi (_E12J_, _E12T_)
TOYOTA COROLLA Verso (ZDE12_, CDE12_)
TOYOTA MATRIX (ZZE13_)

OE
4773013020

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 9
Brake System: SUMITOMO
Diameter [mm]: 36
Fitting Position: in front of axle
Fitting Position: Rear Axle Right
Paired article numbers: CAL1332LJM

Brake system

CAL1336LJM

Brake Caliper



TOYOTA COROLLA (_E10_)
TOYOTA COROLLA (_E11_)
TOYOTA COROLLA Compact (_E10_)
TOYOTA COROLLA Compact (_E11_)
TOYOTA COROLLA Liftback (_E10_)
TOYOTA COROLLA Liftback (_E11_)

OE
4775002060

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 22
Brake System: LUCAS
Diameter [mm]: 54
Fitting Position: Front Axle Left
Fitting Position: in front of axle
Paired article numbers: CAL1336RJM

CAL1336RJM

Brake Caliper



TOYOTA COROLLA (_E10_)
TOYOTA COROLLA (_E11_)
TOYOTA COROLLA Compact (_E10_)
TOYOTA COROLLA Compact (_E11_)
TOYOTA COROLLA Liftback (_E10_)
TOYOTA COROLLA Liftback (_E11_)

OE
4773002060

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 22
Brake System: LUCAS
Diameter [mm]: 54
Fitting Position: Front Axle Right
Fitting Position: in front of axle
Paired article numbers: CAL1336LJM

CAL1346LJM

Brake Caliper



OPEL SIGNUM
OPEL VECTRA C Station wagon
VAUXHALL SIGNUM
VAUXHALL VECTRA Mk II (C) Station wagon

OE
5542279
93187988

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 20
Brake System: ATE
Diameter [mm]: 40
Fitting Position: behind the axle
Fitting Position: Rear Axle Left
Paired article numbers: CAL1346RJM

CAL1346RJM

Brake Caliper



CHEVROLET VECTRA
OPEL SIGNUM
OPEL VECTRA C Station wagon
VAUXHALL SIGNUM
VAUXHALL VECTRA Mk II (C) Station wagon

OE
5542280
93181407
93187989

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 20
Brake System: ATE
Diameter [mm]: 40
Fitting Position: behind the axle
Fitting Position: Rear Axle Right
Paired article numbers: CAL1346LJM

CAL1349LJM

Brake Caliper



JAGUAR X-TYPE (CF1)
JAGUAR X-TYPE Estate

OE
C2S3806
C2S38060
C2S48014

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 12
Brake System: BOSCH
Diameter [mm]: 38
Fitting Position: behind the axle
Fitting Position: Rear Axle Left
Paired article numbers: CAL1349RJM

CAL1350LJM

Brake Caliper



LEXUS ES (F1, F2)
LEXUS ES (MCV_, VZV_)
TOYOTA CAMRY (_CV1_, _XV1_, _V1_)
TOYOTA CAMRY (_CV2_, _XV2_)
TOYOTA CAMRY (_V2_)
TOYOTA CAMRY SOLARA Coupé (MCV2_, SXV2_)

OE
4775020250
4775020260
4775020430
4775032150
4775033010
4775033050

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 10
Brake System: AISIN
Diameter [mm]: 35
Fitting Position: behind the axle
Fitting Position: Rear Axle Left
Paired article numbers: CAL1350RJM

Brake system

CAL1350RJM

Brake Caliper



LEXUS ES (F1, F2)
 LEXUS ES (MCV_, VZV_)
 TOYOTA CAMRY (_CV1_, _XV1_, _V1_)
 TOYOTA CAMRY (_CV2_, _XV2_)
 TOYOTA CAMRY (_V2_)
 TOYOTA CAMRY SOLARA Coupé (MCV2_, SXV2_)

OE

4773020250
 4773020260
 4773020430
 4773032140
 4773032150
 4773033010

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 10
 Brake System: AISIN
 Diameter [mm]: 35
 Fitting Position: behind the axle
 Fitting Position: Rear Axle Right
 Paired article numbers: CAL1350LJM

CAL1356LJM

Brake Caliper



FORD FOCUS IV
 FORD FOCUS IV Tre volumi (HM)
 FORD FOCUS IV Turnier (HP)

OE

2197261
 2209091
 2210404
 2210405
 JX612B302AEA
 JX612B302AEB

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 27
 Brake System: ATE
 Diameter [mm]: 57
 Fitting Position: Front Axle Left
 Fitting Position: in front of axle
 Paired article numbers: CAL1356RJM

CAL1356RJM

Brake Caliper



FORD FOCUS IV
 FORD FOCUS IV Tre volumi (HM)
 FORD FOCUS IV Turnier (HP)

OE

2197264
 2209085
 2210400
 2210401
 JX612B294AEA
 JX612B294AEB

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 27
 Brake System: ATE
 Diameter [mm]: 57
 Fitting Position: Front Axle Right
 Fitting Position: in front of axle
 Paired article numbers: CAL1356LJM

CAL1361LJM

Brake Caliper



MITSUBISHI DELICA
 MITSUBISHI L 200 (K7_T, K6_T)
 MITSUBISHI L 400 / SPACE GEAR Autobus
 (PD_W, PC_W, PA_V, PB_V)
 MITSUBISHI L 400 Furgonato (PD_W, PC_W,
 PB_V, PA_W, PA_V)

OE

MR205252
 MR205258
 MR249083
 MR510890
 MR510891
 MR527975

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 24
 Brake System: AKEBONO
 Diameter [mm]: 60
 Fitting Position: behind the axle
 Fitting Position: Front Axle Left
 Paired article numbers: CAL1361RJM

CAL1361RJM

Brake Caliper



MITSUBISHI DELICA
 MITSUBISHI L 200 (K7_T, K6_T)
 MITSUBISHI L 400 / SPACE GEAR Autobus
 (PD_W, PC_W, PA_V, PB_V)
 MITSUBISHI L 400 Furgonato (PD_W, PC_W,
 PB_V, PA_W, PA_V)

OE

MR205253
 MR205259
 MR249082
 MR510889
 MR510892

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 24
 Brake System: AKEBONO
 Diameter [mm]: 60
 Fitting Position: behind the axle
 Fitting Position: Front Axle Right
 Paired article numbers: CAL1361LJM

CAL1366LJM

Brake Caliper



MERCEDES-BENZ CLASSE C (W202)
 MERCEDES-BENZ CLASSE C Station wagon
 (S202)
 MERCEDES-BENZ CLASSE E (W210)
 MERCEDES-BENZ CLASSE E Station wagon
 (S210)

OE

0014202983
 A0014202983

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 25
 Brake System: ATE
 Diameter [mm]: 57
 Fitting Position: Front Axle Left
 Fitting Position: in front of axle
 Paired article numbers: CAL1366RJM

Brake system

CAL1366RJM

Brake Caliper



MERCEDES-BENZ CLASSE C (W202)
 MERCEDES-BENZ CLASSE C Station wagon (S202)
 MERCEDES-BENZ CLASSE E (W210)
 MERCEDES-BENZ CLASSE E Station wagon (S210)

OE
 0014203083
 A0014203083

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 25
 Brake System: ATE
 Diameter [mm]: 57
 Fitting Position: Front Axle Right
 Fitting Position: in front of axle
 Paired article numbers: CAL1366LJM

CAL1369LJM

Brake Caliper



CHEVROLET LANOS Tre volumi
 DAEWOO LANOS (KLAT)
 DAEWOO LANOS Tre volumi (KLAT)

OE
 96273700
 96281935

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 20
 Brake System: DAC
 Diameter [mm]: 48
 Fitting Position: Front Axle Left
 Fitting Position: in front of axle
 Paired article numbers: CAL1369RJM

CAL1369RJM

Brake Caliper



CHEVROLET LANOS Tre volumi
 DAEWOO LANOS (KLAT)
 DAEWOO LANOS Tre volumi (KLAT)

OE
 96273701
 96281936

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 20
 Brake System: DAC
 Diameter [mm]: 48
 Fitting Position: Front Axle Right
 Fitting Position: in front of axle
 Paired article numbers: CAL1369LJM

CAL1373LJM

Brake Caliper



MERCEDES-BENZ 190 (W201)
 MERCEDES-BENZ CLASSE C (W202)
 MERCEDES-BENZ CLASSE C Station wagon (S202)
 MERCEDES-BENZ CLASSE E (W124)
 MERCEDES-BENZ CLASSE E Cabriolet (A124)

OE
 2014200283
 A2014200283

Brake Caliper Type: Caliper (2 pistons)
 Brake Disc Thickness [mm]: 9
 Brake System: BENDIX
 Diameter [mm]: 35
 Fitting Position: behind the axle
 Fitting Position: Rear Axle Left
 Paired article numbers: CAL1373RJM

CAL1373RJM

Brake Caliper



MERCEDES-BENZ 190 (W201)
 MERCEDES-BENZ CLASSE C (W202)
 MERCEDES-BENZ CLASSE C Station wagon (S202)
 MERCEDES-BENZ CLASSE E (W124)
 MERCEDES-BENZ CLASSE E Cabriolet (A124)

OE
 2014200383
 A2014200383

Brake Caliper Type: Caliper (2 pistons)
 Brake Disc Thickness [mm]: 9
 Brake System: BENDIX
 Diameter [mm]: 35
 Fitting Position: behind the axle
 Fitting Position: Rear Axle Right
 Paired article numbers: CAL1373LJM

CAL1375LJM

Brake Caliper



NISSAN JUKE (F15)
 NISSAN JUKE Van (F15)
 NISSAN PULSAR 2 volumi /Coda spiovente (C13)
 NISSAN SENTRA (B16)
 NISSAN SENTRA (B17)
 NISSAN SYLPHY (B17)

OE
 410113DN0A
 410113ZU0A
 41011EN00B
 41011ET00A

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 24
 Brake System: NISSAN
 Diameter [mm]: 57
 Fitting Position: Front Axle Left
 Fitting Position: in front of axle
 Paired article numbers: CAL1375RJM

Brake system

CAL1375RJM

Brake Caliper



NISSAN JUKE (F15)
NISSAN JUKE Van (F15)
NISSAN PULSAR 2 volumi /Coda spiovente (C13)
NISSAN SENTRA (B16)
NISSAN SENTRA (B17)
NISSAN SYLPHY (B17)

OE

410013DN0A
410013ZU0A
41001EN00B
41001ET00A

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 24
Brake System: NISSAN
Diameter [mm]: 57
Fitting Position: Front Axle Right
Fitting Position: in front of axle
Paired article numbers: CAL1375LJM

CAL1377LJM

Brake Caliper



CITROEN C4 II (B7)
CITROEN C4 II Cassone / coda spiovente (NC_)
CITROEN DS4

OE

4401S2

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 22
Brake System: TRW
Diameter [mm]: 57
Fitting Position: Front Axle Left
Fitting Position: in front of axle
Paired article numbers: CAL1377RJM

CAL1377RJM

Brake Caliper



CITROEN C4 II (B7)
CITROEN C4 II Cassone / coda spiovente (NC_)
CITROEN DS4

OE

4401S3

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 22
Brake System: TRW
Diameter [mm]: 57
Fitting Position: Front Axle Right
Fitting Position: in front of axle
Paired article numbers: CAL1377LJM

CAL1378LJM

Brake Caliper



HYUNDAI i30 (PDE)
HYUNDAI i30 FASTBACK (PDE)
HYUNDAI i30 Hatchback Van (PDE)
HYUNDAI i30 Kombi Van (PDE)
HYUNDAI i30 Station wagon
KIA CEED (CD)

OE

58110G4100
58180G4A10

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 25
Brake System: MOBIS
Diameter [mm]: 57
Fitting Position: Front Axle Left
Fitting Position: in front of axle
Paired article numbers: CAL1378RJM

CAL1378RJM

Brake Caliper



HYUNDAI i30 (PDE)
HYUNDAI i30 FASTBACK (PDE)
HYUNDAI i30 Hatchback Van (PDE)
HYUNDAI i30 Kombi Van (PDE)
HYUNDAI i30 Station wagon
KIA CEED (CD)

OE

58130G4100
58190G4A10

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 25
Brake System: MOBIS
Diameter [mm]: 57
Fitting Position: Front Axle Right
Fitting Position: in front of axle
Paired article numbers: CAL1378LJM

CAL1380LJM

Brake Caliper



VW TRANSPORTER II Furgonato
VW TRANSPORTER III Autobus
VW TRANSPORTER III Furgonato
VW TRANSPORTER III Pianale piatto/Telaio

OE

211615107A

Brake Caliper Type: Caliper (2 pistons)
Brake Disc Thickness [mm]: 13
Brake System: ATE
Diameter [mm]: 54
Fitting Position: behind the axle
Fitting Position: Front Axle Left
Paired article numbers: CAL1380RJM

Brake system

CAL1380RJM

Brake Caliper



VW TRANSPORTER II Furgonato
VW TRANSPORTER III Autobus
VW TRANSPORTER III Furgonato
VW TRANSPORTER III Pianale piatto/Telaio

OE
211615108A

Brake Caliper Type: Caliper (2 pistons)
Brake Disc Thickness [mm]: 13
Brake System: ATE
Diameter [mm]: 54
Fitting Position: behind the axle
Fitting Position: Front Axle Right
Paired article numbers: CAL1380LJM

CAL1382RJM

Brake Caliper



AUDI A6 (4G2, C7, 4GC)
AUDI A6 Avant (4G5, C7, 4GD)
AUDI A7 Sportback (4GA, 4GF)

OE
4G0615124
4G0615124C

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 30
Brake System: TRW
Diameter [mm]: 60
Fitting Position: behind the axle
Fitting Position: Front Axle Right
Paired article numbers: CAL1382LJM

CAL1387LJM

Brake Caliper



HYUNDAI H-1 Cargo (TQ)
HYUNDAI H-1 Travel (TQ)

OE
582104H500
583104HA00

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 18
Brake System: KASCO
Diameter [mm]: 42
Fitting Position: behind the axle
Fitting Position: Rear Axle Left
Paired article numbers: CAL1387RJM

CAL1387RJM

Brake Caliper



HYUNDAI H-1 Cargo (TQ)
HYUNDAI H-1 Travel (TQ)

OE
582304H500
583204HA00

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 18
Brake System: KASCO
Diameter [mm]: 42
Fitting Position: behind the axle
Fitting Position: Rear Axle Right
Paired article numbers: CAL1387LJM

CAL1391LJM

Brake Caliper



JAGUAR F-PACE (X761)
JAGUAR XE (X760)
JAGUAR XF (X260)
JAGUAR XF SPORTBRAKE (X260)
LAND ROVER RANGE ROVER VELAR (L560)

OE
GX732B302BA
LR090691
T2H22654

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 30
Brake System: ATE
Diameter [mm]: 60
Fitting Position: behind the axle
Fitting Position: Front Axle Left
for brake disk diameter [mm]: 325
Paired article numbers: CAL1391RJM

CAL1391RJM

Brake Caliper



JAGUAR F-PACE (X761)
JAGUAR XE (X760)
JAGUAR XF (X260)
JAGUAR XF SPORTBRAKE (X260)
LAND ROVER RANGE ROVER VELAR (L560)

OE
GX732B294BA
LR090688
T4N9757

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 30
Brake System: ATE
Diameter [mm]: 60
Fitting Position: behind the axle
Fitting Position: Front Axle Right
for brake disk diameter [mm]: 325
Paired article numbers: CAL1391LJM

Brake system

CAL1392LJM

Brake Caliper



NISSAN CABSTAR E Pick-up
NISSAN NT400 CABSTAR Pianale piatto/Telaio

OE

41011MB600
41011MB60A

Brake Caliper Type: Caliper (2 pistons)
Brake Disc Thickness [mm]: 26
Brake System: BREMBO
Diameter [mm]: 48
Fitting Position: behind the axle
Fitting Position: Front Axle Left
Paired article numbers: CAL1392RJM

CAL1392RJM

Brake Caliper



NISSAN CABSTAR E Pick-up
NISSAN NT400 CABSTAR Pianale piatto/Telaio

OE

41001MB600
41001MB60A

Brake Caliper Type: Caliper (2 pistons)
Brake Disc Thickness [mm]: 26
Brake System: BREMBO
Diameter [mm]: 48
Fitting Position: behind the axle
Fitting Position: Front Axle Right
Paired article numbers: CAL1392LJM

CAL1393LJM

Brake Caliper



MERCEDES-BENZ MARCO POLO Camper (W447)
MERCEDES-BENZ V-CLASS (W447)
MERCEDES-BENZ VITO Furgonato (W447)
MERCEDES-BENZ VITO Mixto (W447)
MERCEDES-BENZ VITO Tourer (W447)

OE

4474200083
4474208400
A4474200083
A4474208400

Brake Caliper Type: Caliper (2 pistons)
Brake Disc Thickness [mm]: 32
Brake System: BREMBO
Diameter [mm]: 48
Fitting Position: behind the axle
Fitting Position: Front Axle Left
for brake disk diameter [mm]: 330
Paired article numbers: CAL1393RJM

CAL1393RJM

Brake Caliper



MERCEDES-BENZ MARCO POLO Camper (W447)
MERCEDES-BENZ V-CLASS (W447)
MERCEDES-BENZ VITO Furgonato (W447)
MERCEDES-BENZ VITO Mixto (W447)
MERCEDES-BENZ VITO Tourer (W447)

OE

4474200183
4474208500
A4474200183
A4474208500

Brake Caliper Type: Caliper (2 pistons)
Brake Disc Thickness [mm]: 32
Brake System: BREMBO
Diameter [mm]: 48
Fitting Position: behind the axle
Fitting Position: Front Axle Right
for brake disk diameter [mm]: 330
Paired article numbers: CAL1393LJM

CAL1396LJM

Brake Caliper



MITSUBISHI PAJERO IV (V8_W, V9_W)
MITSUBISHI PAJERO IV Van (V90, V80)

OE

4605A449
4605A909

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 18
Brake System: SUMITOMO
Diameter [mm]: 48
Fitting Position: behind the axle
Fitting Position: Rear Axle Left
Paired article numbers: CAL1396RJM

CAL1396RJM

Brake Caliper



MITSUBISHI PAJERO IV (V8_W, V9_W)
MITSUBISHI PAJERO IV Van (V90, V80)

OE

4605A450
4605A910

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 18
Brake System: SUMITOMO
Diameter [mm]: 48
Fitting Position: behind the axle
Fitting Position: Rear Axle Right
Paired article numbers: CAL1396LJM

Brake system

CAL1398LJM

Brake Caliper



MAZDA CX-7 (ER)
MAZDA CX-9 (TB)

OE

L206-26-990C
L2062671X
L2062671XA
L20626990C
L20626990D
L232-26-71X

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 18
Brake System: MAZDA
Diameter [mm]: 43
Fitting Position: behind the axle
Fitting Position: Rear Axle Left
Paired article numbers: CAL1398RJM

CAL1398RJM

Brake Caliper



MAZDA CX-7 (ER)
MAZDA CX-9 (TB)

OE

L206-26-980C
L2062661X
L2062661XA
L20626980C
L20626980D
L232-26-61X

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 18
Brake System: MAZDA
Diameter [mm]: 43
Fitting Position: behind the axle
Fitting Position: Rear Axle Right
Paired article numbers: CAL1398LJM

CAL1399LJM

Brake Caliper



FORD COUGAR (EC_)
FORD MONDEO I (GBP)
FORD MONDEO I Tre volumi (GBP)
FORD MONDEO II (BAP)
FORD MONDEO II Tre volumi (BFP)

OE

1044225
1044233
1044234
1118408
1328618
1478415

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 20
Brake System: BENDIX
Diameter [mm]: 36
Fitting Position: in front of axle
Fitting Position: Rear Axle Left
Paired article numbers: CAL1399RJM

CAL1399RJM

Brake Caliper



FORD COUGAR (EC_)
FORD MONDEO I (GBP)
FORD MONDEO I Tre volumi (GBP)
FORD MONDEO II (BAP)
FORD MONDEO II Tre volumi (BFP)

OE

1044225
1044227
1044233
1118406
1328617
1478335

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 20
Brake System: BENDIX
Diameter [mm]: 36
Fitting Position: in front of axle
Fitting Position: Rear Axle Right
Paired article numbers: CAL1399LJM

CAL1403LJM

Brake Caliper



CITROEN C4 Grand Picasso II
CITROEN C4 Picasso II
CITROEN C4 PICASSO II Van (DD_)
CITROEN C4 SPACETOURER
CITROEN C4 SPACETOURER Van (3D_)
CITROEN GRAND C4 SPACETOURER

OE

1609897480
1651758780

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 28
Brake System: ATE
Diameter [mm]: 60
Fitting Position: Front Axle Left
Fitting Position: in front of axle
Paired article numbers: CAL1403RJM

CAL1403RJM

Brake Caliper



CITROEN C4 Grand Picasso II
CITROEN C4 Picasso II
CITROEN C4 PICASSO II Van (DD_)
CITROEN C4 SPACETOURER
CITROEN C4 SPACETOURER Van (3D_)
CITROEN GRAND C4 SPACETOURER

OE

1609897580
1651758880

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 28
Brake System: ATE
Diameter [mm]: 60
Fitting Position: Front Axle Right
Fitting Position: in front of axle
Paired article numbers: CAL1403LJM

Brake system

CAL1404LJM

Brake Caliper



CITROEN C5 I (DC_)
CITROEN C5 II (RC_)

OE
4400L4

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 22
Brake System: BOSCH
Diameter [mm]: 54
Fitting Position: Front Axle Left
Fitting Position: in front of axle
Paired article numbers: CAL1404RJM

CAL1404RJM

Brake Caliper



CITROEN C5 I (DC_)
CITROEN C5 II (RC_)

OE
4400L5

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 22
Brake System: BOSCH
Diameter [mm]: 54
Fitting Position: Front Axle Right
Fitting Position: in front of axle
Paired article numbers: CAL1404LJM

CAL1413LJM

Brake Caliper



NISSAN NAVARA (D40)
NISSAN NAVARA Pianale piatto/Telaio (D40)
NISSAN PATHFINDER (R51)
NISSAN PATHFINDER III VAN (R51_)

OE
41011EB30A

Brake Caliper Type: Caliper (2 pistons)
Brake Disc Thickness [mm]: 28
Brake System: NISSAN
Diameter [mm]: 46
Fitting Position: behind the axle
Fitting Position: Front Axle Left
Paired article numbers: CAL1413RJM

CAL1413RJM

Brake Caliper



NISSAN NAVARA (D40)
NISSAN NAVARA Pianale piatto/Telaio (D40)
NISSAN PATHFINDER (R51)
NISSAN PATHFINDER III VAN (R51_)

OE
41001EB30A

Brake Caliper Type: Caliper (2 pistons)
Brake Disc Thickness [mm]: 28
Brake System: NISSAN
Diameter [mm]: 46
Fitting Position: behind the axle
Fitting Position: Front Axle Right
Paired article numbers: CAL1413LJM

CAL1414LJM

Brake Caliper



NISSAN NAVARA (D22)
NISSAN NAVARA Pianale piatto/Telaio (D22)
NISSAN PATHFINDER (R50)
NISSAN PICK UP (D22)

OE
41011VK100
41011VK810
41011VL30C

Brake Caliper Type: Caliper (2 pistons)
Brake Disc Thickness [mm]: 26
Brake System: NISSAN
Diameter [mm]: 46
Fitting Position: behind the axle
Fitting Position: Front Axle Left
Paired article numbers: CAL1414RJM

CAL1414RJM

Brake Caliper



NISSAN NAVARA (D22)
NISSAN NAVARA Pianale piatto/Telaio (D22)
NISSAN PATHFINDER (R50)
NISSAN PICK UP (D22)

OE
41001VK100
41001VK810
41001VL30C

Brake Caliper Type: Caliper (2 pistons)
Brake Disc Thickness [mm]: 26
Brake System: NISSAN
Diameter [mm]: 46
Fitting Position: behind the axle
Fitting Position: Front Axle Right
Paired article numbers: CAL1414LJM

Brake system

CAL1419LJM

Brake Caliper



HYUNDAI ix35 (LM, EL, ELH)
HYUNDAI TUCSON
HYUNDAI TUCSON Cassone/SUV (TLE)
KIA SPORTAGE (QL)
KIA SPORTAGE Van (QL, QLE)

OE

58110D7000
58110D7500
58180D7A00
58180D7A50

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 25
Brake System: MOBIS
Diameter [mm]: 60
Fitting Position: Front Axle Left
Fitting Position: in front of axle
Paired article numbers: CAL1419RJM

CAL1419RJM

Brake Caliper



HYUNDAI ix35 (LM, EL, ELH)
HYUNDAI TUCSON
HYUNDAI TUCSON Cassone/SUV (TLE)
KIA SPORTAGE (QL)
KIA SPORTAGE Van (QL, QLE)

OE

58130D7000
58130D7500
58190D7A00
58190D7A50

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 25
Brake System: MOBIS
Diameter [mm]: 60
Fitting Position: Front Axle Right
Fitting Position: in front of axle
Paired article numbers: CAL1419LJM

CAL1420LJM

Brake Caliper



PEUGEOT 308 Cassone / coda spiovente (LB_)
PEUGEOT 308 II
PEUGEOT 308 SW II
PEUGEOT 308 SW II Cassone / Furgonato /
Promiscuo (LC_)

OE

1610762380
1651765280

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 10
Brake System: ATE
Diameter [mm]: 38
Fitting Position: behind the axle
Fitting Position: Rear Axle Left
Paired article numbers: CAL1420RJM

CAL1420RJM

Brake Caliper



PEUGEOT 308 Cassone / coda spiovente (LB_)
PEUGEOT 308 II
PEUGEOT 308 SW II
PEUGEOT 308 SW II Cassone / Furgonato /
Promiscuo (LC_)

OE

1610762480
1651765380

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 10
Brake System: ATE
Diameter [mm]: 38
Fitting Position: behind the axle
Fitting Position: Rear Axle Right
Paired article numbers: CAL1420LJM

CAL1427LJM

Brake Caliper



MERCEDES-BENZ CLASSE C (W205)
MERCEDES-BENZ CLASSE C Cabriolet (A205)
MERCEDES-BENZ CLASSE C Coupé (C205)
MERCEDES-BENZ CLASSE C T-Model (S205)
MERCEDES-BENZ CLASSE E (W213)
MERCEDES-BENZ CLASSE E Cabriolet (A238)

OE

2054210181
A2054210181

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 28
Brake System: TRW
Diameter [mm]: 60
Fitting Position: behind the axle
Fitting Position: Front Axle Left
Paired article numbers: CAL1427RJM

CAL1427RJM

Brake Caliper



MERCEDES-BENZ CLASSE C (W205)
MERCEDES-BENZ CLASSE C Cabriolet (A205)
MERCEDES-BENZ CLASSE C Coupé (C205)
MERCEDES-BENZ CLASSE C T-Model (S205)
MERCEDES-BENZ CLASSE E (W213)
MERCEDES-BENZ CLASSE E Cabriolet (A238)

OE

2054210281
A2054210281

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 28
Brake System: TRW
Diameter [mm]: 60
Fitting Position: behind the axle
Fitting Position: Front Axle Right
Paired article numbers: CAL1427LJM

Brake system

CAL1429LJM

Brake Caliper



TOYOTA AURIS (NZE18_, ZRE18_)
TOYOTA AURIS TOURING SPORTS (ADE18_, ZWE18_, ZRE18_)

OE
4785002281

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 10
Brake System: BOSCH
Diameter [mm]: 36
Fitting Position: behind the axle
Fitting Position: Rear Axle Left
Paired article numbers: CAL1429RJM

CAL1429RJM

Brake Caliper



TOYOTA AURIS (NZE18_, ZRE18_)
TOYOTA AURIS TOURING SPORTS (ADE18_, ZWE18_, ZRE18_)

OE
4783002261

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 10
Brake System: BOSCH
Diameter [mm]: 36
Fitting Position: behind the axle
Fitting Position: Rear Axle Right
Paired article numbers: CAL1429LJM

CAL1430LJM

Brake Caliper



CHRYSLER 300 M (LR)
CHRYSLER CARAVAN
CHRYSLER CONCORDE
CHRYSLER GRAND VOYAGER III VAN (GS)
CHRYSLER NEW YORKER
CHRYSLER PROWLER

OE
4728114
4797566
4897654AA
5010032AA

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 24
Brake System: KELSEY-HAYES
Diameter [mm]: 60
Fitting Position: Front Axle Left
Fitting Position: in front of axle
Paired article numbers: CAL1430RJM

CAL1430RJM

Brake Caliper



CHRYSLER 300 M (LR)
CHRYSLER CARAVAN
CHRYSLER CONCORDE
CHRYSLER GRAND VOYAGER III VAN (GS)
CHRYSLER NEW YORKER
CHRYSLER PROWLER

OE
4728115
4797567
4897655AA
5010033AA

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 24
Brake System: KELSEY-HAYES
Diameter [mm]: 60
Fitting Position: Front Axle Right
Fitting Position: in front of axle
Paired article numbers: CAL1430LJM

CAL1434LJM

Brake Caliper



MERCEDES-BENZ CLASSE M (W163)

OE
0094216298
1634210098
1634210298
1634210698
1634210898
1634211398

Brake Caliper Type: Caliper (4 pistons)
Brake Disc Thickness [mm]: 32
Brake System: BREMBO
Diameter 1/ Diameter 2 [mm]: 40/44
Fitting Position: Front Axle Left
Fitting Position: in front of axle
Paired article numbers: CAL1434RJM

CAL1434RJM

Brake Caliper



MERCEDES-BENZ CLASSE M (W163)

OE
0094216198
1634210198
1634210398
1634210798
1634210998
1634211498

Brake Caliper Type: Caliper (4 pistons)
Brake Disc Thickness [mm]: 32
Brake System: BREMBO
Diameter 1/ Diameter 2 [mm]: 40/44
Fitting Position: Front Axle Right
Fitting Position: in front of axle
Paired article numbers: CAL1434LJM

Brake system

CAL1439LJM

Brake Caliper



MAZDA 323 F VI (BJ)
MAZDA 323 S VI (BJ)
MAZDA 626 V Station Wagon (GW)
MAZDA PREMACY (CP)
MAZDA PREMACY Van (CP_)

OE

G15C3371X
G15C3371XA
GFYP3399Z

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 24
Brake System: SHIN TEC
Diameter [mm]: 57
Fitting Position: Front Axle Left
Fitting Position: in front of axle
Paired article numbers: CAL1439RJM

CAL1439RJM

Brake Caliper



MAZDA 323 F VI (BJ)
MAZDA 323 S VI (BJ)
MAZDA 626 V Station Wagon (GW)
MAZDA PREMACY (CP)
MAZDA PREMACY Van (CP_)

OE

G15C3361X
G15C3361XA
GFYP3398Z

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 24
Brake System: SHIN TEC
Diameter [mm]: 57
Fitting Position: Front Axle Right
Fitting Position: in front of axle
Paired article numbers: CAL1439LJM

CAL1445LJM

Brake Caliper



LEXUS ES (GSV4_, ACV4_)
TOYOTA AURION (GSV4_, ACV4_)
TOYOTA CAMRY Tre volumi (_XV4_)

OE

4785033210
4785033211

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 12
Brake System: ADVICS
Diameter [mm]: 38
Fitting Position: behind the axle
Fitting Position: Rear Axle Left
Paired article numbers: CAL1445RJM

CAL1445RJM

Brake Caliper



LEXUS ES (GSV4_, ACV4_)
TOYOTA AURION (GSV4_, ACV4_)
TOYOTA CAMRY Tre volumi (_XV4_)

OE

4783033210
4783033211
4783033221

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 12
Brake System: ADVICS
Diameter [mm]: 38
Fitting Position: behind the axle
Fitting Position: Rear Axle Right
Paired article numbers: CAL1445LJM

CAL1446LJM

Brake Caliper



VOLVO 740 (744)
VOLVO 740 Kombi (745)
VOLVO 760 (704, 764)
VOLVO 760 Kombi (704, 765)
VOLVO 940 (944)

OE

1329866
13298666
3516511
3516517
35165174
5003510

Brake Caliper Type: Caliper (2 pistons)
Brake Disc Thickness [mm]: 22
Brake System: GIRLING
Diameter [mm]: 40
Fitting Position: behind the axle
Fitting Position: Front Axle Left
Paired article numbers: CAL1446RJM

CAL1446RJM

Brake Caliper



VOLVO 740 (744)
VOLVO 740 Kombi (745)
VOLVO 760 (704, 764)
VOLVO 760 Kombi (704, 765)
VOLVO 940 (944)

OE

1329867
13298674
3516512
3516518
35165182
5003511

Brake Caliper Type: Caliper (2 pistons)
Brake Disc Thickness [mm]: 22
Brake System: GIRLING
Diameter [mm]: 40
Fitting Position: behind the axle
Fitting Position: Front Axle Right
Paired article numbers: CAL1446LJM

Brake system

CAL1450LJM

Brake Caliper



TOYOTA ESTIMA EMINA / LUCIDA
TOYOTA PREVIA (TCR2_, TCR1_)
TOYOTA TOWN ACE Autobus

OE
4775028150
4775028170

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 22
Brake System: AKEBONO
Diameter [mm]: 60
Fitting Position: behind the axle
Fitting Position: Front Axle Left
Paired article numbers: CAL1450RJM

CAL1450RJM

Brake Caliper



TOYOTA ESTIMA EMINA / LUCIDA
TOYOTA PREVIA (TCR2_, TCR1_)
TOYOTA TOWN ACE Autobus

OE
4773028150
4773028170

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 22
Brake System: AKEBONO
Diameter [mm]: 60
Fitting Position: behind the axle
Fitting Position: Front Axle Right
Paired article numbers: CAL1450LJM

CAL1452LJM

Brake Caliper



MITSUBISHI L 200 (K3_T, K2_T, K1_T, K0_T)
MITSUBISHI L 300 Autobus (P0_W, P1_W, P2_W)
MITSUBISHI L 300 Furgonato (P0_W, P1_W)
MITSUBISHI PAJERO I (L04_G, L14_G)

OE
MB500772
MB534320
MB534546

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 22
Brake System: AKEBONO
Diameter [mm]: 57
Fitting Position: behind the axle
Fitting Position: Front Axle Left
Paired article numbers: CAL1452RJM

CAL1452RJM

Brake Caliper



MITSUBISHI L 200 (K3_T, K2_T, K1_T, K0_T)
MITSUBISHI L 300 Autobus (P0_W, P1_W, P2_W)
MITSUBISHI L 300 Furgonato (P0_W, P1_W)
MITSUBISHI PAJERO I (L04_G, L14_G)

OE
MB500773
MB534321
MB534547

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 22
Brake System: AKEBONO
Diameter [mm]: 57
Fitting Position: behind the axle
Fitting Position: Front Axle Right
Paired article numbers: CAL1452LJM

CAL1458LJM

Brake Caliper



RENAULT CLIO II (BB0/1/2_, CB0/1/2_)
RENAULT MEGANE I (BA0/1_)
RENAULT MEGANE I Cabriolet (EA0/1_)
RENAULT MEGANE I Classic (LA0/1_)
RENAULT MEGANE I Coach (DA0/1_)
RENAULT THALIA I (LB0/1/2_)

OE
7701204846

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 8
Brake System: BENDIX
Diameter [mm]: 30
Fitting Position: behind the axle
Fitting Position: Rear Axle Left
Paired article numbers: CAL1458RJM

CAL1458RJM

Brake Caliper



RENAULT CLIO II (BB0/1/2_, CB0/1/2_)
RENAULT MEGANE I (BA0/1_)
RENAULT MEGANE I Cabriolet (EA0/1_)
RENAULT MEGANE I Classic (LA0/1_)
RENAULT MEGANE I Coach (DA0/1_)
RENAULT THALIA I (LB0/1/2_)

OE
7701204847

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 8
Brake System: BENDIX
Diameter [mm]: 30
Fitting Position: behind the axle
Fitting Position: Rear Axle Right
Paired article numbers: CAL1458LJM

Brake system

CAL1459LJM

Brake Caliper



HYUNDAI ix35 (LM, EL, ELH)
HYUNDAI TUCSON
HYUNDAI TUCSON Cassone/SUV (TLE)
KIA SPORTAGE (QL)
KIA SPORTAGE Van (QL, QLE)

OE

58210D3700
58210D7700
58210D7710
58310D3A70
58310D7A70
58310D7A71

Brake Disc Thickness [mm]: 10
Brake System: MANDO
Diameter [mm]: 38
Fitting Position: behind the axle
Fitting Position: Rear Axle Left
Paired article numbers: CAL1459RJM
Supplementary Article/Supplementary Info:
with electric motor

CAL1459RJM

Brake Caliper



HYUNDAI ix35 (LM, EL, ELH)
HYUNDAI TUCSON
HYUNDAI TUCSON Cassone/SUV (TLE)
KIA SPORTAGE (QL)
KIA SPORTAGE Van (QL, QLE)

OE

58230D3700
58230D7700
58230D7710
58311D3A70
58311D7A70
58311D7A71

Brake Disc Thickness [mm]: 10
Brake System: MANDO
Diameter [mm]: 38
Fitting Position: behind the axle
Fitting Position: Rear Axle Right
Paired article numbers: CAL1459LJM
Supplementary Article/Supplementary Info:
with electric motor

CAL1463LJM

Brake Caliper



LEXUS IS I (JCE1_, GXE1_)
LEXUS IS SportCross
TOYOTA ALTEZZA (SXE1_, JCE1_, GXE1_)
TOYOTA ALTEZZA GITA (SXE1_, GXE1_)
TOYOTA CHASER (_X10_)
TOYOTA MARK II Tre volumi

OE

4775022320
4775053010
4775053030

Brake Caliper Type: Caliper (2 pistons)
Brake Disc Thickness [mm]: 32
Brake System: AISIN
Diameter [mm]: 45
Fitting Position: behind the axle
Fitting Position: Front Axle Left
Paired article numbers: CAL1463RJM

CAL1463RJM

Brake Caliper



LEXUS IS I (JCE1_, GXE1_)
LEXUS IS SportCross
TOYOTA ALTEZZA (SXE1_, JCE1_, GXE1_)
TOYOTA ALTEZZA GITA (SXE1_, GXE1_)
TOYOTA CHASER (_X10_)
TOYOTA MARK II Tre volumi

OE

4773022320
4773053010
4773053030

Brake Caliper Type: Caliper (2 pistons)
Brake Disc Thickness [mm]: 32
Brake System: AISIN
Diameter [mm]: 45
Fitting Position: behind the axle
Fitting Position: Front Axle Right
Paired article numbers: CAL1463LJM

CAL1466LJM

Brake Caliper



CITROEN C2 (JM_)
CITROEN C2 ENTERPRISE
CITROEN C3 I (FC_)
CITROEN C3 Pluriel (HB_)

OE

1607377680
4401E2

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 22
Brake System: TRW
Diameter [mm]: 54
Fitting Position: Front Axle Left
Fitting Position: in front of axle
Paired article numbers: CAL1466RJM

CAL1466RJM

Brake Caliper



CITROEN C2 (JM_)
CITROEN C2 ENTERPRISE
CITROEN C3 I (FC_)
CITROEN C3 Pluriel (HB_)

OE

1607377780
4401E3

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 22
Brake System: TRW
Diameter [mm]: 54
Fitting Position: Front Axle Right
Fitting Position: in front of axle
Paired article numbers: CAL1466LJM

Brake system

CAL1472LJM

Brake Caliper



HYUNDAI GETZ (TB)

OE
583001C800

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 10
Brake System: MANDO
Diameter [mm]: 34
Fitting Position: behind the axle
Fitting Position: Rear Axle Left
Paired article numbers: CAL1472RJM

CAL1472RJM

Brake Caliper



HYUNDAI GETZ (TB)

OE
584001C800

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 10
Brake System: MANDO
Diameter [mm]: 34
Fitting Position: behind the axle
Fitting Position: Rear Axle Right
Paired article numbers: CAL1472LJM

CAL1480LJM

Brake Caliper



VOLVO S60 III (224)
VOLVO S90 II
VOLVO V60
VOLVO V60 II (225)
VOLVO V60 II Cross Country (227)
VOLVO V90 II

OE
36003032
36010009
36011656
36012635
36012821

Brake Disc Thickness [mm]: 20
Brake System: ATE
Diameter [mm]: 42
Fitting Position: in front of axle
Fitting Position: Rear Axle Left
Paired article numbers: CAL1480RJM
Supplementary Article/Supplementary Info:
with electric motor

CAL1480RJM

Brake Caliper



VOLVO S60 III (224)
VOLVO S90 II
VOLVO V60
VOLVO V60 II (225)
VOLVO V60 II Cross Country (227)
VOLVO V90 II

OE
36003033
36010010
36011657
36012636
36012822

Brake Disc Thickness [mm]: 20
Brake System: ATE
Diameter [mm]: 42
Fitting Position: in front of axle
Fitting Position: Rear Axle Right
Paired article numbers: CAL1480LJM
Supplementary Article/Supplementary Info:
with electric motor

CAL1481LJM

Brake Caliper



AUDI A1 Allstreet (GBH)
AUDI A1 CITY CARVER (GBH)
AUDI A1 Sportback (GBA)
SEAT ARONA (KJ7)
SEAT IBIZA V (KJ1)
SKODA FABIA IV (PJ3)

OE
2Q0615123A
2Q0615123B

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 24
Brake System: MANDO
Diameter [mm]: 57
Fitting Position: Front Axle Left
Fitting Position: in front of axle
Paired article numbers: CAL1481RJM

CAL1481RJM

Brake Caliper



AUDI A1 Allstreet (GBH)
AUDI A1 CITY CARVER (GBH)
AUDI A1 Sportback (GBA)
SEAT ARONA (KJ7)
SEAT IBIZA V (KJ1)
SKODA FABIA IV (PJ3)

OE
2Q0615124A
2Q0615124B

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 24
Brake System: MANDO
Diameter [mm]: 57
Fitting Position: Front Axle Right
Fitting Position: in front of axle
Paired article numbers: CAL1481LJM

Brake system

CAL1482LJM

Brake Caliper



MAZDA CX-5 (KE, GH)
MAZDA CX-5 (KF)
MAZDA CX-5 Van (KE_)

OE
KAY02671X
KAY02671XA

Brake Disc Thickness [mm]: 10
Brake System: MAZDA
Diameter [mm]: 38
Fitting Position: behind the axle
Fitting Position: Rear Axle Left
Paired article numbers: CAL1482RJM
Supplementary Article/Supplementary Info:
with electric motor

CAL1482RJM

Brake Caliper



MAZDA CX-5 (KE, GH)
MAZDA CX-5 (KF)
MAZDA CX-5 Van (KE_)

OE
KAY02661X
KAY02661XA

Brake Disc Thickness [mm]: 10
Brake System: MAZDA
Diameter [mm]: 38
Fitting Position: behind the axle
Fitting Position: Rear Axle Right
Paired article numbers: CAL1482LJM
Supplementary Article/Supplementary Info:
with electric motor

CAL1486LJM

Brake Caliper



CITROEN JUMPY
CITROEN JUMPY Furgonato
CITROEN JUMPY Pianale piatto/Telaio
CITROEN SPACETOURER
OPEL VIVARO C Combi (K0)
OPEL VIVARO C Furgonato (K0)

OE
1613260080
1651761380
SU001A3125

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 28
Brake System: ATE
Diameter [mm]: 66
Fitting Position: Front Axle Left
Fitting Position: in front of axle
Paired article numbers: CAL1486RJM

CAL1486RJM

Brake Caliper



CITROEN JUMPY
CITROEN JUMPY Furgonato
CITROEN JUMPY Pianale piatto/Telaio
CITROEN SPACETOURER
OPEL VIVARO C Combi (K0)
OPEL VIVARO C Furgonato (K0)

OE
1613260180
1651761480
SU001A3126

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 28
Brake System: ATE
Diameter [mm]: 66
Fitting Position: Front Axle Right
Fitting Position: in front of axle
Paired article numbers: CAL1486LJM

CAL1487LJM

Brake Caliper



TOYOTA AURIS (NRE15_, ZZE15_, ADE15_,
ZRE15_, NDE15_)
TOYOTA AURIS Furgonato (_E15_)
TOYOTA COROLLA Tre volumi (E15_)

OE
4775002340
4775002341

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 26
Brake System: BOSCH
Diameter [mm]: 57
Distance of fastening bolts [mm]: 162
Fitting Position: Front Axle Left
Fitting Position: in front of axle
Paired article numbers: CAL1487RJM

CAL1487RJM

Brake Caliper



TOYOTA AURIS (NRE15_, ZZE15_, ADE15_,
ZRE15_, NDE15_)
TOYOTA AURIS Furgonato (_E15_)
TOYOTA COROLLA Tre volumi (E15_)

OE
4773002340
4773002341

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 26
Brake System: BOSCH
Diameter [mm]: 57
Distance of fastening bolts [mm]: 162
Fitting Position: Front Axle Right
Fitting Position: in front of axle
Paired article numbers: CAL1487LJM

Brake system

CAL1489LJM

Brake Caliper



JEEP GRAND CHEROKEE II (WJ, WG)

OE
5011973AA
K05011973AA

Brake Caliper Type: Caliper (2 pistons)
Brake Disc Thickness [mm]: 26
Brake System: ATE
Diameter [mm]: 48
Fitting Position: behind the axle
Fitting Position: Front Axle Left
Paired article numbers: CAL1489RJM

CAL1489RJM

Brake Caliper



JEEP GRAND CHEROKEE II (WJ, WG)

OE
5011972AA
K05011972AA

Brake Caliper Type: Caliper (2 pistons)
Brake Disc Thickness [mm]: 26
Brake System: ATE
Diameter [mm]: 48
Fitting Position: behind the axle
Fitting Position: Front Axle Right
Paired article numbers: CAL1489LJM

CAL1492LJM

Brake Caliper



FORD MONDEO II Station wagon (BNP)

OE
1044237
1044239
1118407
1118409
1328619
1328620

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 20
Brake System: BENDIX
Diameter [mm]: 36
Fitting Position: behind the axle
Fitting Position: Rear Axle Left
Paired article numbers: CAL1492RJM

CAL1492RJM

Brake Caliper



FORD MONDEO II Station wagon (BNP)

OE
1044229
1044230
1118407
1118409
1328619
1328620

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 20
Brake System: BENDIX
Diameter [mm]: 36
Fitting Position: behind the axle
Fitting Position: Rear Axle Right
Paired article numbers: CAL1492LJM

CAL1503LJM

Brake Caliper



HYUNDAI GRAND SANTA FÉ
HYUNDAI SANTA FÉ III (DM)
HYUNDAI SANTAFÉ III Cassone/SUV (DM)
KIA SORENTO II (XM)
KIA SORENTO II Cassone/SUV (XM)

OE
581102W700
581802WA00

Brake Caliper Type: Caliper (2 pistons)
Brake Disc Thickness [mm]: 28
Brake System: MANDO
Diameter [mm]: 45
Fitting Position: behind the axle
Fitting Position: Front Axle Left
Paired article numbers: CAL1503RJM

CAL1503RJM

Brake Caliper



HYUNDAI GRAND SANTA FÉ
HYUNDAI SANTA FÉ III (DM)
HYUNDAI SANTAFÉ III Cassone/SUV (DM)
KIA SORENTO II (XM)
KIA SORENTO II Cassone/SUV (XM)

OE
581302W700
581902WA00

Brake Caliper Type: Caliper (2 pistons)
Brake Disc Thickness [mm]: 28
Brake System: MANDO
Diameter [mm]: 45
Fitting Position: behind the axle
Fitting Position: Front Axle Right
Paired article numbers: CAL1503LJM

Brake system

CAL1505LJM

Brake Caliper



HONDA CITY Tre volumi (GM)
HONDA CR-Z (ZF1)
HONDA INSIGHT (ZE_)
HONDA JAZZ III (GE)
HONDA JAZZ IV (GK)

OE

45019SZTG00
45019SZTG01
45019T5B000
45019T5B010
45019TF0G00
45019TF0G01

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 21
Brake System: NISSIN
Diameter [mm]: 54
Fitting Position: Front Axle Left
Fitting Position: in front of axle
Paired article numbers: CAL1505RJM

CAL1505RJM

Brake Caliper



HONDA CITY Tre volumi (GM)
HONDA CR-Z (ZF1)
HONDA INSIGHT (ZE_)
HONDA JAZZ III (GE)
HONDA JAZZ IV (GK)

OE

45018SZTG00
45018SZTG01
45018T5B000
45018T5B010
45018TF0G00
45018TF0G01

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 21
Brake System: NISSIN
Diameter [mm]: 54
Fitting Position: Front Axle Right
Fitting Position: in front of axle
Paired article numbers: CAL1505LJM

CAL1507LJM

Brake Caliper



HYUNDAI COUPE (GK)
HYUNDAI SONATA IV (EF)
HYUNDAI SONATA VI (YF)
HYUNDAI TIBURON Coupé

OE

581102C400
581802CA10
581802CA40
5818038A10
5818038A11

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 26
Brake System: MANDO
Diameter [mm]: 57
Fitting Position: Front Axle Left
Fitting Position: in front of axle
Paired article numbers: CAL1507RJM

CAL1507RJM

Brake Caliper



HYUNDAI COUPE (GK)
HYUNDAI SONATA IV (EF)
HYUNDAI SONATA VI (YF)
HYUNDAI TIBURON Coupé

OE

581302C40
581302C400
581902CA10
581902CA40
5819038A10
5819038A11

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 26
Brake System: MANDO
Diameter [mm]: 57
Fitting Position: Front Axle Right
Fitting Position: in front of axle
Paired article numbers: CAL1507LJM

CAL1511LJM

Brake Caliper



MERCEDES-BENZ CLASSE E (W210)

OE

0014205783
A0014205783

Brake Caliper Type: Brake Caliper with 1 holding pin
Brake Caliper Type: Caliper (2 pistons)
Brake Disc Thickness [mm]: 10
Brake System: ATE
Diameter [mm]: 36
Fitting Position: behind the axle
Fitting Position: Rear Axle Left
Paired article numbers: CAL1511RJM

Brake system

CAL1511RJM

Brake Caliper



MERCEDES-BENZ CLASSE E (W210)

OE
0014205883
A0014205883

Brake Caliper Type: Brake Caliper with 1 holding pin
Brake Caliper Type: Caliper (2 pistons)
Brake Disc Thickness [mm]: 10
Brake System: ATE
Diameter [mm]: 36
Fitting Position: behind the axle
Fitting Position: Rear Axle Right
Paired article numbers: CAL1511LJM

CAL1513LJM

Brake Caliper



SUBARU IMPREZA Coupe (GFC)
SUBARU IMPREZA Station wagon (GD, GG)
SUBARU IMPREZA Station wagon (GF)
SUBARU IMPREZA Tre volumi (GC)
SUBARU IMPREZA Tre volumi (GD, GG)
SUBARU LEGACY I (BC)

OE
26291AC010
26291AC011
26291AC012

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 24
Brake System: AKEBONO
Diameter [mm]: 57
Fitting Position: behind the axle
Fitting Position: Front Axle Left
Paired article numbers: CAL1513RJM

CAL1513RJM

Brake Caliper



SUBARU IMPREZA Coupe (GFC)
SUBARU IMPREZA Station wagon (GD, GG)
SUBARU IMPREZA Station wagon (GF)
SUBARU IMPREZA Tre volumi (GC)
SUBARU IMPREZA Tre volumi (GD, GG)
SUBARU LEGACY I (BC)

OE
26291AC000
26291AC001
26291AC002

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 24
Brake System: AKEBONO
Diameter [mm]: 57
Fitting Position: behind the axle
Fitting Position: Front Axle Right
Paired article numbers: CAL1513LJM

CAL1514LJM

Brake Caliper



IVECO DAILY III Cassone / Furgonato / Promiscuo
IVECO DAILY III Pianale piatto/Telaio
NISSAN CABSTAR E Pick-up
NISSAN NT400 CABSTAR Pianale piatto/Telaio

OE
41011MB200
41011MB20A
41011MB225
42548183
504074548
504074552

Brake Caliper Type: Caliper (2 pistons)
Brake Disc Thickness [mm]: 26
Brake System: BREMBO
Diameter [mm]: 52
Fitting Position: behind the axle
Fitting Position: Front Axle Left
Paired article numbers: CAL1514RJM
Wear Warning Contact: Prepared for wear indicator

CAL1514RJM

Brake Caliper



IVECO DAILY III Cassone / Furgonato / Promiscuo
IVECO DAILY III Pianale piatto/Telaio
NISSAN CABSTAR E Pick-up
NISSAN NT400 CABSTAR Pianale piatto/Telaio

OE
41001MB200
41001MB20A
41001MB225
42548184
504074549
504074553

Brake Caliper Type: Caliper (2 pistons)
Brake Disc Thickness [mm]: 26
Brake System: BREMBO
Diameter [mm]: 52
Fitting Position: behind the axle
Fitting Position: Front Axle Right
Paired article numbers: CAL1514LJM
Wear Warning Contact: Prepared for wear indicator

Brake system

CAL1515LJM

Brake Caliper



MERCEDES-BENZ Vaneo (414)

OE
4144200083
A4144200083

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 8
Brake System: LUCAS
Diameter [mm]: 30
Fitting Position: behind the axle
Fitting Position: Rear Axle Left
Paired article numbers: CAL1515RJM

CAL1515RJM

Brake Caliper



MERCEDES-BENZ Vaneo (414)

OE
4144200183
A4144200183

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 8
Brake System: LUCAS
Diameter [mm]: 30
Fitting Position: behind the axle
Fitting Position: Rear Axle Right
Paired article numbers: CAL1515LJM

CAL1519LJM

Brake Caliper



TOYOTA HILUX Pick-up (GUN1_)
TOYOTA HILUX VIII Pianale piatto/Telaio (_N1_)

OE
477500K300
477500K350

Brake Caliper Type: Caliper (4 pistons)
Brake Disc Thickness [mm]: 28
Brake System: SUMITOMO
Diameter [mm]: 45
Fitting Position: behind the axle
Fitting Position: Front Axle Left
Paired article numbers: CAL1519RJM

CAL1519RJM

Brake Caliper



TOYOTA HILUX Pick-up (GUN1_)
TOYOTA HILUX VIII Pianale piatto/Telaio (_N1_)

OE
477300K300
477300K350

Brake Caliper Type: Caliper (4 pistons)
Brake Disc Thickness [mm]: 28
Brake System: SUMITOMO
Diameter [mm]: 45
Fitting Position: behind the axle
Fitting Position: Front Axle Right
Paired article numbers: CAL1519LJM

CAL1520LJM

Brake Caliper



NISSAN PATROL GR II Wagon (Y61)
NISSAN PATROL II Pianale piatto/Telaio (Y61)

OE
41011VB200
41011VC700
41011VS40A

Brake Caliper Type: Caliper (2 pistons)
Brake Disc Thickness [mm]: 32
Brake System: NISSAN
Diameter [mm]: 48
Fitting Position: behind the axle
Fitting Position: Front Axle Left
Paired article numbers: CAL1520RJM

CAL1520RJM

Brake Caliper



NISSAN PATROL GR II Wagon (Y61)
NISSAN PATROL II Pianale piatto/Telaio (Y61)

OE
41001VB200
41001VC700
41001VS40A

Brake Caliper Type: Caliper (2 pistons)
Brake Disc Thickness [mm]: 32
Brake System: NISSAN
Diameter [mm]: 48
Fitting Position: behind the axle
Fitting Position: Front Axle Right
Paired article numbers: CAL1520LJM

Brake system

CAL1523LJM

Brake Caliper



KIA SOUL II (PS)

OE

58210B2100
58210B2700
58310B2A10
58310B2A70

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 10
Brake System: MOBIS
Diameter [mm]: 34
Fitting Position: behind the axle
Fitting Position: Rear Axle Left
Paired article numbers: CAL1523RJM

CAL1523RJM

Brake Caliper



KIA SOUL II (PS)

OE

58230B2100
58230B2700
58311B2A10
58311B2A70

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 10
Brake System: MOBIS
Diameter [mm]: 34
Fitting Position: behind the axle
Fitting Position: Rear Axle Right
Paired article numbers: CAL1523LJM

CAL1525LJM

Brake Caliper



MERCEDES-BENZ 190 (W201)
MERCEDES-BENZ CABRIOLET (A124)
MERCEDES-BENZ CLASSE C (W202)
MERCEDES-BENZ CLASSE C Station wagon (S202)
MERCEDES-BENZ CLASSE E (W210)

OE

1294200283
A1294200283

Brake Caliper Type: Caliper (2 pistons)
Brake Disc Thickness [mm]: 9
Brake System: ATE
Diameter [mm]: 38
Fitting Position: behind the axle
Fitting Position: Rear Axle Left
Paired article numbers: CAL1525RJM

CAL1525RJM

Brake Caliper



MERCEDES-BENZ 190 (W201)
MERCEDES-BENZ CABRIOLET (A124)
MERCEDES-BENZ CLASSE C (W202)
MERCEDES-BENZ CLASSE C Station wagon (S202)
MERCEDES-BENZ CLASSE E (W210)

OE

1294200383
A1294200383

Brake Caliper Type: Caliper (2 pistons)
Brake Disc Thickness [mm]: 9
Brake System: ATE
Diameter [mm]: 38
Fitting Position: behind the axle
Fitting Position: Rear Axle Right
Paired article numbers: CAL1525LJM

CAL1531LJM

Brake Caliper



IVECO DAILY III Cassone / Furgonato / Promiscuo
IVECO DAILY III Pianale piatto/Telaio

OE

42535599
42536632

Brake Caliper Type: Caliper (2 pistons)
Brake Disc Thickness [mm]: 26
Brake System: BREMBO
Diameter [mm]: 52
Fitting Position: behind the axle
Fitting Position: Front Axle Left
Paired article numbers: CAL1531RJM
Wear Warning Contact: Not prepared for wear indicator

Brake system

CAL1531RJM

Brake Caliper



IVECO DAILY III Cassone / Furgonato /
Promiscuo
IVECO DAILY III Pianale piatto/Telaio

OE
42535600
42536633

Brake Caliper Type: Caliper (2 pistons)
Brake Disc Thickness [mm]: 26
Brake System: BREMBO
Diameter [mm]: 52
Fitting Position: behind the axle
Fitting Position: Front Axle Right
Paired article numbers: CAL1531LJM
Wear Warning Contact: Not prepared for wear indicator

CAL1533LJM

Brake Caliper



BMW 1 (F40)
BMW 2 Active Tourer (F45)
BMW 2 Active Tourer Van (F45)
BMW 2 Gran Coupe (F44)
BMW 2 Gran Tourer (F46)
BMW 2 Gran Tourer Van (F46)

OE
34216860005

Brake Disc Thickness [mm]: 10
Brake System: ATE
Diameter [mm]: 34
Fitting Position: behind the axle
Fitting Position: Rear Axle Left
Paired article numbers: CAL1533RJM
Supplementary Article/Supplementary Info:
with electric motor

CAL1533RJM

Brake Caliper



BMW 1 (F40)
BMW 2 Active Tourer (F45)
BMW 2 Active Tourer Van (F45)
BMW 2 Gran Coupe (F44)
BMW 2 Gran Tourer (F46)
BMW 2 Gran Tourer Van (F46)

OE
34216860006

Brake Disc Thickness [mm]: 10
Brake System: ATE
Diameter [mm]: 34
Fitting Position: behind the axle
Fitting Position: Rear Axle Right
Paired article numbers: CAL1533LJM
Supplementary Article/Supplementary Info:
with electric motor

CAL1535LJM

Brake Caliper



PEUGEOT 308 Cassone / coda spiovente (LB_)
PEUGEOT 308 II
PEUGEOT 308 SW II
PEUGEOT 308 SW II Cassone / Furgonato /
Promiscuo (LC_)

OE
1611330980
1651754080

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 12
Brake System: ATE
Diameter [mm]: 38
Fitting Position: behind the axle
Fitting Position: Rear Axle Left
Paired article numbers: CAL1535RJM

CAL1535RJM

Brake Caliper



PEUGEOT 308 Cassone / coda spiovente (LB_)
PEUGEOT 308 II
PEUGEOT 308 SW II
PEUGEOT 308 SW II Cassone / Furgonato /
Promiscuo (LC_)

OE
1611331080
1651754180

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 12
Brake System: ATE
Diameter [mm]: 38
Fitting Position: behind the axle
Fitting Position: Rear Axle Right
Paired article numbers: CAL1535LJM

Brake system

CAL1536LJM

Brake Caliper




FIAT 127
FIAT 127 Panorama

OE
790328

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 10
Brake System: BENDIX
Diameter [mm]: 48
Fitting Position: Front Axle Left
Fitting Position: in front of axle
Paired article numbers: CAL1536RJM

CAL1538LJM

Brake Caliper




SAAB 9-5 (YS3E)
SAAB 9-5 Station wagon (YS3E)

OE
5058136

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 10
Brake System: ATE
Diameter [mm]: 38
Fitting Position: behind the axle
Fitting Position: Rear Axle Left
Paired article numbers: CAL1538RJM

CAL1538RJM

Brake Caliper



SAAB 9-5 (YS3E)
SAAB 9-5 Station wagon (YS3E)

OE
5058144

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 10
Brake System: ATE
Diameter [mm]: 38
Fitting Position: behind the axle
Fitting Position: Rear Axle Right
Paired article numbers: CAL1538LJM

CAL1542LJM

Brake Caliper



NISSAN PATROL GR I (Y60, GR)
NISSAN PATROL Hardtop (K260)

OE
4101101J01
4101120J00
4101120J01
4101120J11

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 20
Brake System: NISSAN
Diameter [mm]: 68
Fitting Position: behind the axle
Fitting Position: Front Axle Left
Paired article numbers: CAL1542RJM

CAL1545LJM

Brake Caliper



DACIA LOGAN II
DACIA SANDERO II
RENAULT LOGAN I (LS_)
RENAULT LOGAN II
RENAULT SANDERO/STEPWAY II (B8_)
RENAULT THALIA III

OE
410116639R

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 12
Brake System: ATE
Diameter [mm]: 48
Fitting Position: Front Axle Left
Fitting Position: in front of axle
Paired article numbers: CAL1545RJM

CAL1545RJM

Brake Caliper



DACIA LOGAN II
DACIA SANDERO II
RENAULT LOGAN I (LS_)
RENAULT LOGAN II
RENAULT SANDERO/STEPWAY II (B8_)
RENAULT THALIA III

OE
410010121R
410011126R

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 12
Brake System: ATE
Diameter [mm]: 48
Fitting Position: Front Axle Right
Fitting Position: in front of axle
Paired article numbers: CAL1545LJM

Brake system

CAL1551LJM

Brake Caliper

CHEVROLET EPICA (KL1_)



OE
96639588

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 24
Brake System: DAC
Diameter [mm]: 57
Fitting Position: Front Axle Left
Fitting Position: in front of axle
Paired article numbers: CAL1551RJM

CAL1551RJM

Brake Caliper

CHEVROLET EPICA (KL1_)



OE
96639589

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 24
Brake System: DAC
Diameter [mm]: 57
Fitting Position: Front Axle Right
Fitting Position: in front of axle
Paired article numbers: CAL1551LJM

CAL1562LJM

Brake Caliper

LEXUS ES (GSV4_, ACV4_)
TOYOTA AURION (GSV4_, ACV4_)
TOYOTA CAMRY Tre volumi (_XV4_)



OE
4775033340

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 28
Brake System: ADVICS
Diameter [mm]: 63
Fitting Position: Front Axle Left
Fitting Position: in front of axle
Paired article numbers: CAL1562RJM

CAL1562RJM

Brake Caliper

LEXUS ES (GSV4_, ACV4_)
TOYOTA AURION (GSV4_, ACV4_)
TOYOTA CAMRY Tre volumi (_XV4_)



OE
4773033340

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 28
Brake System: ADVICS
Diameter [mm]: 63
Fitting Position: Front Axle Right
Fitting Position: in front of axle
Paired article numbers: CAL1562LJM

CAL1579LJM

Brake Caliper

HYUNDAI i10 (IA)



OE
58110B9300
58110B9700
58180B9A30
58180B9A70

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 18
Brake System: MANDO
Diameter [mm]: 51
Fitting Position: Front Axle Left
Fitting Position: in front of axle
Paired article numbers: CAL1579RJM

CAL1579RJM

Brake Caliper

HYUNDAI i10 (IA)



OE
58130B9300
58130B9700
58190B9A30
58190B9A70

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 18
Brake System: MANDO
Diameter [mm]: 51
Fitting Position: Front Axle Right
Fitting Position: in front of axle
Paired article numbers: CAL1579LJM

Brake system

CAL1580LJM

Brake Caliper



HONDA CR-V II (RD_)
HONDA CR-V III (RE)
HONDA CR-V IV (RE)

OE
45019SWWG00
45019T1EG00

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 28
Brake System: BOSCH
Diameter [mm]: 60
Fitting Position: Front Axle Left
Fitting Position: in front of axle
Paired article numbers: CAL1580RJM

CAL1580RJM

Brake Caliper



HONDA CR-V II (RD_)
HONDA CR-V III (RE)
HONDA CR-V IV (RE)

OE
45018SWWG00
45018T1EG00

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 28
Brake System: BOSCH
Diameter [mm]: 60
Fitting Position: Front Axle Right
Fitting Position: in front of axle
Paired article numbers: CAL1580LJM

CAL1581LJM

Brake Caliper



TOYOTA YARIS (SCP1_, NLP1_, NCP1_)

OE
4775009020

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 18
Brake System: BOSCH
Diameter [mm]: 51
Fitting Position: Front Axle Left
Fitting Position: in front of axle
Paired article numbers: CAL1581RJM

CAL1581RJM

Brake Caliper



TOYOTA YARIS (SCP1_, NLP1_, NCP1_)

OE
4773009020

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 18
Brake System: BOSCH
Diameter [mm]: 51
Fitting Position: Front Axle Right
Fitting Position: in front of axle
Paired article numbers: CAL1581LJM

CAL1587LJM

Brake Caliper



LAND ROVER DISCOVERY II (LJ, LT)

OE
SEG000060
SEG000060E

Brake Caliper Type: Caliper (2 pistons)
Brake Disc Thickness [mm]: 25
Brake System: TRW
Diameter [mm]: 45
Fitting Position: behind the axle
Fitting Position: Front Axle Left
Paired article numbers: CAL1587RJM

CAL1587RJM

Brake Caliper



LAND ROVER DISCOVERY II (LJ, LT)

OE
SEG000030
SEG000030E

Brake Caliper Type: Caliper (2 pistons)
Brake Disc Thickness [mm]: 25
Brake System: TRW
Diameter [mm]: 45
Fitting Position: behind the axle
Fitting Position: Front Axle Right
Paired article numbers: CAL1587LJM

Brake system

CAL1591LJM

Brake Caliper



SMART CABRIO (450)
 SMART CITY-COUPE (450)
 SMART CROSSBLADE (450)
 SMART FORTWO Cabrio (450)
 SMART FORTWO Cabrio (451)
 SMART FORTWO Coupé (450)

OE
 4514210198

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 9
 Brake System: BOSCH
 Diameter [mm]: 42
 Fitting Position: behind the axle
 Fitting Position: Front Axle Left
 Paired article numbers: CAL1591RJM

CAL1591RJM

Brake Caliper



SMART CABRIO (450)
 SMART CITY-COUPE (450)
 SMART CROSSBLADE (450)
 SMART FORTWO Cabrio (450)
 SMART FORTWO Cabrio (451)
 SMART FORTWO Coupé (450)

OE
 4514210098

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 9
 Brake System: BOSCH
 Diameter [mm]: 42
 Fitting Position: behind the axle
 Fitting Position: Front Axle Right
 Paired article numbers: CAL1591LJM

CAL1600LJM

Brake Caliper



RENAULT MEGANE Scenic (JA0/1_)
 RENAULT SCÉNIC I (JA0/1_)

OE
 7701206513
 7711135721

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 11
 Brake System: LUCAS
 Diameter [mm]: 34
 Fitting Position: behind the axle
 Fitting Position: Rear Axle Left
 Paired article numbers: CAL1600RJM

CAL1600RJM

Brake Caliper



RENAULT MEGANE Scenic (JA0/1_)
 RENAULT SCÉNIC I (JA0/1_)

OE
 7701206514
 7711135722

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 11
 Brake System: LUCAS
 Diameter [mm]: 34
 Fitting Position: behind the axle
 Fitting Position: Rear Axle Right
 Paired article numbers: CAL1600LJM

CAL1604LJM

Brake Caliper



HYUNDAI i30 (PDE)
 HYUNDAI i30 FASTBACK (PDE)
 HYUNDAI i30 Hatchback Van (PDE)
 HYUNDAI i30 Kombi Van (PDE)
 HYUNDAI i30 Station wagon
 KIA CEED (CD)

OE
 58110G4000
 58180G4A00

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 25
 Brake System: MOBIS
 Diameter [mm]: 57
 Fitting Position: Front Axle Left
 Fitting Position: in front of axle
 Paired article numbers: CAL1604RJM

CAL1604RJM

Brake Caliper



HYUNDAI i30 (PDE)
 HYUNDAI i30 FASTBACK (PDE)
 HYUNDAI i30 Hatchback Van (PDE)
 HYUNDAI i30 Kombi Van (PDE)
 HYUNDAI i30 Station wagon
 KIA CEED (CD)

OE
 58130G4000
 58190G4A00

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 25
 Brake System: MOBIS
 Diameter [mm]: 57
 Fitting Position: Front Axle Right
 Fitting Position: in front of axle
 Paired article numbers: CAL1604LJM

Brake system

CAL1605LJM

Brake Caliper



MERCEDES-BENZ 190 (W201)

OE
2014200483
A2014200483

Brake Caliper Type: Caliper (2 pistons)
Brake Disc Thickness [mm]: 9
Brake System: BENDIX
Diameter [mm]: 35
Fitting Position: behind the axle
Fitting Position: Rear Axle Left
Paired article numbers: CAL1605RJM

CAL1605RJM

Brake Caliper



MERCEDES-BENZ 190 (W201)

OE
2014200583
A2014200583

Brake Caliper Type: Caliper (2 pistons)
Brake Disc Thickness [mm]: 9
Brake System: BENDIX
Diameter [mm]: 35
Fitting Position: behind the axle
Fitting Position: Rear Axle Right
Paired article numbers: CAL1605LJM

CAL1612LJM

Brake Caliper



HONDA CIVIC IX (FK)
HONDA CIVIC IX Tourer (FK)
HONDA CIVIC IX Tre volumi (FB, FG)
HONDA CIVIC VIII Tre volumi (FD, FA)
HONDA CIVIC X 2 volumi /Coda spiovente (FC_, FK)

OE
45001TV0E01

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 25
Brake System: ATE
Diameter [mm]: 57
Fitting Position: Front Axle Left
Fitting Position: in front of axle
Paired article numbers: CAL1612RJM

CAL1612RJM

Brake Caliper



HONDA CIVIC IX (FK)
HONDA CIVIC IX Tourer (FK)
HONDA CIVIC IX Tre volumi (FB, FG)
HONDA CIVIC VIII Tre volumi (FD, FA)
HONDA CIVIC X 2 volumi /Coda spiovente (FC_, FK)

OE
45002TV0E01

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 25
Brake System: ATE
Diameter [mm]: 57
Fitting Position: Front Axle Right
Fitting Position: in front of axle
Paired article numbers: CAL1612LJM

CAL1614LJM

Brake Caliper



OPEL CALIBRA A (85_)
OPEL VECTRA A (86_, 87_)
OPEL VECTRA A 2 volumi /Coda spiovente (88_, 89_)
SAAB 900 II
SAAB 900 II Cabriolet

OE
4482550
542099
8828931
90443867

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 24
Brake System: ATE
Diameter [mm]: 54
Fitting Position: Front Axle Left
Fitting Position: in front of axle
Paired article numbers: CAL1614RJM

CAL1614RJM

Brake Caliper



OPEL CALIBRA A (85_)
OPEL VECTRA A (86_, 87_)
OPEL VECTRA A 2 volumi /Coda spiovente (88_, 89_)
SAAB 900 II
SAAB 900 II Cabriolet

OE
4482543
542100
8828949
90443868

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 24
Brake System: ATE
Diameter [mm]: 54
Fitting Position: Front Axle Right
Fitting Position: in front of axle
Paired article numbers: CAL1614LJM

Brake system

CAL1623LJM

Brake Caliper



VOLVO 740 (744)
VOLVO 740 Kombi (745)
VOLVO 760 (704, 764)
VOLVO 760 Kombi (704, 765)
VOLVO 780

OE

13297684
13595574
271364
2713642
5002883
50028836

Brake Caliper Type: Caliper (2 pistons)
Brake Disc Thickness [mm]: 22
Brake System: BENDIX
Diameter [mm]: 40
Fitting Position: behind the axle
Fitting Position: Front Axle Left
Paired article numbers: CAL1623RJM

CAL1623RJM

Brake Caliper



VOLVO 740 (744)
VOLVO 740 Kombi (745)
VOLVO 760 (704, 764)
VOLVO 760 Kombi (704, 765)
VOLVO 780

OE

13297692
13595582
271365
2713659
5002884
50028844

Brake Caliper Type: Caliper (2 pistons)
Brake Disc Thickness [mm]: 22
Brake System: BENDIX
Diameter [mm]: 40
Fitting Position: behind the axle
Fitting Position: Front Axle Right
Paired article numbers: CAL1623LJM

CAL1634LJM

Brake Caliper



CITROEN XANTIA (X1)
CITROEN XANTIA (X2)
CITROEN XANTIA Break (X1)

OE

4400H5
95667816

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 20,4
Brake System: BENDIX
Diameter [mm]: 54
Fitting Position: Front Axle Left
Fitting Position: in front of axle
for brake disk diameter [mm]: 266
Paired article numbers: CAL1634RJM

CAL1634RJM

Brake Caliper



CITROEN XANTIA (X1)
CITROEN XANTIA (X2)
CITROEN XANTIA Break (X1)

OE

4400H6
95667817

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 20,4
Brake System: BENDIX
Diameter [mm]: 54
Fitting Position: Front Axle Right
Fitting Position: in front of axle
for brake disk diameter [mm]: 266
Paired article numbers: CAL1634LJM

CAL1635LJM

Brake Caliper



MERCEDES-BENZ CLASSE E (W210)
MERCEDES-BENZ CLASSE E Pianale
piatto/Telaio (VF210)
MERCEDES-BENZ CLASSE E Station wagon
(S210)
MERCEDES-BENZ CLK (C208)

OE

0014203183
A0014203183
K05139587AA

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 28
Brake System: ATE
Diameter [mm]: 57
Fitting Position: Front Axle Left
Fitting Position: in front of axle
Paired article numbers: CAL1635RJM

CAL1635RJM

Brake Caliper



MERCEDES-BENZ CLASSE E (W210)
MERCEDES-BENZ CLASSE E Pianale
piatto/Telaio (VF210)
MERCEDES-BENZ CLASSE E Station wagon
(S210)
MERCEDES-BENZ CLK (C208)

OE

0014203283
A0014203283
K05139586AA

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 28
Brake System: ATE
Diameter [mm]: 57
Fitting Position: Front Axle Right
Fitting Position: in front of axle
Paired article numbers: CAL1635LJM

Brake system

CAL1636LJM

Brake Caliper



TOYOTA ALPHARD (ATH1_, MNH1_, ANH1_)
 TOYOTA AVENSIS VERSO (_CLM2_, _ACM2_)
 TOYOTA NOAH/VOXY (_ZRR7_)
 TOYOTA PREVIA (MCR3_, ACR3_, CLR3_)
 TOYOTA SIENNA (MCL2_, GSL2_)

OE
 4775028270

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 12
 Brake System: TOYOTA
 Diameter [mm]: 43
 Fitting Position: behind the axle
 Fitting Position: Rear Axle Left
 Paired article numbers: CAL1636RJM

CAL1636RJM

Brake Caliper



TOYOTA ALPHARD (ATH1_, MNH1_, ANH1_)
 TOYOTA AVENSIS VERSO (_CLM2_, _ACM2_)
 TOYOTA NOAH/VOXY (_ZRR7_)
 TOYOTA PREVIA (MCR3_, ACR3_, CLR3_)
 TOYOTA SIENNA (MCL2_, GSL2_)

OE
 4773028270

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 12
 Brake System: TOYOTA
 Diameter [mm]: 43
 Fitting Position: behind the axle
 Fitting Position: Rear Axle Right
 Paired article numbers: CAL1636LJM

CAL1645LJM

Brake Caliper



KIA CARENS I (FC)
 KIA CARENS II (FJ)

OE
 0K2FC49990

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 10
 Brake System: KASCO
 Diameter [mm]: 38
 Fitting Position: behind the axle
 Fitting Position: Rear Axle Left
 Paired article numbers: CAL1645RJM

CAL1645RJM

Brake Caliper



KIA CARENS I (FC)
 KIA CARENS II (FJ)

OE
 0K2FC49980

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 10
 Brake System: KASCO
 Diameter [mm]: 38
 Fitting Position: behind the axle
 Fitting Position: Rear Axle Right
 Paired article numbers: CAL1645LJM

CAL1648LJM

Brake Caliper



LAND ROVER FREELANDER (LN)
 LAND ROVER FREELANDER Soft Top

OE
 SEG100230

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 14
 Brake System: LUCAS
 Diameter [mm]: 57
 Fitting Position: Front Axle Left
 Fitting Position: in front of axle
 Paired article numbers: CAL1648RJM

CAL1648RJM

Brake Caliper



LAND ROVER FREELANDER (LN)
 LAND ROVER FREELANDER Soft Top

OE
 SEG100220

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 14
 Brake System: LUCAS
 Diameter [mm]: 57
 Fitting Position: Front Axle Right
 Fitting Position: in front of axle
 Paired article numbers: CAL1648LJM

Brake system

CAL1649LJM

Brake Caliper



SUZUKI S-CROSS
SUZUKI SX4 S-Cross
SUZUKI VITARA (LY)

OE

5510261M00
5510261M00999
5510261M01999
5510261M50999

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 22
Brake System: AKEBONO
Diameter [mm]: 57
Fitting Position: Front Axle Left
Fitting Position: in front of axle
Paired article numbers: CAL1649RJM

CAL1649RJM

Brake Caliper



SUZUKI S-CROSS
SUZUKI SX4 S-Cross
SUZUKI VITARA (LY)

OE

5510161M00
5510161M00999
5510161M01999
5510161M50999

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 22
Brake System: AKEBONO
Diameter [mm]: 57
Fitting Position: Front Axle Right
Fitting Position: in front of axle
Paired article numbers: CAL1649LJM

CAL1654LJM

Brake Caliper



MERCEDES-BENZ SL (R107)
MERCEDES-BENZ SL Coupe (C107)

OE

0004239198
A0004239198

Brake Caliper Type: Caliper (2 pistons)
Brake Disc Thickness [mm]: 10
Brake System: GIRLING
Diameter [mm]: 38
Fitting Position: behind the axle
Fitting Position: Rear Axle Left
Paired article numbers: CAL1654RJM

CAL1654RJM

Brake Caliper



MERCEDES-BENZ SL (R107)
MERCEDES-BENZ SL Coupe (C107)

OE

0004239298
A0004239298

Brake Caliper Type: Caliper (2 pistons)
Brake Disc Thickness [mm]: 10
Brake System: GIRLING
Diameter [mm]: 38
Fitting Position: behind the axle
Fitting Position: Rear Axle Right
Paired article numbers: CAL1654LJM

CAL1657LJM

Brake Caliper



CITROEN C4 III
CITROEN C4 X (BD_, BE_, BF_)
DS DS 3 CROSSBACK (U_)
OPEL CORSA F
OPEL CORSA F Van
OPEL MOKKA

OE

1648321580

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 26
Brake System: CBI
Diameter [mm]: 54
Fitting Position: Front Axle Left
Fitting Position: in front of axle
for brake disk diameter [mm]: 283
Paired article numbers: CAL1657RJM

CAL1657RJM

Brake Caliper



CITROEN C4 III
CITROEN C4 X (BD_, BE_, BF_)
DS DS 3 CROSSBACK (U_)
OPEL CORSA F
OPEL CORSA F Van
OPEL MOKKA

OE

1648321680

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 26
Brake System: CBI
Diameter [mm]: 54
Fitting Position: Front Axle Right
Fitting Position: in front of axle
for brake disk diameter [mm]: 283
Paired article numbers: CAL1657LJM

Brake system

CAL1664LJM

Brake Caliper



LEXUS GS (GRS19_, UZS19_, GWS19_)
LEXUS IS II (GSE2_, ALE2_, USE2_)
TOYOTA MARK X II (GRX13_)

OE

4785022220
4785022221

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 18
Brake System: ADVICS
Diameter [mm]: 45
Fitting Position: behind the axle
Fitting Position: Rear Axle Left
Paired article numbers: CAL1664RJM

CAL1664RJM

Brake Caliper



LEXUS GS (GRS19_, UZS19_, GWS19_)
LEXUS IS II (GSE2_, ALE2_, USE2_)
TOYOTA MARK X II (GRX13_)

OE

4783022220
4783022221

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 18
Brake System: ADVICS
Diameter [mm]: 45
Fitting Position: behind the axle
Fitting Position: Rear Axle Right
Paired article numbers: CAL1664LJM

CAL1672LJM

Brake Caliper



SUBARU IMPREZA Station wagon (GF)
SUBARU IMPREZA Tre volumi (GC)

OE

26692FA070

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 18
Brake System: AKEBONO
Diameter [mm]: 38
Fitting Position: behind the axle
Fitting Position: Rear Axle Left
Paired article numbers: CAL1672RJM

CAL1672RJM

Brake Caliper



SUBARU IMPREZA Station wagon (GF)
SUBARU IMPREZA Tre volumi (GC)

OE

26692FA060

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 18
Brake System: AKEBONO
Diameter [mm]: 38
Fitting Position: behind the axle
Fitting Position: Rear Axle Right
Paired article numbers: CAL1672LJM

CAL619LJM

Brake Caliper



JAGUAR XJ (NAW, NBW)
JAGUAR XK 8 Convertible (QDV)
JAGUAR XK 8 Coupe (QEV)

OE

JLM1828
JLM20079
JLM20891
JLM21466
JLM21468
MJD7843AA

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 28
Brake System: ATE
Diameter [mm]: 60
Fitting Position: behind the axle
Fitting Position: Front Axle Left
Paired article numbers: CAL619RJM

CAL619RJM

Brake Caliper



JAGUAR XJ (NAW, NBW)
JAGUAR XK 8 Convertible (QDV)
JAGUAR XK 8 Coupe (QEV)

OE

JLM1827
JLM20078
JLM20890
JLM21465
JLM21467
MJD7842AA

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 28
Brake System: ATE
Diameter [mm]: 60
Fitting Position: behind the axle
Fitting Position: Front Axle Right
Paired article numbers: CAL619LJM

Brake system

CAL623LJM

Brake Caliper



MERCEDES-BENZ CLASSE C (W203)
 MERCEDES-BENZ CLASSE C Coupe (CL203)
 MERCEDES-BENZ CLASSE C T-Model (S203)
 MERCEDES-BENZ CLASSE CLC (CL203)
 MERCEDES-BENZ CLK (C209)
 MERCEDES-BENZ CLK Cabriolet (A209)

OE
 0034203683
 A0034203683

Brake Caliper Type: Caliper (2 pistons)
 Brake Disc Thickness [mm]: 28
 Brake System: BREMBO
 Diameter [mm]: 57
 Fitting Position: behind the axle
 Fitting Position: Front Axle Left
 Paired article numbers: CAL623RJM

CAL623RJM

Brake Caliper



MERCEDES-BENZ CLASSE C (W203)
 MERCEDES-BENZ CLASSE C Coupe (CL203)
 MERCEDES-BENZ CLASSE C T-Model (S203)
 MERCEDES-BENZ CLASSE CLC (CL203)
 MERCEDES-BENZ CLK (C209)
 MERCEDES-BENZ CLK Cabriolet (A209)

OE
 0034203983
 A0034203983

Brake Caliper Type: Caliper (2 pistons)
 Brake Disc Thickness [mm]: 28
 Brake System: BREMBO
 Diameter [mm]: 57
 Fitting Position: behind the axle
 Fitting Position: Front Axle Right
 Paired article numbers: CAL623LJM

CAL624LJM

Brake Caliper



TOYOTA CELICA (ZZT23_)
 TOYOTA MATRIX (ZZE13_)
 TOYOTA PRIUS Tre volumi (NHW11_)

OE
 4775020620

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 10
 Brake System: SUMITOMO
 Diameter [mm]: 34
 Fitting Position: in front of axle
 Fitting Position: Rear Axle Left
 Paired article numbers: CAL624RJM

CAL624RJM

Brake Caliper



TOYOTA CELICA (ZZT23_)
 TOYOTA MATRIX (ZZE13_)
 TOYOTA PRIUS Tre volumi (NHW11_)

OE
 4773020630

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 10
 Brake System: SUMITOMO
 Diameter [mm]: 34
 Fitting Position: in front of axle
 Fitting Position: Rear Axle Right
 Paired article numbers: CAL624LJM

CAL627LJM

Brake Caliper



OPEL KARL
 VAUXHALL VIVA (C16)

OE
 13591400
 542430
 95522637

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 20
 Brake System: DAC
 Diameter [mm]: 52
 Fitting Position: Front Axle Left
 Fitting Position: in front of axle
 Paired article numbers: CAL627RJM

CAL627RJM

Brake Caliper



OPEL KARL
 VAUXHALL VIVA (C16)

OE
 13591423
 542433
 95522643

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 20
 Brake System: DAC
 Diameter [mm]: 52
 Fitting Position: Front Axle Right
 Fitting Position: in front of axle
 Paired article numbers: CAL627LJM

Brake system

CAL636LJM

Brake Caliper



FORD SCORPIO I (GAE, GGE)
 FORD SCORPIO I Station wagon (GGE)
 FORD SCORPIO I Tre volumi (GGE)
 FORD SCORPIO II (GFR, GGR)
 FORD SIERRA (GBG, GB4)
 FORD SIERRA 2 volumi /Coda spiovente

OE
 6152224
 85GB2L591BD

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 10,5
 Brake System: GIRLING
 Diameter [mm]: 43
 Fitting Position: in front of axle
 Fitting Position: Rear Axle Left
 Paired article numbers: CAL636RJM

CAL639LJM

Brake Caliper



VOLVO 740 (744)
 VOLVO 740 Kombi (745)
 VOLVO 760 (704, 764)
 VOLVO 760 Kombi (704, 765)

OE
 13304142
 35307552

Brake Caliper Type: Caliper (2 pistons)
 Brake Disc Thickness [mm]: 9,6
 Brake System: ATE
 Diameter [mm]: 36
 Fitting Position: behind the axle
 Fitting Position: Rear Axle Left
 Paired article numbers: CAL639RJM

CAL639RJM

Brake Caliper



VOLVO 740 (744)
 VOLVO 740 Kombi (745)
 VOLVO 760 (704, 764)
 VOLVO 760 Kombi (704, 765)

OE
 13304159
 35307560

Brake Caliper Type: Caliper (2 pistons)
 Brake Disc Thickness [mm]: 9,6
 Brake System: ATE
 Diameter [mm]: 36
 Fitting Position: behind the axle
 Fitting Position: Rear Axle Right
 Paired article numbers: CAL639LJM

CAL644LJM

Brake Caliper



HYUNDAI ix35 (LM, EL, ELH)
 HYUNDAI TUCSON
 HYUNDAI TUCSON Cassone/SUV (TLE)
 KIA SPORTAGE (QL)

OE
 58110D3100
 58110D7100
 58180D3A10
 58180D7A10

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 25
 Brake System: MANDO
 Diameter [mm]: 60
 Fitting Position: Front Axle Left
 Fitting Position: in front of axle
 Paired article numbers: CAL644RJM

CAL644RJM

Brake Caliper



HYUNDAI ix35 (LM, EL, ELH)
 HYUNDAI TUCSON
 HYUNDAI TUCSON Cassone/SUV (TLE)
 KIA SPORTAGE (QL)

OE
 58130D3100
 58130D7100
 58190D3A10
 58190D7A10

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 25
 Brake System: MANDO
 Diameter [mm]: 60
 Fitting Position: Front Axle Right
 Fitting Position: in front of axle
 Paired article numbers: CAL644LJM

CAL645LJM

Brake Caliper



MITSUBISHI L 200 (K7_T, K6_T)

OE
 MR527977

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 24
 Brake System: TOKICO
 Diameter [mm]: 60
 Fitting Position: behind the axle
 Fitting Position: Front Axle Left
 Paired article numbers: CAL645RJM

Brake system

CAL645RJM

Brake Caliper



MITSUBISHI L 200 (K7_T, K6_T)

OE
MR527978

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 24
Brake System: TOKICO
Diameter [mm]: 60
Fitting Position: behind the axle
Fitting Position: Front Axle Right
Paired article numbers: CAL645LJM

CAL647LJM

Brake Caliper



TOYOTA ECHO Tre volumi
TOYOTA PLATZ (NCP1_)
TOYOTA YARIS (SCP1_, NLP1_, NCP1_)

OE
4775052010

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 18
Brake System: AISIN
Diameter [mm]: 51
Fitting Position: Front Axle Left
Fitting Position: in front of axle
Paired article numbers: CAL647RJM

CAL647RJM

Brake Caliper



TOYOTA ECHO Tre volumi
TOYOTA YARIS (SCP1_, NLP1_, NCP1_)

OE
4773052010

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 18
Brake System: AISIN
Diameter [mm]: 51
Fitting Position: Front Axle Right
Fitting Position: in front of axle
Paired article numbers: CAL647LJM

CAL652LJM

Brake Caliper



NISSAN EVALIA
NISSAN NV200 EVALIA
NISSAN NV200 Furgonato

OE
41011JX50B

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 26
Brake System: NISSAN
Diameter [mm]: 60
Fitting Position: Front Axle Left
Fitting Position: in front of axle
Paired article numbers: CAL652RJM

CAL652RJM

Brake Caliper



NISSAN EVALIA
NISSAN NV200 EVALIA
NISSAN NV200 Furgonato

OE
41001JX50B

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 26
Brake System: NISSAN
Diameter [mm]: 60
Fitting Position: Front Axle Right
Fitting Position: in front of axle
Paired article numbers: CAL652LJM

CAL656LJM

Brake Caliper



RENAULT MASCOTT Furgonato (FH_)
RENAULT MASCOTT Pianale piatto/Telaio (UH_, HH_)
RENAULT MASTER PRO Furgonato (FH_)
RENAULT MASTER PRO Pianale piatto/Telaio (HH_, UH_)

OE
5001848129
5001867385
5001867468
5001874366

Brake Caliper Type: Caliper (2 pistons)
Brake Disc Thickness [mm]: 26
Brake System: BREMBO
Diameter [mm]: 52
Fitting Position: Front Axle Left
Fitting Position: in front of axle
Paired article numbers: CAL656RJM

Brake system

CAL656RJM

Brake Caliper



RENAULT MASCOTT Furgonato (FH_)
 RENAULT MASCOTT Pianale piatto/Telaio (UH_,
 HH_)
 RENAULT MASTER PRO Furgonato (FH_)
 RENAULT MASTER PRO Pianale piatto/Telaio
 (HH_, UH_)

OE

5001848130
 5001867386
 5001867469
 5001874367

Brake Caliper Type: Caliper (2 pistons)
 Brake Disc Thickness [mm]: 26
 Brake System: BREMBO
 Diameter [mm]: 52
 Fitting Position: Front Axle Right
 Fitting Position: in front of axle
 Paired article numbers: CAL656LJM

CAL658LJM

Brake Caliper



PEUGEOT 308 Cassone / coda spiovente (LB_)
 PEUGEOT 308 II
 PEUGEOT 308 SW II
 PEUGEOT 308 SW II Cassone / Furgonato /
 Promiscuo (LC_)

OE

1610698980
 1651765080

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 22
 Brake System: MANDO
 Diameter [mm]: 57
 Fitting Position: Front Axle Left
 Fitting Position: in front of axle
 Paired article numbers: CAL658RJM

CAL658RJM

Brake Caliper



PEUGEOT 308 Cassone / coda spiovente (LB_)
 PEUGEOT 308 II
 PEUGEOT 308 SW II
 PEUGEOT 308 SW II Cassone / Furgonato /
 Promiscuo (LC_)

OE

1610699080
 1651765180

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 22
 Brake System: MANDO
 Diameter [mm]: 57
 Fitting Position: Front Axle Right
 Fitting Position: in front of axle
 Paired article numbers: CAL658LJM

CAL659LJM

Brake Caliper



LAND ROVER FREELANDER 2 (FA_)
 LAND ROVER FREELANDER 2 VAN (L359)

OE

LR043283

Brake Disc Thickness [mm]: 12
 Brake System: TRW
 Diameter [mm]: 36
 Fitting Position: behind the axle
 Fitting Position: Rear Axle Left
 Paired article numbers: CAL659RJM
 Supplementary Article/Supplementary Info:
 with electric motor

CAL659RJM

Brake Caliper



LAND ROVER FREELANDER 2 (FA_)
 LAND ROVER FREELANDER 2 VAN (L359)

OE

LR043282

Brake Disc Thickness [mm]: 12
 Brake System: TRW
 Diameter [mm]: 36
 Fitting Position: behind the axle
 Fitting Position: Rear Axle Right
 Paired article numbers: CAL659LJM
 Supplementary Article/Supplementary Info:
 with electric motor

CAL663LJM

Brake Caliper



TOYOTA GRANVIA (_H2_, _H1_)
 TOYOTA HIACE III Furgonato (YH7_, LH6_, LH7_,
 LH5_, YH5_)
 TOYOTA HIACE III Wagon (LH1_, RZH1_)
 TOYOTA HIACE IV Autobus (LH1_)
 TOYOTA HIACE IV Furgonato (H100)

OE

4775026130
 4775026131
 4775026132
 4775026H30
 4775026H40

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 28
 Brake System: AISIN
 Diameter [mm]: 67
 Fitting Position: behind the axle
 Fitting Position: Front Axle Left
 Paired article numbers: CAL663RJM

Brake system

CAL663RJM

Brake Caliper



TOYOTA GRANVIA (_H2_, _H1_)
 TOYOTA HIACE III Furgonato (YH7_, LH6_, LH7_, LH5_, YH5_,
 TOYOTA HIACE III Wagon (LH1_, RZH1_)
 TOYOTA HIACE IV Autobus (LH1_)
 TOYOTA HIACE IV Furgonato (H100)

OE

4773026130
 4773026131
 4773026132
 4773026H30
 4773026H40

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 28
 Brake System: AISIN
 Diameter [mm]: 67
 Fitting Position: behind the axle
 Fitting Position: Front Axle Right
 Paired article numbers: CAL663LJM

CAL669LJM

Brake Caliper



SUBARU IMPREZA Station wagon (GD, GG)
 SUBARU IMPREZA Station wagon (GF)
 SUBARU IMPREZA Tre volumi (GC)
 SUBARU IMPREZA Tre volumi (GD, GG)
 SUBARU IMPREZA Tre volumi (GR)

OE

26291FA060
 26292FE050
 26292FE051
 26292FE070

Brake Caliper Type: Caliper (4 pistons)
 Brake Disc Thickness [mm]: 26
 Brake System: SUMITOMO
 Diameter [mm]: 40
 Fitting Position: behind the axle
 Fitting Position: Front Axle Left
 Paired article numbers: CAL669RJM

CAL669RJM

Brake Caliper



SUBARU IMPREZA Station wagon (GD, GG)
 SUBARU IMPREZA Station wagon (GF)
 SUBARU IMPREZA Tre volumi (GC)
 SUBARU IMPREZA Tre volumi (GD, GG)
 SUBARU IMPREZA Tre volumi (GR)

OE

26291FA050
 26292FE040
 26292FE041
 26292FE060

Brake Caliper Type: Caliper (4 pistons)
 Brake Disc Thickness [mm]: 26
 Brake System: SUMITOMO
 Diameter [mm]: 40
 Fitting Position: behind the axle
 Fitting Position: Front Axle Right
 Paired article numbers: CAL669LJM

CAL670LJM

Brake Caliper



HYUNDAI TERRACAN (HP)

OE

58110H1080
 58180H1A30

Brake Caliper Type: Caliper (2 pistons)
 Brake Disc Thickness [mm]: 27
 Brake System: MANDO
 Diameter [mm]: 43
 Fitting Position: Front Axle Left
 Fitting Position: in front of axle
 Paired article numbers: CAL670RJM

CAL670RJM

Brake Caliper



HYUNDAI TERRACAN (HP)

OE

58130H1080
 58190H1A30

Brake Caliper Type: Caliper (2 pistons)
 Brake Disc Thickness [mm]: 27
 Brake System: MANDO
 Diameter [mm]: 43
 Fitting Position: Front Axle Right
 Fitting Position: in front of axle
 Paired article numbers: CAL670LJM

CAL673LJM

Brake Caliper



KIA SORENTO I (JC)
 KIA SORENTO I VAN (JC)

OE

581103E100

Brake Caliper Type: Caliper (2 pistons)
 Brake Disc Thickness [mm]: 28
 Brake System: KASCO
 Diameter [mm]: 46
 Fitting Position: Front Axle Left
 Fitting Position: in front of axle
 Paired article numbers: CAL673RJM

Brake system

CAL673RJM

Brake Caliper



KIA SORENTO I (JC)
KIA SORENTO I VAN (JC)

OE
581303E100

Brake Caliper Type: Caliper (2 pistons)
Brake Disc Thickness [mm]: 28
Brake System: KASCO
Diameter [mm]: 46
Fitting Position: Front Axle Right
Fitting Position: in front of axle
Paired article numbers: CAL673LJM

CAL689LJM

Brake Caliper



TOYOTA ALLION I (ZZT24_, NZT24_, AZT24_)
TOYOTA CELICA (ZZT23_)
TOYOTA COROLLA (ZZE12_, NDE12_, ZDE12_)
TOYOTA COROLLA Station wagon (_E12J_,
E12T)
TOYOTA COROLLA Tre volumi (_E12J_, _E12T_)

OE
4775020510

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 25
Brake System: AISIN
Diameter [mm]: 57
Fitting Position: Front Axle Left
Fitting Position: in front of axle
Paired article numbers: CAL689RJM

CAL689RJM

Brake Caliper



TOYOTA ALLION I (ZZT24_, NZT24_, AZT24_)
TOYOTA CELICA (ZZT23_)
TOYOTA COROLLA (ZZE12_, NDE12_, ZDE12_)
TOYOTA COROLLA Station wagon (_E12J_,
E12T)
TOYOTA COROLLA Tre volumi (_E12J_, _E12T_)

OE
4773020600

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 25
Brake System: AISIN
Diameter [mm]: 57
Fitting Position: Front Axle Right
Fitting Position: in front of axle
Paired article numbers: CAL689LJM

CAL691LJM

Brake Caliper



IVECO DAILY I Autobus
IVECO DAILY I Cassone / Furgonato / Promiscuo
IVECO DAILY I Pianale piatto/Telaio
IVECO DAILY II Cassone / Furgonato /
Promiscuo
IVECO DAILY II Pianale piatto/Telaio

OE
20388410
42532362
42561695
4855362
500302157
93156969

Brake Caliper Type: Caliper (4 pistons)
Brake Disc Thickness [mm]: 14,2
Brake System: BREMBO
Diameter [mm]: 42
Fitting Position: behind the axle
Fitting Position: Front Axle Left
Paired article numbers: CAL691RJM

CAL691RJM

Brake Caliper



IVECO DAILY I Autobus
IVECO DAILY I Cassone / Furgonato / Promiscuo
IVECO DAILY I Pianale piatto/Telaio
IVECO DAILY II Cassone / Furgonato /
Promiscuo
IVECO DAILY II Pianale piatto/Telaio

OE
20388420
42532363
42561696
4855363
500302158
93156970

Brake Caliper Type: Caliper (4 pistons)
Brake Disc Thickness [mm]: 14,2
Brake System: BREMBO
Diameter [mm]: 42
Fitting Position: behind the axle
Fitting Position: Front Axle Right
Paired article numbers: CAL691LJM

CAL696LJM

Brake Caliper



IVECO DAILY III Cassone / Furgonato /
Promiscuo
IVECO DAILY III Pianale piatto/Telaio
RENAULT MASCOTT Furgonato (FH_)
RENAULT MASCOTT Pianale piatto/Telaio (UH_,
HH_)

OE
42535438
42536634
42548185
5001848133
5001867383
5001874368

Brake Caliper Type: Caliper (2 pistons)
Brake Disc Thickness [mm]: 22
Brake System: BREMBO
Diameter [mm]: 46
Fitting Position: in front of axle
Fitting Position: Rear Axle Left
Paired article numbers: CAL696RJM

Brake system

CAL703LJM

Brake Caliper



MERCEDES-BENZ SPRINTER 3,5-t Autabus (907)
 MERCEDES-BENZ SPRINTER 3,5-t Furgonato
 (907, 910)
 MERCEDES-BENZ SPRINTER 3,5-t Pianale
 piatto/Telaio (907, 910)
 MERCEDES-BENZ SPRINTER 3-t Autabus (907)

OE

9074212400
 9074215100
 9074219100
 A9074212400
 A9074215100
 A9074219100

Brake Caliper Type: Caliper (2 pistons)
 Brake Disc Thickness [mm]: 28
 Brake System: BREMBO
 Diameter [mm]: 48
 Fitting Position: behind the axle
 Fitting Position: Front Axle Left
 for brake disk diameter [mm]: 300
 Paired article numbers: CAL703RJM

CAL709LJM

Brake Caliper



VOLVO 740 (744)
 VOLVO 740 Kombi (745)
 VOLVO 760 (704, 764)
 VOLVO 760 Kombi (704, 765)
 VOLVO 780
 VOLVO 940 (944)

OE

1329866
 271383
 2713832
 3516511
 35165117
 3516513

Brake Caliper Type: Caliper (2 pistons)
 Brake Disc Thickness [mm]: 22
 Brake System: GIRLING
 Diameter [mm]: 40
 Fitting Position: behind the axle
 Fitting Position: Front Axle Left
 Paired article numbers: CAL709RJM

CAL709RJM

Brake Caliper



VOLVO 740 (744)
 VOLVO 740 Kombi (745)
 VOLVO 760 (704, 764)
 VOLVO 760 Kombi (704, 765)
 VOLVO 780
 VOLVO 940 (944)

OE

1329867
 271384
 2713840
 3516512
 35165125
 3516514

Brake Caliper Type: Caliper (2 pistons)
 Brake Disc Thickness [mm]: 22
 Brake System: GIRLING
 Diameter [mm]: 40
 Fitting Position: behind the axle
 Fitting Position: Front Axle Right
 Paired article numbers: CAL709LJM

CAL711LJM

Brake Caliper



CITROEN C15 (VD-)
 PEUGEOT 305 II (581M)
 PEUGEOT 305 II Break (581E)
 PEUGEOT 309 Cassone / coda spiovente (10S,
 3S)
 PEUGEOT 309 I (10C, 10A)

OE

440068
 441003

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 10
 Brake System: BENDIX
 Diameter [mm]: 48
 Fitting Position: Front Axle Left
 Fitting Position: in front of axle
 Paired article numbers: CAL711RJM

CAL711RJM

Brake Caliper



PEUGEOT 305 II (581M)
 PEUGEOT 305 II Break (581E)
 PEUGEOT 309 Cassone / coda spiovente (10S,
 3S)
 PEUGEOT 309 I (10C, 10A)
 PEUGEOT 309 II (3C, 3A)

OE

440069

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 10
 Brake System: BENDIX
 Diameter [mm]: 48
 Fitting Position: Front Axle Right
 Fitting Position: in front of axle
 Paired article numbers: CAL711LJM

CAL717LJM

Brake Caliper



SAAB 9-5 (YS3E)
 SAAB 9-5 Station wagon (YS3E)

OE

4566873
 4612701
 4836953

Brake Caliper Type: Caliper (2 pistons)
 Brake Disc Thickness [mm]: 10
 Brake System: ATE
 Diameter [mm]: 38
 Fitting Position: behind the axle
 Fitting Position: Rear Axle Left
 Paired article numbers: CAL717RJM

Brake system

CAL717RJM

Brake Caliper



SAAB 9-5 (YS3E)
SAAB 9-5 Station wagon (YS3E)

OE

4566881
4612719
4836946

Brake Caliper Type: Caliper (2 pistons)
Brake Disc Thickness [mm]: 10
Brake System: ATE
Diameter [mm]: 38
Fitting Position: behind the axle
Fitting Position: Rear Axle Right
Paired article numbers: CAL717LJM

CAL722LJM

Brake Caliper



MERCEDES-BENZ CLASSE E (W211)
MERCEDES-BENZ CLASSE E Pianale
piatto/Telaio (VF211)
MERCEDES-BENZ CLASSE E T-Model (S211)
MERCEDES-BENZ CLASSE S (W220)
MERCEDES-BENZ CLS (C219)

OE

0024202183
A0024202183

Brake Caliper Type: Caliper (4 pistons)
Brake Disc Thickness [mm]: 28
Brake System: BREMBO
Diameter 1/ Diameter 2 [mm]: 40/44
Fitting Position: behind the axle
Fitting Position: Front Axle Left
Paired article numbers: CAL722RJM

CAL722RJM

Brake Caliper



MERCEDES-BENZ CLASSE E (W211)
MERCEDES-BENZ CLASSE E Pianale
piatto/Telaio (VF211)
MERCEDES-BENZ CLASSE E T-Model (S211)
MERCEDES-BENZ CLASSE S (W220)
MERCEDES-BENZ CLS (C219)

OE

0024202283
A0024202283

Brake Caliper Type: Caliper (4 pistons)
Brake Disc Thickness [mm]: 28
Brake System: BREMBO
Diameter 1/ Diameter 2 [mm]: 40/44
Fitting Position: behind the axle
Fitting Position: Front Axle Right
Paired article numbers: CAL722LJM

CAL728LJM

Brake Caliper



MERCEDES-BENZ CLASSE C (W205)
MERCEDES-BENZ CLASSE C Cabriolet (A205)
MERCEDES-BENZ CLASSE C Coupé (C205)
MERCEDES-BENZ CLASSE C T-Model (S205)
MERCEDES-BENZ GLC (X253)
MERCEDES-BENZ GLC Coupé (C253)

OE

2534230181
A2534230181

Brake Disc Thickness [mm]: 24
Brake System: ATE
Diameter [mm]: 44
Fitting Position: behind the axle
Fitting Position: Rear Axle Left
Paired article numbers: CAL728RJM
Supplementary Article/Supplementary Info:
with electric motor

CAL728RJM

Brake Caliper



MERCEDES-BENZ CLASSE C (W205)
MERCEDES-BENZ CLASSE C Cabriolet (A205)
MERCEDES-BENZ CLASSE C Coupé (C205)
MERCEDES-BENZ CLASSE C T-Model (S205)
MERCEDES-BENZ GLC (X253)
MERCEDES-BENZ GLC Coupé (C253)

OE

2534230281
A2534230281

Brake Disc Thickness [mm]: 24
Brake System: ATE
Diameter [mm]: 44
Fitting Position: behind the axle
Fitting Position: Rear Axle Right
Paired article numbers: CAL728LJM
Supplementary Article/Supplementary Info:
with electric motor

Brake system

600021C

Brake Disc



KIA STINGER (CK)
KIA STINGER Hatchback Van (CK)

OE

51712-J5250
51712J5250

Brake Disc Thickness [mm]: 30
Brake Disc Type: Internally Vented
Centering Diameter [mm]: 69
Fitting Position: Front Axle
Minimum Thickness [mm]: 28
Number of Bores: 5
Number of mounting bores: 2
Outer Diameter [mm]: 345
Pitch Circle [mm]: 114
Surface: Painted
Thickness [mm]: 57

600022C

Brake Disc



GENESIS G70 (IK)
KIA STINGER (CK)
KIA STINGER Hatchback Van (CK)


OE

51712-J5550
51712J5500
51712J5550

Brake Disc Thickness [mm]: 30
Brake Disc Type: Internally Vented
Centering Diameter [mm]: 69
Fitting Position: Front Axle
Minimum Thickness [mm]: 28
Number of Bores: 5
Number of mounting bores: 2
Outer Diameter [mm]: 350
Pitch Circle [mm]: 114
Surface: Painted
Thickness [mm]: 56

600195C

Brake Disc



BMW 5 (E34)
BMW 5 Touring (E34)


OE

34111158550
34111165263

Brake Disc Thickness [mm]: 28
Brake Disc Type: Vented
Fitting Position: Front Axle
Height [mm]: 55
Minimum Thickness [mm]: 26,4
Number of Bores: 5
Outer Diameter [mm]: 296

600197C

Brake Disc



BMW 7 (E65, E66, E67)


OE

34116753091
34116766107
34116767353
34116864904

Brake Disc Thickness [mm]: 36
Brake Disc Type: Vented
Centering Diameter [mm]: 79
Fitting Position: Front Axle
Height [mm]: 81
Minimum Thickness [mm]: 34,4
Number of Bores: 5
Outer Diameter [mm]: 374
Tightening Torque [Nm]: 14

600280C

Brake Disc



ALFA ROMEO 75 (162B)
ALFA ROMEO GIULIETTA (116)

OE


0060526087
0060702523
0060727282
116332201401
11633221401
116502201401

Brake Disc Thickness [mm]: 12,6
Brake Disc Type: Solid
Fitting Position: Front Axle
Minimum Thickness [mm]: 10,7
Number of Bores: 4
Outer Diameter [mm]: 250
Tightening Torque [Nm]: 10

Brake system

600369C

Brake Disc



FORD ECONOVAN Furgonato (KAA)
 FORD ESCORT '81 Express (AVA)
 FORD ESCORT '86 Express (AVF)
 FORD ESCORT III (GAA)
 FORD ESCORT III Cabriolet (ALD)
 FORD ESCORT III Station wagon (AWA)


OE

1096104
 12429474
 12429476
 12429483
 1595875
 1619053

Brake Disc Thickness [mm]: 24
 Brake Disc Type: Vented
 Fitting Position: Front Axle
 Minimum Thickness [mm]: 22,2
 Number of Bores: 4
 Outer Diameter [mm]: 240
 Tightening Torque [Nm]: 10

600372C

Brake Disc



FORD FIESTA Furgonato (FVD)
 FORD FIESTA Furgonato (WFVT)
 FORD FIESTA I (GFBT)
 FORD FIESTA II (FBD)
 NISSAN CABSTAR E Pick-up


OE

1102559
 1570348
 1571346
 1571347
 1571348
 1575877

Brake Disc Thickness [mm]: 10
 Brake Disc Type: Solid
 Fitting Position: Front Axle
 Minimum Thickness [mm]: 8,7
 Number of Bores: 4
 Outer Diameter [mm]: 221
 Tightening Torque [Nm]: 10

600375C

Brake Disc



FORD ESCORT VI (GAL)
 FORD ESCORT VII (GAL, AAL, ABL)
 FORD SIERRA (GBG, GB4)
 FORD SIERRA 2 volumi /Coda spiovente (GBC, GBG)


OE

1661467
 1664467
 5024174
 5026674
 V89BX1125AC
 V89BX1125BA

Brake Disc Thickness [mm]: 24
 Brake Disc Type: Vented
 Fitting Position: Front Axle
 Minimum Thickness [mm]: 22,2
 Number of Bores: 4
 Outer Diameter [mm]: 278

600376C

Brake Disc



FORD P 100 I
 FORD P 100 II


OE

1610869
 5022679
 617443
 6174443
 88PX1125BA
 T77BC1125BB

Brake Disc Thickness [mm]: 24
 Brake Disc Type: Vented
 Centering Diameter [mm]: 63,6
 Fitting Position: Front Axle
 Height [mm]: 58,1
 Minimum Thickness [mm]: 22,2
 Number of Bores: 5
 Outer Diameter [mm]: 240
 Tightening Torque [Nm]: 11,5

600380C

Brake Disc



FORD PUMA

OE


2384229
 L1TC1125AA

Brake Disc Thickness [mm]: 25
 Brake Disc Type: Vented
 Fitting Position: Front Axle
 Height [mm]: 43,9
 Hub Diameter [mm]: 63,6
 Minimum Thickness [mm]: 23
 Number of Bores: 5
 Outer Diameter [mm]: 278
 Pitch Circle [mm]: 108

Brake system

600384C

Brake Disc



FORD TOURNEO CUSTOM Autobus
FORD TRANSIT CUSTOM Autobus
FORD TRANSIT CUSTOM Furgonato

OE
2199111
JK211125GA

Brake Disc Thickness [mm]: 33
Brake Disc Type: Internally Vented
Centering Diameter [mm]: 93,1
Fitting Position: Front Axle
Height [mm]: 55,4
Inner Diameter [mm]: 136
Minimum Thickness [mm]: 30
Number of Bores: 5
Outer Diameter [mm]: 324
Pitch Circle [mm]: 116

600393C

Brake Disc




VOLVO 440 K (445)
VOLVO 460 L (464)
VOLVO 480 E

OE
3410294
34102947
3410297
345661
34596
3459661

Brake Disc Thickness [mm]: 12
Brake Disc Type: Solid
Fitting Position: Front Axle
Minimum Thickness [mm]: 10,8
Number of Bores: 6
Outer Diameter [mm]: 260
Tightening Torque [Nm]: 11

600597C

Brake Disc



JEEP GRAND CHEROKEE IV (WK, WK2)
MERCEDES-BENZ CLASSE S Coupe (C126)

OE
1264200272
A1264200272
A126420027264

Brake Disc Thickness [mm]: 22
Brake Disc Type: Vented
Centering Diameter [mm]: 80
Fitting Position: Front Axle
Height [mm]: 60
Minimum Thickness [mm]: 19,4
Number of Bores: 5
Outer Diameter [mm]: 286
Tightening Torque [Nm]: 11

600730C

Brake Disc




RENAULT SCÉNIC I (JA0/1_)

OE
8200196263

Bore [mm]: 15,6
Brake Disc Thickness [mm]: 26
Brake Disc Type: Vented
Centering Diameter [mm]: 61
Fitting Position: Front Axle
Height [mm]: 44
Minimum Thickness [mm]: 22,8
Number of Bores: 5
Outer Diameter [mm]: 300

600981C

Brake Disc



VW TRANSPORTER IV Autobus (70XB, 70XC,
7DB, 7DW)
VW TRANSPORTER IV Furgonato (70XA)
VW TRANSPORTER IV Pianale piatto/Telaio
(70XD)


OE
701615301
701615301C

Brake Disc Thickness [mm]: 16
Brake Disc Type: Solid
Centering Diameter [mm]: 68,1
Fitting Position: Front Axle
Height [mm]: 64,2
Minimum Thickness [mm]: 13
Number of Bores: 5
Outer Diameter [mm]: 260
Tightening Torque [Nm]: 11,5

Brake system

600983C

Brake Disc



AUDI 80 (8C, B4)
AUDI 80 Avant (8C, B4)
AUDI CABRIOLET (8G7, B4)
AUDI COUPE (89, 8B)


OE

8A0615301A
8A0615301E

Brake Disc Thickness [mm]: 22
Brake Disc Type: Vented
Centering Diameter [mm]: 68
Fitting Position: Front Axle
Height [mm]: 56,2
Minimum Thickness [mm]: 20
Number of Bores: 4
Outer Diameter [mm]: 280
Tightening Torque [Nm]: 11

600984C

Brake Disc



AUDI 80 (8C, B4)
AUDI 80 Avant (8C, B4)


OE

8A0615301
8A0615301D

Brake Disc Thickness [mm]: 13
Brake Disc Type: Solid
Centering Diameter [mm]: 68
Fitting Position: Front Axle
Height [mm]: 56,2
Minimum Thickness [mm]: 11
Number of Bores: 4
Outer Diameter [mm]: 280
Tightening Torque [Nm]: 11

605012C

Brake Disc



MERCEDES-BENZ CLS (C218)
MERCEDES-BENZ CLS Shooting Brake (X218)


OE

0004211712
2184210212
A0004211712
A2184210212

Brake Disc Thickness [mm]: 36
Brake Disc Type: Perforated / Vented
Centering Diameter [mm]: 67
Fitting Position: Front Axle
Height [mm]: 51,5
Minimum Thickness [mm]: 34
Number of Bores: 5
Outer Diameter [mm]: 360

609008C

Brake Disc



VW 1500,1600 (31)
VW 1500,1600 2 volumi /Coda spiovente (31)
VW 1500,1600 Variant (36)
VW KAEFER
VW KAEFER Cabriolet (15)
VW KARMANN GHIA Cabriolet (14, 34)

OE

113407075
311405583A

Brake Disc Thickness [mm]: 9,5
Brake Disc Type: Solid
Fitting Position: Front Axle
Minimum Thickness [mm]: 8
Number of Bores: 4
Outer Diameter [mm]: 278
Tightening Torque [Nm]: 11

610023C

Brake Disc



RENAULT GRAND SCÉNIC IV
RENAULT MEGANE IV
RENAULT MEGANE IV Grandtour (K9A/M_)
RENAULT SCÉNIC III (JZ0/1_)
RENAULT SCÉNIC IV
RENAULT TALISMAN

OE


43 20 218 78R
43 20 249 62R
43 20 291 76R
432021878R
432024962R
432029176R

Brake Disc Thickness [mm]: 11
Brake Disc Type: Solid
Centering Diameter [mm]: 52
Fitting Position: Rear Axle
Minimum Thickness [mm]: 9,5
Number of Bores: 5
Outer Diameter [mm]: 290
Pitch Circle [mm]: 114
Thickness [mm]: 90

Brake system

610179C

Brake Disc



BMW 7 (E65, E66, E67)


OE

34216765889
34216864054

Brake Disc Thickness [mm]: 24
Brake Disc Type: Vented
Centering Diameter [mm]: 79
Fitting Position: Rear Axle
Height [mm]: 74
Minimum Thickness [mm]: 22,4
Number of Bores: 5
Outer Diameter [mm]: 345
Tightening Torque [Nm]: 12

610342C

Brake Disc



SAAB 9-5 (YS3E)
SAAB 9-5 Station wagon (YS3E)


OE

05391537
12763591
4907523
5057476
5391537
DN20224251

Brake Disc Thickness [mm]: 10
Brake Disc Type: Solid
Centering Diameter [mm]: 65,5
Fitting Position: Rear Axle
Height [mm]: 69
Minimum Thickness [mm]: 8
Number of Bores: 5
Outer Diameter [mm]: 286
Tightening Torque [Nm]: 11,5

610345C

Brake Disc



JAGUAR F-TYPE Cabriolet
JAGUAR F-TYPE Coupé
JAGUAR XF (_J05_, CC9)
JAGUAR XF SPORTBRAKE (CC9)
JAGUAR XJ (X35_, _J12_, _J24_)
JAGUAR XK Cabriolet (_J43_)

OE

C2P13648
T2R5942

Brake Disc Thickness [mm]: 26
Brake Disc Type: Internally Vented
Centering Diameter [mm]: 64,5
Fitting Position: Rear Axle
Height [mm]: 41,9
Minimum Thickness [mm]: 24
Number of Bores: 5
Outer Diameter [mm]: 376
Pitch Circle [mm]: 108

610738C

Brake Disc



AUDI 100 (44, 44Q, C3)
AUDI 100 Avant (43, C2)
AUDI 100 Avant (44, 44Q, C3)
AUDI 200 (43)
AUDI 200 (44, 44Q)
AUDI 200 Avant (44, 44Q)

OE

437615601

Brake Disc Thickness [mm]: 10
Brake Disc Type: Solid
Fitting Position: Rear Axle
Minimum Thickness [mm]: 8
Number of Bores: 5
Outer Diameter [mm]: 245
Tightening Torque [Nm]: 11

61448C

Brake Disc



ACURA ILX Tre volumi
GREAT WALL TENGYI C50 Tre volumi
HONDA CIVIC Coupé
HONDA CIVIC IX Tre volumi (FB, FG)
HONDA CIVIC VIII Hatchback (FN, FK)
HONDA CIVIC VIII Tre volumi (FD, FA)

OE


3301105JZ08
3501011XJZ08A
42510SMGE20
42510SNAA00
42510SNAA01
42510SNEA00

Brake Disc Thickness [mm]: 9
Brake Disc Type: Solid
Centering Diameter [mm]: 64,2
Fitting Position: Rear Axle
Height [mm]: 42
Inner Diameter [mm]: 140,5
Minimum Thickness [mm]: 8
Number of Bores: 5
Number of mounting bores: 4
Outer Diameter [mm]: 260
Pitch Circle [mm]: 114,3
Surface: Painted
Wheel Bolt Bore [mm]: 12,6

Brake system

61929C

Brake Disc




PEUGEOT 605 (6B)
PEUGEOT 607 (9D, 9U)

OE
4246V7
9640247180

Brake Disc Thickness [mm]: 10
Brake Disc Type: Solid
Centering Diameter [mm]: 71
Fitting Position: Rear Axle
Height [mm]: 51
Minimum Thickness [mm]: 8
Number of Bores: 5
Outer Diameter [mm]: 290

61930C

Brake Disc




CITROEN JUMPER Autobus
CITROEN JUMPER Furgonato
CITROEN JUMPER Pianale piatto/Telaio
FIAT DUCATO Autobus (250)
FIAT DUCATO Furgonato (250)
FIAT DUCATO Pianale piatto/Telaio (250)

OE
1612435780
1612435880
51957511
51957512

Brake Disc Thickness [mm]: 22
Brake Disc Type: Internally Vented
Centering Diameter [mm]: 79
Fitting Position: Rear Axle
Height [mm]: 80
Minimum Thickness [mm]: 19,9
Number of Bores: 5
Outer Diameter [mm]: 300
Surface: Coated

61L17C

Brake Disc



LAND ROVER RANGE ROVER III (LM)

OE
LR011891
LR031846

Brake Disc Thickness [mm]: 20
Brake Disc Type: Vented
Centering Diameter [mm]: 79
Fitting Position: Rear Axle
Height [mm]: 75
Minimum Thickness [mm]: 17
Number of Bores: 5
Number of mounting bores: 2
Outer Diameter [mm]: 365,2
Pitch Circle [mm]: 120

50L26

Brake Pad Set, disc brake



LAND ROVER RANGE ROVER SPORT (LW)
LAND ROVER RANGE ROVER SPORT III (L461)
LAND ROVER RANGE ROVER V (L460)

OE
LR157389
LR157390
LR180976

Brake System: Brembo
Fitting Position: Front Axle
Height [mm]: 112,8
Thickness [mm]: 17,2
Wear Warning Contact: Prepared for wear indicator
Width [mm]: 181,1
WVA Number: 26856

68K55

Master Cylinder, brakes



HYUNDAI SANTA FÉ II (CM)
KIA SORENTO II (XM)

OE
585102P800

Braking / Drive Dynamics: For vehicles with ESP
Diameter 1 [mm]: 22,2
Transmission Type: Fully Automatic

Brake system

68K56

Master Cylinder, brakes



HYUNDAI ACCENT IV Tre volumi (RB)
KIA RIO III (UB)
KIA RIO III Tre volumi (UB)

OE
585101R200

Diameter 1/ Diameter 2 [mm]: 20,64
Material: Aluminium

510045

Brake Pad Set, disc brake




MG MG 4
MG MG HS
MG MG HS (AS33)

OE
11223145
11306733

Fitting Position: Rear Axle
Height [mm]: 56,3
Thickness [mm]: 15,5
Wear Warning Contact: Incl. wear warning contact
Width [mm]: 123,1
WVA Number: 26573
WVA Number: 26574
WVA Number: 26575

51L11

Brake Pad Set, disc brake



LAND ROVER RANGE ROVER SPORT (LW)
LAND ROVER RANGE ROVER SPORT III (L461)
LAND ROVER RANGE ROVER V (L460)

OE
LR156904
LR156906
M8E22M008AA

Brake System: Mando
Height 1 [mm]: 65,2
Height 2 [mm]: 65,3
Supplementary Article/Supplementary Info:
With accessories
Thickness [mm]: 17,3
Wear Warning Contact: Prepared for wear indicator
Width [mm]: 144,5
WVA Number: 20278
WVA Number: 20279

Clutch

1672169

Cable, manual transmission



FIAT DOBLO Cassone / Furgonato / Promiscuo (263)
FIAT DOBLO MPV / Space wagon (152, 263)
FIAT DOBLO Pianale piatto/Telaio (263)

OE
46339912
46349044
46351781
55213945
55230984

Length 1/ Length 2 [mm]: 1020+1100
Length 1/ Length 2 [mm]: 1355+1475
Production Number: DOUBLE CABLE

1540240

Clutch Cable



FIAT DUCATO Autobus (230)

OE
1306291080
1318451080

Length 1/ Length 2 [mm]: 1705/1500

Clutch

1540604

Clutch Cable



CITROEN EVASION (22, U6)
CITROEN JUMPY (U6U)
CITROEN JUMPY Pianale piatto/Telaio (BU_, BV_,
BW_, BX_)
FIAT SCUDO Combinato (220P)
FIAT ULYSSE (220)

OE

1476128080
2150P6

Adjustment: With automatic adjustment
Length 1/ Length 2 [mm]: 1080/765

980202M

Clutch Kit



ALFA ROMEO 145 (930)
ALFA ROMEO 146 (930)
ALFA ROMEO 147 (937)
ALFA ROMEO 156 (932)
ALFA ROMEO 156 Sportwagon (932)
ALFA ROMEO 166 (936)

OE

0046534953
0060814061
0060816363
0071713150
46465174
46534953

Clutch: Conversion from dual-mass flywheel
to single-mass flywheel
Number of Teeth: 20
Outer Diameter 1 [mm]: 235
Supplementary Article/Supplementary Info 2:
with flywheel
Supplementary Article/Supplementary Info 2:
With releaser
Supplementary Article/Supplementary Info 2:
With screw set

980203M

Clutch Kit



ALFA ROMEO 159 (939)
ALFA ROMEO 159 Sportwagon (939)
FIAT CROMA (194)
FIAT CROMA Furgonato (194_)
OPEL SIGNUM
OPEL VECTRA C

OE

55192449
55195392
55197680
55202417
55217625
55231671

Clutch: Conversion from dual-mass flywheel
to single-mass flywheel
Number of mounting bores: 6
Number of Teeth: 20
Outer Diameter 1 [mm]: 240
Supplementary Article/Supplementary Info 2:
with flywheel
Supplementary Article/Supplementary Info 2:
With screw set
Supplementary Article/Supplementary Info:
With central slave cylinder

980204M

Clutch Kit



FIAT BRAVO II (198)
FIAT IDEA
FIAT STILO (192)
FIAT STILO Multi Wagon (192)
LANCIA MUSA (350)

OE

46760001
55180278
55183501
55185864
55190649
55191330

Bore [mm]: 24
Clutch: Conversion from dual-mass flywheel
to single-mass flywheel
Number of mounting bores: 6
Number of Teeth: 20
Outer Diameter 1 [mm]: 235
Supplementary Article/Supplementary Info 2:
with flywheel
Supplementary Article/Supplementary Info 2:
With screw set
Supplementary Article/Supplementary Info:
With central slave cylinder

Clutch

980401M

Clutch Kit



CHEVROLET CRUZE (J300)
 CHEVROLET CRUZE 2 volumi /Coda spiovente (J305)
 CHEVROLET CRUZE Station Wagon (J308)
 OPEL ASTRA GTC J
 OPEL ASTRA J

OE

55197680
 55352048
 55558917
 55558918
 55563511
 55563645

Clutch: Conversion from dual-mass flywheel to single-mass flywheel
 Number of mounting bores: 8
 Number of Teeth: 20
 Outer Diameter 1 [mm]: 239
 Supplementary Article/Supplementary Info 2: with flywheel
 Supplementary Article/Supplementary Info 2: With screw set
 Supplementary Article/Supplementary Info: With central slave cylinder

980600M

Clutch Kit



CITROEN C3 II
 CITROEN C3 Picasso
 CITROEN C4 Grand Picasso I (UA_)
 CITROEN C4 II (B7)
 CITROEN C4 Picasso I (UD_)
 CITROEN C5 III (RD_)

OE

0532-T4
 0532-W4
 0532T4
 0532W4
 2041A5
 2052Z1

Bore [mm]: 24
 Clutch: Conversion from dual-mass flywheel to single-mass flywheel
 Material: Plastic
 Number of mounting bores: 3
 Number of Teeth: 26
 Outer Diameter 1 [mm]: 235
 Supplementary Article/Supplementary Info 2: with flywheel
 Supplementary Article/Supplementary Info 2: With lock screw set
 Supplementary Article/Supplementary Info 2: With screw set
 Supplementary Article/Supplementary Info 2: Without sensor
 Supplementary Article/Supplementary Info: With central slave cylinder

980900M

Clutch Kit



AUDI A3 (8P1)
 AUDI A3 Cabriolet (8P7)
 AUDI A3 Sportback (8PA)
 AUDI Q3 (8U)
 AUDI TT (8J3)
 AUDI TT Roadster (8J9)

OE

022141015AA
 022141015S
 022141015SX
 022141016
 022141016X
 02M141671

Clutch: Conversion from dual-mass flywheel to single-mass flywheel
 Diameter [mm]: 241
 Number of mounting bores: 6
 Number of Teeth: 23
 Supplementary Article/Supplementary Info 2: with flywheel
 Supplementary Article/Supplementary Info 2: With screw set
 Supplementary Article/Supplementary Info: With central slave cylinder

Electrics

K6RTC

Spark plug Torch



CHRYSLER CROSSFIRE
 CHRYSLER CROSSFIRE Roadster
 DR DR 1
 DR DR 2
 DR DR 3
 DR DR 5

OE

003 159 97 03
 003 159 97 03 26
 1UN7-18-110
 22401-AA510
 3101500008
 77 00 273 698

Outer Thread [mm]: 14,0
 Spanner Size: 16 mm
 Spark Plug: 1 - Earthed Electrode
 Spark Plug: Fixed SAE connector
 Spark Plug: interference Suppression 1kOhm
 Spark Plug: Iridium Middle Electrode
 Spark Plug: With gasket seat
 Spark Position [mm]: 3,5
 Thread Length [mm]: 19,0
 Thread Size: M14 x 1,25

Electrics

K6RTMI

Spark plug Torch



DR DR 4
EVO EVO 3
EVO EVO 4

OE
1026080GG010
3101500014

Overall Length [mm]: 84
Spanner Size: 16
Spark Plug: Iridium Middle Electrode

KL7RTPP

Spark plug Torch



BAIC SENOVA X55
EVO EVO 5

OE
3101500021

Overall Length [mm]: 84
Spanner Size: 16
Spark Plug: Iridium Middle Electrode

LDK7RTC

Spark plug Torch



DR DR 3
DR DR 3.0
DR DR 5
DR DR 6
DR DR ZERO

OE
3101500009

Overall Length [mm]: 84
Spanner Size: 16
Spark Plug: Iridium Middle Electrode

LDK8RAPP

Spark plug Torch



CADILLAC CT6
DONGFENG SHINE
FORD C-MAX II
FORD FIESTA VII
FORD FIESTA VII Van
FORD FOCUS IV

OE
10427930
18849-08080
3707200F0000A
55 490 097
A330010JX0101

Outer Thread [mm]: 12,0
Spanner Size: 14 mm
Spark Plug: 1 - Earthed Electrode
Spark Plug: Fixed SAE connector
Spark Plug: interference Suppression 5 kOhm
Spark Plug: Iridium Middle Electrode
Spark Plug: With taper gasket seat
Spark Position [mm]: 3,5
Thread Length [mm]: 25,0

OE208

Spark plug Torch



DR DR 4.0
DR DR 5.0 SUV
DR DR F35 SUV
HYUNDAI i20 (GB)
HYUNDAI i20 ACTIVE (GB)
HYUNDAI i20 Coupe

OE
1822A011
18848-10080
18868-08115
3101500018

Electrode Gap [mm]: 0,7
Outer Thread [mm]: 12,0
Overall Length [mm]: 83
Spanner Size: 16 mm
Spanner Size: 16,0 mm
Spark Plug: 1 - Earthed Electrode
Spark Plug: Fixed SAE connector
Spark Plug: interference Suppression 5 kOhm
Spark Plug: Iridium Middle Electrode
Spark Plug: With gasket seat
Spark Position [mm]: 3,5
Thread Length [mm]: 26,5
Thread Pitch [mm]: 1,25

Electrics

152104

Sensor, camshaft position



NISSAN JUKE (F15)
NISSAN JUKE Van (F15)
NISSAN MICRA IV (K13)
NISSAN NOTE (E12)
NISSAN QASHQAI / QASHQAI +2 (J10, JJ10)
NISSAN QASHQAI / QASHQAI +2 I VAN (J10,

OE
23731-1HC1A

Number of ports: 3

TORCH11

Spark plug Torch



BMW 1 (F20)
BMW 1 (F21)
BMW 3 (F30, F35, F80)
BMW 3 Touring (F31)
CITROEN BERLINGO (B9)
CITROEN BERLINGO Furgonato (B9)

OE
0 034 098
0 034 677
0 035 933
1026080GH030A
12 12 0 034 097
12 12 0 034 098

Outer Thread [mm]: 12,0
Spanner Size: 14 mm
Spark Plug: 1 - Earthed Electrode
Spark Plug: Fixed SAE connector
Spark Plug: interference Suppression 5 kOhm
Spark Plug: Platinum Middle Electrode
Spark Plug: With gasket seat
Spark Position [mm]: 5
Spark Position [mm]: 5,0
Standard: Bi-Hex
Thread Length [mm]: 26,5
Thread Size: M12 x 1,25

Engine

162801

Accelerator Cable



SANTANA SAMURAI
SUZUKI SJ 410
SUZUKI SJ 410 Cabrio

OE
15910A80011

Length [mm]: 1267

162802

Accelerator Cable



SUZUKI VITARA (ET, TA)
SUZUKI VITARA Cabrio (ET, TA)

OE
1591061A10

Length [mm]: 1000

162803

Accelerator Cable



SANTANA SAMURAI
SUZUKI SJ 410 Cabrio
SUZUKI SJ 413

OE
15910A83010

Length [mm]: 1002

Engine

162804

Accelerator Cable



SUZUKI VITARA (ET, TA)
SUZUKI VITARA Cabrio (ET, TA)

OE

1591063A01
1591085C20

Max. Length [mm]: 1155

115008

Bolt Kit, cylinder head



ALFA ROMEO GIULIETTA (940)
ALFA ROMEO GIULIETTA Furgonato (940_)
ALFA ROMEO MITO (955)
ALFA ROMEO TONALE (965_)
CHRYSLER DELTA
FIAT 500L

OE

1111779J52
1111779J52 (10X)
55206686
55206686 (10X)
55206689
55214378

Bolt Head-/Nut Design: Female Splined (Ribe-CV®)
Number of screws: 10
Spanner Size: CV - M 14
Thread Size: M12x1,25x198

115011

Bolt Kit, cylinder head



FIAT BRAVA (182)
FIAT BRAVO I (182)
FIAT DOBLO (119)
FIAT DOBLO Cargo (223)
FIAT MAREA (185)
FIAT MAREA Weekend (185)

OE

7758731
7758731 (10X)

Bolt Head-/Nut Design: Female Splined (Ribe-CV®)
Number of screws: 10
Spanner Size: CV - M 12
Thread Size: M10x1,75x101

115012

Bolt Kit, cylinder head



ALFA ROMEO 145 (930)
ALFA ROMEO 146 (930)
ALFA ROMEO 147 (937)
ALFA ROMEO 155 (167)
ALFA ROMEO 156 (932)
ALFA ROMEO 156 Sportwagon (932)

OE

7710582
7710582 (10X)

Bolt Head-/Nut Design: Female Splined (Ribe-CV®)
Number of screws: 10
Spanner Size: M 13
Thread Size: M10x1,25x254

115013

Bolt Kit, cylinder head



ALFA ROMEO MITO (955)
CHRYSLER YPSILON
FIAT 500 (312)
FIAT 500 C (312)
FIAT 500L
FIAT PANDA (519, 312, 319)

OE

55225419
55225419 (6X)

Bolt Head-/Nut Design: Female Splined (Ribe-CV®)
Number of screws: 6
Spanner Size: M 8
Thread Size: M9x1,25x120

115122

Bolt Kit, cylinder head



ALPINA D3 (E90)
ALPINA D3 Coupé (E92)
ALPINA D3 Station wagon (E91)
BMW 1 (E81)
BMW 1 (E87)
BMW 1 (F20)

OE

11 12 7 807 294
11 12 8 513 128
11127807294
1112851162
11128511621
11128511621 (10X)

Bolt Head-/Nut Design: Male Torx
Number of screws: 10
Spanner Size: TX - E 18
Thread Size: M12x1,5x200

Engine

115402
Bolt Kit, cylinder head


ALFA ROMEO 147 (937)
ALFA ROMEO 156 (932)
ALFA ROMEO 156 Sportwagon (932)
ALFA ROMEO 159 (939)
ALFA ROMEO 159 Sportwagon (939)
ALFA ROMEO GT (937)

OE

55 571 177
55571177
55571777 (10X)
56 07 692
5607692
5607692 (10X)

Bolt Head-/Nut Design: Female Torx
Number of screws: 10
Spanner Size: TX - T 60
Thread Size: M12x1,25x224,5

115614
Bolt Kit, cylinder head


DACIA DUSTER
DACIA JOGGER
DACIA LOGAN II
DACIA LOGAN III
DACIA LOGAN MCV II
DACIA SANDERO II

OE

11 05 693 95R
110567488R
110567488R (8X)
110569395R
110582794R
110582794R (8X)

Bolt Head-/Nut Design: Female Hex
Number of screws: 8
Spanner Size: 10
Thread Size: M10x1,5x123

115615
Bolt Kit, cylinder head


NISSAN KUBISTAR Furgonato (X80)
RENAULT CLIO I (B/C57_, 5/357_)
RENAULT CLIO II (BB0/1/2_, CB0/1/2_)
RENAULT CLIO II Furgonato (SB0/1/2_)
RENAULT KANGOO (KC0/1_)
RENAULT KANGOO Express (FC0/1_)

OE

77 00 107 044
77 00 869 008
7700107044
7700107044 (10X)
7700869008
7700869008 (10X)

Bolt Head-/Nut Design: Male Torx
Number of screws: 10
Spanner Size: TX - E 12
Thread Size: M9x1,25x103

115616
Bolt Kit, cylinder head


ARO 10
DACIA PICK UP
DACIA SOLENZA
MITSUBISHI CARISMA (DA_)
MITSUBISHI CARISMA Tre volumi (DA_)
OPEL ARENA Autobus

OE

30853027
30853027 (10X)
77 00 865 991
7700865991
7700865991 (10X)
M853027

Bolt Head-/Nut Design: Male Torx
Number of screws: 10
Spanner Size: TX - E 14
Thread Size: M12x1,5x119

115618
Bolt Kit, cylinder head


MITSUBISHI i (HA_)
SMART FORTWO Cabrio (451)
SMART FORTWO Coupé (451)

OE

10054A425 (8X)
1005A425
1320160069
1320160069 (8X)
A1320160069
A1320160069 (8X)

Bolt Head-/Nut Design: Female Torx
Number of screws: 8
Spanner Size: TX - T 50
Thread Size: M9x1,25x106

1500217
EGR Valve


ALFA ROMEO GIULIETTA (940)
FIAT 500L
FIAT 500X
FIAT DOBLO Cassone / Furgonato / Promiscuo (263)
FIAT DOBLO MPV / Space wagon (152, 263)

OE

55260127
55275471
55283136
68275182AA
68376412AA
68413629AA

For OE number: 55283136

Engine

KA A-001AJM

Camshaft Kit



CITROEN BERLINGO (K9)
 CITROEN BERLINGO Furgonato (K9)
 CITROEN C-ELYSEE
 CITROEN C3 AIRCROSS II
 CITROEN C3 AIRCROSS II VAN (2C_, 2R_)
 CITROEN C3 III (SX)

OE

16 381 598 80
 16 970 547 80
 1638159880
 2 646 856
 2646854
 2648852

Additionally required articles (article numbers): BL-221
 Fitting Position: Exhaust Side
 Fitting Position: Intake Side
 Number of Chain Links: 42
 Paired article numbers: KAA-001JM
 Specification: Assemblato
 Supplementary Article/Supplementary Info 2:
 With cover
 Timing Chain Size: 8mm Pitch

15700008

Oil Pump



BMW 1 (F20)
 BMW 1 (F21)
 MINI MINI (R56)
 MINI MINI Cabriolet (R57)
 MINI MINI CLUBMAN (R55)
 MINI MINI CLUBVAN (R55)

OE

11417823007

For OE number: 11 41 7 823 007
 Fuel Type: Diesel
 Operating Mode: Mechanical
 Pump Type: Tandem Pump
 Supplementary Article/Supplementary Info:
 Without gasket / seal

15700012

Oil Pump



AUDI A3 (8V1)
 AUDI A3 Cabriolet (8V7)
 AUDI A3 Limousine (8VS)
 AUDI A3 Sportback (8VA)
 SEAT LEON (5F1)
 SEAT LEON SC (5F5)

OE

04L145208D

For OE number: 04L 145 208 D
 Operating Mode: Mechanical
 Pump Type: Tandem Pump
 Supplementary Article/Supplementary Info:
 Without gasket / seal

JPE10ES

Cylinder Head



CITROEN BERLINGO (B9)
 CITROEN BERLINGO (MF)
 CITROEN BERLINGO Furgonato (B9)
 CITROEN BERLINGO Furgonato (K9)
 CITROEN BERLINGO Furgonato (M_)
 CITROEN BERLINGO Pianale piatto/Telaio (B9)

OE

0200HS
 1685778
 1850526
 36001473
 4AV6Q6C032AA
 908933

For OE number: 0200HS
 Supplementary Article/Supplementary Info 2:
 Without camshaft(s)
 Supplementary Article/Supplementary Info 2:
 Without valve springs
 Supplementary Article/Supplementary Info 2:
 Without valves
 Supplementary Article/Supplementary Info:
 Without gaskets/seals

Engine Timing Control

128H12

Tensioner Lever, v-ribbed belt



HYUNDAI ix55

OE

252813A000

Outer Diameter [mm]: 70
 Width [mm]: 30

Filter

Filter

FA-0150JM

Air Filter



ALPINA B3 (E46)
ALPINA B3 Cabriolet (E46)
ALPINA B3 Coupe (E46)
ALPINA B3 Station wagon (E46)
ALPINA ROADSTER S (Z4)
BMW 3 (E36)

OE
13 72 1 74
13 72 1 744 869

Filter Type: Filter Insert
Height [mm]: 58
Length [mm]: 243
Supplementary Article/Supplementary Info 2:
For dusty conditions
Width [mm]: 178

FA-0420JM

Air Filter



OPEL CORSA E
OPEL CORSA E Van
VAUXHALL CORSA Mk IV (E)
VAUXHALL CORSAVAN Mk IV (E) (X15)

OE
13442297
13452141
30932998
39032998
834848
834849

Filter Type: Filter Insert
Height [mm]: 58
Length [mm]: 211
Width [mm]: 201

FA-0632JM

Air Filter



CITROEN BERLINGO (B9)
CITROEN BERLINGO Furgonato (B9)
CITROEN C3 II
CITROEN C3 Picasso
CITROEN C4 Coupé (LA_)
CITROEN C4 Grand Picasso I (UA_)

OE
1444 RJ
1444 RK
1444 RV
1444 RW
1444 XG

Filter Type: Filter Insert
Height [mm]: 56
Length [mm]: 495
Width [mm]: 85

FA-0717JM

Air Filter



DACIA DUSTER
DACIA LOGAN (LS_)
DACIA LOGAN EXPRESS (FS_)
DACIA LOGAN MCV (KS_)
DACIA LOGAN Pick-up (US_)
DACIA SANDERO

OE
1654-600Q0
1654-600Q0D
16546-00Q1F
16546-00QAS
7701068471
82 00 298 074

Filter Type: Filter Insert
Height [mm]: 58
Length [mm]: 376
Supplementary Article/Supplementary Info 2:
For dusty conditions
Width [mm]: 83

FA-0958JM

Air Filter



AUDI A4 (8D2, B5)
AUDI A4 Avant (8D5, B5)
AUDI A6 (4B2, C5)
AUDI A6 Avant (4B5, C5)
AUDI ALLROAD (4BH, C5)
SKODA SUPERB (3U4)

OE
058 133 843
1444 Q7
5019 408
870 X 9601 CCA
8D0 133 843

Filter Type: Filter Insert
Height [mm]: 57
Length [mm]: 252
Width [mm]: 211

FA-0964JM

Air Filter



AUDI A6 (C8, 4A2)
AUDI A6 Allroad (4AH, C8)
AUDI A6 Avant (C8, 4A5)
AUDI A7 Sportback (4KA)

OE
4K0133844A
4K0133844E

Filter Type: Filter Insert
Height [mm]: 158
Inner Diameter 1 [mm]: 77
Inner Diameter 2 [mm]: 31
Outer Diameter [mm]: 162

Filter

FAA-107JM

Filter, interior air



AUDI A3 (8L1)
AUDI TT (8N3)
AUDI TT Roadster (8N9)
SKODA OCTAVIA (1U2)
SKODA OCTAVIA Combi (1U5)
SKODA OCTAVIA I Cassone / Furgonato /

OE

1J0 819 64
1J0 819 644
1J0 819 644 A
1J0819648
1J1819640B
JZW 819 653

Filter Type: Activated Carbon Filter
Height [mm]: 30
Length [mm]: 280
Width [mm]: 206

FAA-119JM

Filter, interior air



ALPINA B3 (E46)
ALPINA B3 Cabriolet (E46)
ALPINA B3 Coupe (E46)
ALPINA B3 Station wagon (E46)
BMW 3 (E46)
BMW 3 Cabriolet (E46)

OE

1000004
2182458
64 31 2 18
64 31 2 182 458
64 31 9 071 935
64 31 9 216 590

Filter Type: Activated Carbon Filter
Height [mm]: 20
Length [mm]: 660
Width [mm]: 95

FAA-128JM

Filter, interior air



CITROEN BERLINGO (MF)
CITROEN BERLINGO Furgonato (M_)
CITROEN XSARA (N1)
CITROEN XSARA Break (N2)
CITROEN XSARA Cassone / coda spiovente
CITROEN XSARA Coupe (N0)

OE

6447 SQ
6447 SZ
6479 A2

Filter Type: Activated Carbon Filter
Height [mm]: 36
Length [mm]: 218
Width [mm]: 226

FAA-144JM

Filter, interior air



RENAULT GRAND SCÉNIC II (JM0/1_)
RENAULT SCÉNIC II (JM0/1_)


OE

77 01 064 237
86 71 018 402

Filter Type: Activated Carbon Filter
Height [mm]: 50
Length [mm]: 215
Width [mm]: 238

21HY44

Filter, interior air



HYUNDAI SANTA FÉ II (CM)
HYUNDAI SANTA FÉ II Cassone/SUV (CM)


OE

97133-1U000
97133-2B005
97133-2B005AT
971331U000
971332B005
S97133-2B005AT

Basic version (Art. No.): FAA-HY33
Filter Type: Activated Carbon Filter
For OE number: 971332B005
Height [mm]: 30
Length [mm]: 208
Width [mm]: 262

21HY45

Filter, interior air



HYUNDAI ACCENT Tre volumi (HC)
HYUNDAI ACCENT V 2 volumi /Coda spiovente (HC)
HYUNDAI Creta
HYUNDAI Creta (SU2_)
HYUNDAI i20 (GB)

OE

97133-D1000
97133-D3000
97133-D3200
97133-J9000
971331R000
97133D1000

Filter Type: Activated Carbon Filter
For OE number: 97133D1000
Height [mm]: 28
Length [mm]: 225
Width [mm]: 201

Filter

21HY46

Filter, interior air



HYUNDAI IONIQ
HYUNDAI KONA (OS)
HYUNDAI KONA Cassone/SUV (OS)
HYUNDAI TUCSON
HYUNDAI TUCSON Cassone/SUV (TLE)
KIA SPORTAGE (QL)


OE

97133 F2100
97133-F2100
97133-K4000

Basic version (Art. No.): FAA-HY29
Filter Type: Particulate Filter
Height [mm]: 29
Length [mm]: 195
Width [mm]: 240

21MI14

Filter, interior air



CHEVROLET TRAILBLAZER (31UX)
CITROEN C-CROSSER (EP_)
CITROEN C-CROSSER ENTERPRISE
CITROEN C-CROSSER Van (VU_)
CITROEN C4 AIRCROSS
FIAT FULLBACK Pick-up (KT_)

OE

1609998680
6000606985
6447 ZX
6447 ZY
6479 E9
7803A004

Basic version (Art. No.): FAA-MI7
Filter Type: Activated Carbon Filter
For OE number: MZ690961
Height [mm]: 30
Length [mm]: 215
Width [mm]: 201

21NS30

Filter, interior air



INFINITI FX
INFINITI Q50
LEXUS GS (GRL1_, GWL1_)
LEXUS GS (GRS19_, UZS19_, GWS19_)
LEXUS IS III (GSE3_, AVE3_)
LEXUS RC (GSC1_, USC1_)

OE

27891-BM400
27891-BM401
27891-BM401-KE
27891-BM402
27891-BM410
27891BM400

Basic version (Art. No.): FAA-NS4
Filter Type: Activated Carbon Filter
For OE number: 27891BM400
Height [mm]: 30
Length [mm]: 200
Width [mm]: 219

21SZ22

Filter, interior air



DAIHATSU CUORE VIII
DAIHATSU TERIOS (J1)
FIAT SEDICI
SUBARU BRZ
SUZUKI BALENO
SUZUKI SWIFT II 2 volumi /Coda spiovente (EA,

OE

08975B4000
08975B4000100
1A0261148
71743821
72880AJ010
8856837020

Basic version (Art. No.): FAA-TY8
Filter Type: Pollen Filter
For OE number: 9586062J00
Height [mm]: 29
Length [mm]: 185
Width [mm]: 176,5

FAB-001JM

Air Filter, traction battery casing



LEXUS UX (_AA1_, _AH1_)
SUZUKI SWACE (AMZ_)
TOYOTA COROLLA (_E21_)
TOYOTA COROLLA Cross (ZVG1_, ZSG1_,
MXGH1_, MXGA1_)
TOYOTA COROLLA Station wagon (_E21_)

OE

G92DH-12050
TG92D-H1205
TG92DH1205

Filter Type: Pollen Filter
Height [mm]: 20
Length [mm]: 198
Width [mm]: 129

FAB-004JM

Air Filter, traction battery casing



TOYOTA AURIS (NZE18_, ZRE18_)
TOYOTA AURIS TOURING SPORTS (ADE18_,
ZWE18_, ZRE18_)

OE

G92DH-12030
G92DH-12031
G92DH12030

Filter Type: Pollen Filter
Height [mm]: 35
Length [mm]: 105
Width [mm]: 101

Filter

FAB-006JM

Air Filter, traction battery casing



TOYOTA PRIUS (ZVW3_)

OE
G92DJ47010

Filter Type: Filter Insert

FAB-007JM

Air Filter, traction battery casing



TOYOTA C-HR VAN (_X1_)
TOYOTA CH-R (NGX1, NGX5_, ZYX1_)
TOYOTA PRIUS (ZVW5_)
TOYOTA PRIUS PHV (_W52_)

OE
G92DH-47070
G92DH47070

Height [mm]: 14
Length [mm]: 179
Width [mm]: 112

FAB-008JM

Air Filter, traction battery casing



TOYOTA COROLLA (_E21_)
TOYOTA COROLLA Station wagon (_E21_)
TOYOTA COROLLA Tre volumi (_E21_)

OE
G92DJ02040

Height [mm]: 16
Length [mm]: 129
Width [mm]: 113

FAB-009JM

Air Filter, traction battery casing



LEXUS ES (_Z10_)
TOYOTA CAMRY (_V7_, _VA7_, _VH7_)

OE
G92DH-33050
G92DH33050

Height [mm]: 14
Length [mm]: 258
Width [mm]: 114

FAB-010JM

Air Filter, traction battery casing



TOYOTA RAV 4 V (_A5_)
TOYOTA RAV 4 V VAN (_A5_, _H5_)

OE
G92DH42010

Height [mm]: 20
Length [mm]: 340
Width [mm]: 130

FAB-011JM

Air Filter, traction battery casing



TOYOTA PRIUS PHV (_W52_)

OE
G92DH47080

Height [mm]: 15
Length [mm]: 246
Width [mm]: 46

Filter

FAB-013JM

Air Filter, traction battery casing




TOYOTA COROLLA (_E21_)
TOYOTA COROLLA Cross (ZVG1_, ZSG1_,
MXGH1_, MXGA1_)
TOYOTA COROLLA Station wagon (_E21_)
TOYOTA COROLLA Tre volumi (_E21_)

OE
G92DJ02010

Height [mm]: 15
Length [mm]: 157
Width [mm]: 93

FAB-014JM

Air Filter, traction battery casing



LEXUS LBX (MAYH1_)
MAZDA 2 2 volumi /Coda spiovente (KB)
TOYOTA YARIS (_P21_, _PA1_, _PH1_)
TOYOTA YARIS CROSS (MXP_)

OE
1M00-61-P11
G92DH-K0010
G92DHK0010

Height [mm]: 14
Length [mm]: 170
Width [mm]: 146

FAB-016JM

Air Filter, traction battery casing



LEXUS RX (_LA1_, _LH1_)

OE
G92DH48020

Height [mm]: 15
Length [mm]: 270
Width [mm]: 100

FAB-017JM

Air Filter, traction battery casing



TOYOTA CAMRY (_V7_, _VA7_, _VH7_)

OE
G92DH06010

Height [mm]: 14
Length [mm]: 258,8
Width [mm]: 114,6

FAB-018JM

Air Filter, traction battery casing



TOYOTA CENTURY (GZG5_)

OE
G92DH15010

Height [mm]: 17
Length [mm]: 254
Width [mm]: 129

FAB-020JM

Air Filter, traction battery casing



TOYOTA SIENNA (_L4_)

OE
G92DH45010
G92DJ45010

Length [mm]: 300
Width [mm]: 110

Filter

FC-024JM

Fuel filter



VOLVO XC40

OE
31465948

Filter Type: In-Line Filter
For OE number: 31465948
Height [mm]: 142
Housing material: Plastic
Outer Diameter [mm]: 65
Pipe [mm]: 10
Pipe [mm]: 8
Supplementary Article/Supplementary Info:
with holder

FC-048JM

Fuel filter



OPEL CORSA D
OPEL CORSA D Van
OPEL CORSA E
OPEL CORSA E Van
VAUXHALL CORSA Mk III (D) (L_8)
VAUXHALL CORSA Mk IV (E)

OE
0813070
13 286 584
813070
818031
93196533
95521116

Filter Type: In-Line Filter
Height [mm]: 182
Inlet [mm]: 9,5
Outer Diameter [mm]: 85
Outlet [mm]: 8

FC-049JM

Fuel filter



ALPINA B6 Cabriolet (F12)
ALPINA B6 Coupé (F13)
BMW 1 (E81)
BMW 1 (E87)
BMW 1 (F20)
BMW 1 (F21)

OE
16 12 7 22
16 12 7 221 846.9
16 12 7 233 840
16 12 7 451 424
7451424

Filter Type: In-Line Filter
Height [mm]: 250
Inlet [mm]: 9,5
Outer Diameter [mm]: 55
Outlet [mm]: 8
Return pipe connector diameter [mm]: 8

FC-051JM

Fuel filter



MERCEDES-BENZ CLASSE C (W204)
MERCEDES-BENZ CLASSE C Coupé (C204)
MERCEDES-BENZ CLASSE C T-Model (S204)
MERCEDES-BENZ CLASSE E (W212)
MERCEDES-BENZ CLASSE E Cabriolet (A207)
MERCEDES-BENZ CLASSE E Coupé (C207)

OE
651 090 15
651 090 15 52
651 090 29 52
A 651 090 15 52
A 651 090 29 52

Filter Type: In-Line Filter
Height [mm]: 100
Inlet [mm]: 10
Outer Diameter [mm]: 86
Outlet [mm]: 8

FC-052JM

Fuel filter



AUDI A4 (8W2, B9)
AUDI A4 Allroad (8WH, B9)
AUDI A4 Avant (8W5, B9)
AUDI A5
AUDI A5 Cabriolet
AUDI A5 Sportback (F5A)

OE
8W0 127 434
8W0127177

Filter Type: Filter Insert
Height [mm]: 133
Inner Diameter [mm]: 45
Outer Diameter 1 [mm]: 70
Outer Diameter [mm]: 61
Supplementary Article/Supplementary Info:
with seal

Filter

FC-063JM

Fuel filter



IVECO DAILY Cassone / Furgonato / Promiscuo
IVECO DAILY CITYS Autobus
IVECO DAILY LINE Autobus
IVECO DAILY Pianale piatto/Telaio

OE

5802050393
5802786087
5802925674

Filter Type: Filter Insert
Height [mm]: 200
Inner Diameter 1 [mm]: 14
Inner Diameter [mm]: 49
Outer Diameter [mm]: 68
Supplementary Article/Supplementary Info:
with seal

FC-066JM

Fuel filter



OPEL ASTRA K
OPEL ASTRA K Cassone / coda spiovente
OPEL ASTRA K Cassone / Furgonato /
Promiscuo
OPEL ASTRA K Sports Tourer
VAUXHALL ASTRA Mk VII (K) (B16)

OE

13383061
13539108
22.937.279
22937279
23304095
23304096

Filter Type: Filter Insert
Height [mm]: 106
Inner Diameter 1 [mm]: 11
Inner Diameter [mm]: 25
Outer Diameter [mm]: 88
Supplementary Article/Supplementary Info:
with seal

FC-072JM

Fuel filter



BREDAMENARINIBUS VIVACITY
FIAT Series 180
FIAT Series 260
FIAT Series 300
FIAT Series 330
FIAT Series 600

OE

190 1605
190 9103
190 9119
1901605
1909103
1909119

Filter Type: Screw-on Filter
Gasket inner diameter: 62
Gasket outer diameter: 71
Height [mm]: 186
Outer Diameter [mm]: 108
Thread Size: 3/4-16 UNF

30H31

Fuel filter



HYUNDAI TUCSON (NX4E, NX4A)
KIA SPORTAGE V (NQ5)

OE

31920-N780
31920-N7800
31922-N7800

Filter Type: Filter Insert
Height [mm]: 55
Outer Diameter 1 [mm]: 113
Outer Diameter [mm]: 111

30K34S

Fuel filter



KIA CLARUS (K9A)
KIA CLARUS Station wagon (GC)

OE

0K9A220490B

Filter Type: In-Line Filter
For OE number: 0K9A220490B
Height [mm]: 117
Thread Size Entry: M14X1.5
Thread Size Exit: M12X1.25

FCU-001JM

Urea Filter (AdBlue)



IVECO EuroCargo
IVECO EuroCargo IV
IVECO Stralis
IVECO Trakker
IVECO TRAKKER II
RENAULT TRUCKS Kerax

OE

042561177
2880299
4 256 1177
490 6272
74 20 877 958
84247272

Filter Type: Filter Insert
Height [mm]: 30
Outer Diameter 1 [mm]: 7
Outer Diameter [mm]: 4

Filter

FCU-002JM

Urea Filter (AdBlue)



DAF 65 CF
DAF 75 CF
DAF 85 CF
DAF CF 75
DAF CF 85
DAF LF 45

OE
154 5482
176 1034
179 5459
185 2188
190 7422
20421-NY00J

Filter Type: Filter Insert
Height [mm]: 76
Inner Diameter [mm]: 33
Outer Diameter 1 [mm]: 70
Outer Diameter [mm]: 67
Supplementary Article/Supplementary Info:
with seal

FCU-003JM

Urea Filter (AdBlue)



CASE IH MAGNUM
CASE IH MAXXUM
CASE IH PUMA
CASE IH STEIGER
IRISBUS EUROMIDI
IVECO EuroCargo

OE
293 4622
2997 594
4 255 5073
4 256 1605
500055579
500055972

Filter Type: Filter Insert
Height [mm]: 99,5
Inner Diameter [mm]: 23
Outer Diameter [mm]: 66
Supplementary Article/Supplementary Info:
with seal

FCU-004JM

Urea Filter (AdBlue)




DAF CF
DAF XB
DAF XBC
DAF XD
DAF XDC
DAF XF

OE
00 077 331.10
00 1999 948.0
000 142 05 89
000 142 07 89
000 142 09 89
000 142 10 89

Height [mm]: 79
Inner Diameter [mm]: 26
Outer Diameter [mm]: 43

FCU-007JM

Urea Filter (AdBlue)



OE

Filter Type: Filter Insert
Height [mm]: 29
Length [mm]: 73
Width [mm]: 36

FCU-008JM

Urea Filter (AdBlue)



OE

Filter Type: Filter Insert
Height 1 [mm]: 76
Height 2 [mm]: 83
Width [mm]: 48

FCU-009JM

Urea Filter (AdBlue)



OE

Filter Type: Filter Insert
Height [mm]: 12
Length [mm]: 96
Width [mm]: 55

Filter

FCU-010JM

Urea Filter (AdBlue)



OE

Filter Type: Filter Insert
Height [mm]: 100
Width [mm]: 47

FCU-012JM

Urea Filter (AdBlue)



OE

Filter Type: Filter Insert
Height [mm]: 25
Width 1 [mm]: 75
Width [mm]: 43

FCU-013JM

Urea Filter (AdBlue)




OE

Filter Type: Filter Insert
Height [mm]: 65
Width [mm]: 60

FCU-014JM

Urea Filter (AdBlue)



OE

Filter Type: Filter Insert
Height [mm]: 32
Length [mm]: 73
Width [mm]: 66

FCU-015JM

Urea Filter (AdBlue)



OE

Filter Type: Filter Insert
Height [mm]: 47
Width [mm]: 39

FCU-016JM

Urea Filter (AdBlue)



OE

Filter Type: Filter Insert
Height [mm]: 56
Width [mm]: 53

Filter

FCU-017JM

Urea Filter (AdBlue)



OE

Filter Type: Filter Insert
Height [mm]: 76
Width [mm]: 48

FCU-018JM

Urea Filter (AdBlue)



OE

Filter Type: Filter Insert
Height [mm]: 44
Width 1 [mm]: 84
Width [mm]: 73

FCU-019JM

Urea Filter (AdBlue)



OE

Filter Type: Filter Insert
Height [mm]: 47
Width [mm]: 39

FCU-020JM

Urea Filter (AdBlue)



OE

Filter Type: Filter Insert
Height [mm]: 19
Length [mm]: 124
Width [mm]: 62

FCU-021JM

Urea Filter (AdBlue)



OE

Filter Type: Filter Insert
Height [mm]: 15
Length [mm]: 130
Width [mm]: 54

FCU-023JM

Urea Filter (AdBlue)



OE

Filter Type: Filter Insert
Height 1 [mm]: 43
Height 2 [mm]: 68
Width [mm]: 38

Filter

FCU-024JM

Urea Filter (AdBlue)



OE

Filter Type: Filter Insert
Height [mm]: 57
Outer Diameter 1 [mm]: 22

FO-005JM

Oil Filter



AUDI 100 (4A, C4)
AUDI 100 Avant (4A, C4)
AUDI 200 (44, 44Q)
AUDI 200 Avant (44, 44Q)
AUDI 80 (89, 89Q, 8A, B3)
AUDI 80 (8C, B4)

OE

0009831444
034 115 56
034 115 561 A
06A 115 561
06A 115 561 B
06A 115 561 E

Bypass Valve Opening Pressure [bar]: 2,5
Filter Type: Screw-on Filter
Gasket inner diameter: 62
Gasket outer diameter: 71
Height [mm]: 123
Outer Diameter [mm]: 76
Part number of the recommended special tools: LS 7
Supplementary Article/Supplementary Info 2:
With one anti-return valve
Thread Size: 3/4-16 UNF

FO-006JM

Oil Filter



DACIA LOGAN (LS_)
DACIA LOGAN II
DACIA LOGAN MCV II
DACIA SANDERO
DACIA SANDERO II
NISSAN KUBISTAR Furgonato (X80)

OE

15208-00QA
15208-00QAG
82 00 257 642

Bypass Valve Opening Pressure [bar]: 1,3
Filter Type: Screw-on Filter
Gasket inner diameter: 54
Gasket outer diameter: 62
Height [mm]: 60
Outer Diameter [mm]: 66
Part number of the recommended special tools: LS 6
Thread Size: M20x1.5

FO-007JM

Oil Filter



ARO 10
AUDI 100 (43, C2)
AUDI 100 (44, 44Q, C3)
AUDI 100 Avant (43, C2)
AUDI 100 Avant (44, 44Q, C3)
AUDI 80 (81, 85, B2)

OE

0 141 758
000 983 0624
000 983 0624V
00830640
06 811 5561
068 115 561

Bypass Valve Opening Pressure [bar]: 2,5
Filter Type: Screw-on Filter
Gasket inner diameter: 62
Gasket outer diameter: 71
Height [mm]: 142
Outer Diameter [mm]: 93
Part number of the recommended special tools: LS 9
Supplementary Article/Supplementary Info 2:
With one anti-return valve
Thread Size: 3/4-16 UNF

FO-008JM

Oil Filter



DACIA DOKKER
DACIA DOKKER Express
DACIA DOKKER Pick-up
DACIA DUSTER
DACIA DUSTER Furgonato
DACIA LODGY

OE

15 20 096 45R
15 20 857 58R
152085758R

Bypass Valve Opening Pressure [bar]: 1,0
Filter Type: Screw-on Filter
Gasket inner diameter: 54
Gasket outer diameter: 62
Height [mm]: 75
Outer Diameter [mm]: 66
Supplementary Article/Supplementary Info 2:
With one anti-return valve
Thread Size: M20x1.5

Filter

FO-009JM

Oil Filter



ALFA ROMEO 145 (930)
ALFA ROMEO 146 (930)
ALFA ROMEO 156 (932)
ALFA ROMEO 156 Sportwagon (932)
ALFA ROMEO 166 (936)
FIAT BRAVA (182)

OE

104.2175.104
104.2175.116
1930892
3101000065
333C4085
46402457

Bypass Valve Opening Pressure [bar]: 1,2
Filter Type: Screw-on Filter
Gasket inner diameter: 62
Gasket outer diameter: 71
Height [mm]: 79
Outer Diameter [mm]: 76
Part number of the recommended special tools: LS 7
Supplementary Article/Supplementary Info 2:
With one anti-return valve
Thread Size: M20x1.5

FO-011JM

Oil Filter



ALFA ROMEO 145 (930)
ALFA ROMEO 146 (930)
ALFA ROMEO 155 (167)
ALFA ROMEO 164 (164)
ALFA ROMEO 1750-2000
ALFA ROMEO 75 (162B)

OE

1109 W7
1164406030
116440603000
4434895
4449040
46805831

Bypass Valve Opening Pressure [bar]: 1,5
Filter Type: Screw-on Filter
Gasket inner diameter: 62
Gasket outer diameter: 71
Height [mm]: 100
Outer Diameter [mm]: 76
Part number of the recommended special tools: LS 7
Supplementary Article/Supplementary Info 2:
With one anti-return valve
Thread Size: 3/4-16 UNF

FO-012JM

Oil Filter



CITROEN C5 AIRCROSS
CITROEN JUMPER Autobus
CITROEN JUMPER Furgonato
CITROEN JUMPER Pianale piatto/Telaio
CITROEN JUMPY
CITROEN JUMPY Furgonato

OE

98 095 323
98 095 323 80
SU001-A4322

Bypass Valve Opening Pressure [bar]: 1,5
Filter Type: Screw-on Filter
Gasket inner diameter: 66
Gasket outer diameter: 72
Height [mm]: 95
Outer Diameter [mm]: 76
Part number of the recommended special tools: LS 7
Supplementary Article/Supplementary Info 2:
With one anti-return valve
Thread Size: M20x1.5

FO-013JM

Oil Filter



ALFA ROMEO 147 (937)
ALFA ROMEO 155 (167)
ALFA ROMEO 156 (932)
ALFA ROMEO 156 Sportwagon (932)
ALFA ROMEO 164 (164)
ALFA ROMEO 166 (936)

OE

0000005889209
0003897992
0004449040
0060507080
0060574554
0075221627

Bypass Valve Opening Pressure [bar]: 1,5
Filter Type: Screw-on Filter
Gasket inner diameter: 62
Gasket outer diameter: 71
Height [mm]: 79
Outer Diameter [mm]: 76
Part number of the recommended special tools: LS 7
Supplementary Article/Supplementary Info 2:
With one anti-return valve
Thread Size: 3/4-16 UNF

Filter

FO-014JM

Oil Filter



FORD FIESTA Furgonato (J5_, J3_)
 FORD FIESTA Furgonato (JV_)
 FORD FIESTA IV (JA_, JB_)
 FORD FOCUS (DAW, DBW)
 FORD FOCUS Cassone / Furgonato / Promiscuo (DNW)

OE
 1003003
 1017110GH030
 1059 924
 1136 568
 1148 703
 1207 066

Bypass Valve Opening Pressure [bar]: 0,8
 Filter Type: Screw-on Filter
 Gasket inner diameter: 75
 Gasket outer diameter: 88,6
 Height [mm]: 85,5
 Outer Diameter [mm]: 93
 Part number of the recommended special tools: LS 9
 Supplementary Article/Supplementary Info 2:
 With one anti-return valve
 Thread Size: M22x1.5

FO-015JM

Oil Filter



AUDI A4 (8D2, B5)
 AUDI A4 Avant (8D5, B5)
 VW PASSAT (3B2)
 VW PASSAT Variant (3B5)

OE
 028 115 56
 028 115 561 G
 028115561E
 21785821

Bypass Valve Opening Pressure [bar]: 2,5
 Filter Type: Screw-on Filter
 Gasket inner diameter: 63
 Gasket outer diameter: 71
 Height [mm]: 142
 Outer Diameter [mm]: 93
 Part number of the recommended special tools: LS 9
 Supplementary Article/Supplementary Info 2:
 With one anti-return valve
 Thread Size: 3/4-16 UNF

FO-020JM

Oil Filter



FORD FOCUS IV
 FORD FOCUS IV Turnier (HP)
 FORD GALAXY
 FORD GALAXY MK III VAN (CK)
 FORD KUGA III (DFK)
 FORD MONDEO V 2 volumi /Coda spiovente

OE
 2279 222
 HG9Q6714AA

Bypass Valve Opening Pressure [bar]: 1,0
 Filter Type: Screw-on Filter
 Gasket inner diameter: 63
 Gasket outer diameter: 72
 Height [mm]: 79
 Outer Diameter [mm]: 76
 Supplementary Article/Supplementary Info 2:
 With one anti-return valve
 Thread Size: M22x1.5-6H

FO-021JM

Oil Filter



AUDI A4 (8EC, B7)
 AUDI A4 (8K2, B8)
 AUDI A4 Allroad (8KH, B8)
 AUDI A4 Avant (8ED, B7)
 AUDI A4 Avant (8K5, B8)
 AUDI A4 Cabriolet (8H7, B6, 8HE, B7)

OE
 057 115 561 M
 955.107.22
 955.107.222.00

Filter Type: Filter Insert
 Height [mm]: 200
 Inner Diameter 1 [mm]: 29
 Inner Diameter [mm]: 29
 Outer Diameter 1 [mm]: 76
 Outer Diameter [mm]: 72
 Supplementary Article/Supplementary Info:
 with seal

FO-061JM

Oil Filter



CITROEN JUMPER Autobus (244, Z_)
 CITROEN JUMPER Furgonato (244)
 CITROEN JUMPER Pianale piatto/Telaio (244)
 FIAT DUCATO Autobus (244, Z_)
 FIAT DUCATO Furgonato (244)
 FIAT DUCATO Pianale piatto/Telaio (244)

OE
 1109 AS
 1109 Y5
 1109 Y6
 1582036
 1582037
 1582038

Bypass Valve Opening Pressure [bar]: 1,7
 Filter Type: Screw-on Filter
 Gasket inner diameter: 62
 Gasket outer diameter: 71
 Height [mm]: 142
 Outer Diameter [mm]: 93
 Part number of the recommended special tools: LS 9
 Supplementary Article/Supplementary Info 2:
 With one anti-return valve
 Thread Size: M22x1.5

Filter

FO-064JM

Oil Filter



ASTRA HD 7
ASTRA HD 8
FIAT Series 300
IRISBUS DOMINO
IVECO 370
IVECO EuroCargo

OE

190 2102
190 3629
190 3715
190 7581
190 7584
193 0542

Bypass Valve Opening Pressure [bar]: 2,5
Filter Type: Screw-on Filter
Gasket inner diameter: 103
Gasket outer diameter: 93
Height [mm]: 213
Outer Diameter [mm]: 108
Part number of the recommended special tools: LS 11
Supplementary Article/Supplementary Info 2:
With one anti-return valve
Thread Size: M30x2

10325

Oil Filter



MAZDA 2 (DL, DJ)
MAZDA 2 Tre volumi (DL)
MAZDA 3 (BM)
MAZDA 3 2 volumi /Coda spiovente (BP)
MAZDA 3 Cassone / coda spiovente (BM)
MAZDA 3 Tre volumi

OE

PE01-14-30
PE01-14-302
PE01-14-302A
PE01-14-302A 9A
PE01-14-302B 9A
PE0114302B

Bypass Valve Opening Pressure [bar]: 0,8
Filter Type: Screw-on Filter
Gasket inner diameter: 54
Gasket outer diameter: 62
Height [mm]: 65
Outer Diameter [mm]: 66
Part number of the recommended special tools: LS 6/1
Thread Size: M20x1.5

10K07

Oil Filter



HYUNDAI ACCENT IV (RB)
HYUNDAI ACCENT IV Tre volumi (RB)
HYUNDAI ACCENT Tre volumi (HC)
HYUNDAI BAYON (BC3)
HYUNDAI i10 (AC3, AI3)
HYUNDAI i10 (IA)

OE

26300-0250
26300-02502
26300-02503
26300-03000
26300-03001
S26300-003001

Bypass Valve Opening Pressure [bar]: 1,0
Filter Type: Screw-on Filter
Gasket inner diameter: 55
Gasket outer diameter: 65
Height [mm]: 77
Outer Diameter [mm]: 66
Part number of the recommended special tools: LS 6/2
Supplementary Article/Supplementary Info 2:
With one anti-return valve
Thread Size: M20x1.5

10K08

Oil Filter



HYUNDAI i30 (FD)
HYUNDAI i30 (GD)
HYUNDAI i30 Coupé
HYUNDAI i30 CW (GD)
HYUNDAI i30 Hatchback Van (GDE)
HYUNDAI i30 Kombi Van (GDE, GD)

OE

26300 35530
26300-3553
26300-35530
26300-35531

Bypass Valve Opening Pressure [bar]: 1,0
Filter Type: Screw-on Filter
Gasket inner diameter: 58
Gasket outer diameter: 65
Height [mm]: 87
Outer Diameter [mm]: 80
Supplementary Article/Supplementary Info 2:
With one anti-return valve
Thread Size: M20x1.5

FTJ201

Hydraulic Filter, automatic transmission



VW BEETLE (5C1)
VW BEETLE Cabriolet (5C7)
VW GOLF VI (5K1)
VW GOLF VI Van (5K1_)
VW JETTA IV (162, 163)
VW PASSAT (362)

OE

09G325429B
9G325429B

Filter Type: Filter Insert
Height [mm]: 29
Length [mm]: 199
Supplementary Article/Supplementary Info 2:
with oil pan gasket
Width [mm]: 146

Filter

FTJ204 	Hydraulic Filter, automatic transmission CHEVROLET CAPTIVA (C100, C140) CHEVROLET CAPTIVA Van (C100) CHEVROLET EPICA (KL1_) CHEVROLET LACETTI (J200) CHEVROLET NUBIRA Station wagon OPEL ANTARA	OE 093743025 48 07 044 4807044 93743025	Filter Type: Screen Filter Height [mm]: 119 Length [mm]: 191 Width [mm]: 115
FTJ212 	Hydraulic Filter, automatic transmission CHEVROLET AVEO 2 volumi /Coda spiovente (T300) CHEVROLET AVEO Tre volumi (T300) CHEVROLET COBALT CHEVROLET CRUZE 2 volumi /Coda spiovente (J305)	OE 24237508	Filter Type: Screen Filter Height [mm]: 70 Length [mm]: 256 Transmission Type: Automatic Transmission, 6-speed Width [mm]: 138
FTJ214 	Hydraulic Filter, automatic transmission HONDA ACCORD IV (CB) HONDA ACCORD IV Aerodeck (CB) HONDA ACCORD IV Coupé (CB, CC) HONDA ACCORD V (CC, CD) HONDA ACCORD V (CE, CF) HONDA ACCORD V Aerodeck (CE)	OE 25420-P0X-003 25420-PX4-701 25420P0X003 25420PX4701	Filter Type: Screen Filter
FTJ215 	Hydraulic Filter, automatic transmission SEAT AROSA (6H) VW LUPO (6X1, 6E1) VW POLO (6N1) VW POLO (6N2)	OE 001 325 429 001325429 01 325 429 01325429	Filter Type: Screen Filter
FTJ216 	Hydraulic Filter, automatic transmission ACURA CL Coupé HONDA ACCORD VII (CL) HONDA ACCORD VII (CM) HONDA INSPIRE HONDA ODYSSEY (RB_)	OE 25420-P7W-003 25420P7W003	Filter Type: Screen Filter Height [mm]: 74 Length [mm]: 259 Width [mm]: 207
FTJ218 	Hydraulic Filter, automatic transmission TOYOTA DYNA Pianale piatto/Telaio (KD_, LY_, TRY2_, KDY2_) TOYOTA HIACE / COMMUTER IV (TRH2_, KDH2_) TOYOTA HIACE IV Autobus (LH1_) TOYOTA HIACE IV Furgonato (LXH1_, RZH1_, LH1_)	OE 35330-30060 3533030060	Filter Type: Screen Filter Height [mm]: 20 Length [mm]: 304 Width [mm]: 134

Filter

FTJ220

Hydraulic Filter, automatic transmission



HAVAL CHITU
HAVAL H6
HAVAL JOLION SUV

OE
151100002

Filter Type: Filter Insert
Height [mm]: 99
Inner Diameter [mm]: 13
Outer Diameter [mm]: 42
Supplementary Article/Supplementary Info 2:
With seal

Mounting

73025

Ball Joint



MG MG 5 Station wagon

OE
10133136
10816681

Cone Size [mm]: 20
Fitting Position: Front Axle Left
Paired article numbers: 73-00-026
Paired article numbers: 73026
Paired article numbers: BJ-026

73026

Ball Joint



MG MG 5 Station wagon

OE
10133166
10816682

Cone Size [mm]: 20
Fitting Position: Front Axle Right
Paired article numbers: 73-00-025
Paired article numbers: 73025
Paired article numbers: BJ-025

KK-0444JM

Wheel Hub



MG MG ZT
MG MG ZT- T
ROVER 75 (RJ)
ROVER 75 Tourer (RJ)

OE
GHK1693
GHK1693INC01
RLB100292
RLB100292INC01

Flange [mm]: 140
Rim Hole Number: 5
Supplementary Article/Supplementary Info 2:
With integrated ABS sensor

KK-0455JM

Wheel Hub



RENAULT LAGUNA I (B56_, 556_)

OE
7700820850
7701204690

Flange [mm]: 132,9
Rim Hole Number: 5
Supplementary Article/Supplementary Info 2:
With ABS sensor ring

Mounting

KK-0478JM

Wheel Hub

FORD KUGA I



OE
1538604
1769851
8V411A049AA
AV4C2C300AAA

Flange [mm]: 136
Rim Hole Number: 5

KK-0482JM

Wheel Bearing Kit

RENAULT 4 (112_)
RENAULT 4 Furgonato (R21_, R23_)
RENAULT 5 (122_)
RENAULT 5 Furgonato (238_)
RENAULT 6 (118_)



OE
7701460637
7703090036
7703090271

Inner Diameter 1 [mm]: 30
Inner Diameter 2 [mm]: 30
Outer Diameter 1 [mm]: 62
Outer Diameter 2 [mm]: 62
Width 1 [mm]: 16
Width 2 [mm]: 16

KK-0543JM

Wheel Hub

RENAULT LAGUNA I (B56_, 556_)



OE
7701206353

Inner Diameter 2 [mm]: 25
Inner Diameter [mm]: 25
Number of Teeth, ABS ring: 88
Outer Diameter [mm]: 133
Rim Hole Number: 4
Supplementary Article/Supplementary Info 2:
With integrated ABS sensor
Thread Size: M12X1,5

KK-0550JM

Wheel Hub

SUZUKI IGNIS II



OE
4340277A11
4340277A20
4340277A21
4340277A70
4340277A70000

Inner Diameter 2 [mm]: 28
Inner Diameter [mm]: 28
Number of Teeth, ABS ring: 43
Outer Diameter [mm]: 120
Rim Hole Number: 4
Supplementary Article/Supplementary Info 2:
With ABS sensor ring
Thread Size: M12X1,25

KK-0570JM

Wheel Hub

MG MG ZS Fuoristrada chiuso



OE
10226250

Fitting Position: Front Axle

KK-0571JM

Wheel Hub

MG MG ZS Fuoristrada chiuso



OE
10094254

Fitting Position: Rear Axle
Supplementary Article/Supplementary Info 2:
Wheel Bearing integrated into wheel hub

Mounting

KK-0572JM

Wheel Bearing Kit



MG MG ZS Fuoristrada chiuso

OE
30004452

Fitting Position: Front Axle
Height [mm]: 39
Inner Diameter [mm]: 39
Number of Parts [parts]: 3
Outer Diameter [mm]: 74

1590140

Dust Cover Kit, shock absorber



MG MG 4

OE
10969589
11124760

Fitting Position: Rear Axle

1590141

Dust Cover Kit, shock absorber



MG MG 4

OE
10970993
11229420

Fitting Position: Front Axle

MJ01200

Shock Absorber



GIOTTI VICTORIA GLADIATOR Autabus
GIOTTI VICTORIA GLADIATOR Furgonato
GIOTTI VICTORIA GLADIATOR Pianale
piatto/Telaio

OE

Fitting Position: Rear Axle
Inner Diameter [mm]: 12
Max. Length [mm]: 460
Min. Length [mm]: 320
Required quantity: 2
Shock Absorber Design: Telescopic Shock Absorber
Shock Absorber Mounting Type: Bottom eye
Shock Absorber Mounting Type: Top eye
Shock Absorber Type: Oil Pressure

MJ01208

Shock Absorber



GREAT WALL TENGYI C20R 2 volumi /Coda
spiovente

OE
2915100D0001
2915100XG08XB

Fitting Position: Rear Axle
For OE number: 2915100XG08XB
Inner Diameter [mm]: 10
Max. Length [mm]: 710
Min. Length [mm]: 490
Required quantity: 2
Shock Absorber Design: Telescopic Shock Absorber
Shock Absorber Mounting Type: Bottom eye
Shock Absorber Mounting Type: Top pin
Shock Absorber Type: Gas Pressure

Mounting

MJ01215

Shock Absorber



MAHINDRA GOA
MAHINDRA GOA Pick-up

OE
0403AA0450N

Fitting Position: Front Axle
Fitting Position: Left
Fitting Position: Right
For OE number: 0403AA0450N
Inner Diameter [mm]: 12
Max. Length [mm]: 460
Min. Length [mm]: 320
Required quantity: 2
Shock Absorber Design: Telescopic Shock Absorber
Shock Absorber Mounting Type: Bottom eye
Shock Absorber Mounting Type: Top pin
Shock Absorber Type: Oil Pressure

MJ01216

Shock Absorber



MAHINDRA XUV500

OE
0403AA1010N

Fitting Position: Front Axle Right
For OE number: 0403AA1010N
Paired article numbers: MA-01217
Paired article numbers: MJ01217
Paired article numbers: MM-01217
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Bottom Clamp
Shock Absorber Mounting Type: Top pin
Shock Absorber Type: Gas Pressure

MJ01217

Shock Absorber



MAHINDRA XUV500

OE
0401BAA05521N

Fitting Position: Front Axle Left
For OE number: 0401BAA05521N
Paired article numbers: MA-01216
Paired article numbers: MJ01216
Paired article numbers: MM-01216
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Bottom Clamp
Shock Absorber Mounting Type: Top pin
Shock Absorber Type: Gas Pressure

MJ01218

Shock Absorber



MAHINDRA XUV500

OE
0403BAA01070N

Fitting Position: Left
Fitting Position: Rear Axle
Fitting Position: Right
For OE number: 0403BAA01070N
Required quantity: 2
Shock Absorber Design: Telescopic Shock Absorber
Shock Absorber Mounting Type: Bottom eye
Shock Absorber Mounting Type: Top pin
Shock Absorber Type: Gas Pressure

Mounting

MJ01219

Shock Absorber



MAHINDRA XUV500

OE
0403BA0620N

Fitting Position: Left
Fitting Position: Rear Axle
Fitting Position: Right
For OE number: 0403BA0620N
Inner Diameter [mm]: 14
Overall Length [mm]: 510
Required quantity: 2
Shock Absorber Design: Telescopic Shock Absorber
Shock Absorber Mounting Type: Bottom eye
Shock Absorber Mounting Type: Top pin
Shock Absorber Type: Gas Pressure

MJ01220

Shock Absorber



MAHINDRA BOLERO Pick-up
MAHINDRA THAR

OE
0403BA0201N

Fitting Position: Left
Fitting Position: Rear Axle
Fitting Position: Right
For OE number: 0403BA0201N
Required quantity: 2
Shock Absorber Design: Telescopic Shock Absorber
Shock Absorber Mounting Type: Bottom eye
Shock Absorber Mounting Type: Top eye
Shock Absorber Type: Oil Pressure

MJ01221

Shock Absorber



MAHINDRA GOA
MAHINDRA GOA Pick-up

OE
0403BA0680N

Fitting Position: Left
Fitting Position: Rear Axle
Fitting Position: Right
For OE number: 0403BA0680N
Required quantity: 2
Shock Absorber Design: Telescopic Shock Absorber
Shock Absorber Mounting Type: Bottom eye
Shock Absorber Mounting Type: Top eye
Shock Absorber Type: Oil Pressure

MJ01223

Shock Absorber



MAHINDRA GOA
MAHINDRA GOA Pick-up

OE
0403AA0940N

Fitting Position: Front Axle
Fitting Position: Left
Fitting Position: Right
For OE number: 0403AA0940N
Min. Length [mm]: 300
Overall Length [mm]: 415
Required quantity: 2
Shock Absorber Design: Telescopic Shock Absorber
Shock Absorber Mounting Type: Top pin
Shock Absorber Type: Oil Pressure

Mounting

MJ01324

Shock Absorber



VW T-ROC (A11)

OE

5Q0513049HT
5Q0513049JA
L5QD513049N

Fitting Position: Rear Axle
For OE number: L5QD513049N
Shock Absorber Design: Absorber does not carry a spring
Shock Absorber Mounting Type: Bottom eye
Shock Absorber Mounting Type: Top pin
Shock Absorber Type: Gas Pressure

MJ01325

Shock Absorber



AUDI A4 Allroad (8KH, B8)

OE

8K0 513 035 AC
8K0513035AC

Fitting Position: Rear Axle
For OE number: 8K0 513 035 AC
Shock Absorber Design: Absorber does not carry a spring
Shock Absorber Mounting Type: Bottom eye
Shock Absorber Mounting Type: Top pin
Shock Absorber Type: Gas Pressure

MJ01335

Shock Absorber



IVECO DAILY Cassone / Furgonato / Promiscuo
IVECO DAILY III Autobus
IVECO DAILY III Cassone / Furgonato / Promiscuo
IVECO DAILY III Pianale piatto/Telaio
IVECO DAILY IV Autobus

OE

500378189
500378190
504043876
504043882
504064993
504069580

Bore [mm]: 35
Fitting Position: Rear Axle
Length 1 [mm]: 316
Length 2 [mm]: 478
Piston Rod Diameter [mm]: 15,8
Shock Absorber Design: Telescopic Shock Absorber
Shock Absorber Mounting Type: Bottom eye
Shock Absorber Mounting Type: Top eye
Shock Absorber System: Twin-Tube
Shock Absorber Type: Oil Pressure
Weight [kg]: 2,470

MJ01361

Shock Absorber



ALPINA B6 Coupé (F06)
BMW 5 (F10, F18)
BMW 5 Touring (F11)
BMW 6 Cabriolet (F12)
BMW 6 Gran Coupe (F06)

OE

31 31 6 784 013
31 31 6 789 361
31 31 6 789 603
31 31 6 798 779
31 31 6 798 781
31 31 6 852 873

Fitting Position: Front Axle Left
Paired article numbers: MA-01362
Paired article numbers: MJ01362
Paired article numbers: MM-01362
Shock Absorber Design: Spring-bearing Damper
Shock Absorber Mounting Type: Bottom Fork
Shock Absorber Mounting Type: Top pin
Shock Absorber System: Twin-Tube
Shock Absorber Type: Gas Pressure

MJ01362

Shock Absorber



ALPINA B6 Coupé (F06)
BMW 5 (F10, F18)
BMW 5 Touring (F11)
BMW 6 Cabriolet (F12)
BMW 6 Gran Coupe (F06)

OE

31 31 6 784 014
31 31 6 789 362
31 31 6 789 604
31 31 6 798 780
31 31 6 798 782
31 31 6 852 874

Fitting Position: Front Axle Right
Paired article numbers: MA-01361
Paired article numbers: MJ01361
Paired article numbers: MM-01361
Shock Absorber Design: Spring-bearing Damper
Shock Absorber Mounting Type: Bottom Fork
Shock Absorber Mounting Type: Top pin
Shock Absorber System: Twin-Tube
Shock Absorber Type: Gas Pressure

Mounting

MJ10144

Shock Absorber



NISSAN PIXO (UA0)
SUZUKI ALTO (HA25, HA35)

OE

4106962L00
41602M68K00
543034A00F
543034A00L

Fitting Position: Front Axle Left
Paired article numbers: MA-10145
Paired article numbers: MJ10145
Paired article numbers: MM-10145
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Top pin
Shock Absorber System: Twin-Tube
Shock Absorber Type: Gas Pressure

MJ10145

Shock Absorber



NISSAN PIXO (UA0)
SUZUKI ALTO (HA25, HA35)

OE

4106862L00
41601M68K00
543024A00F
543024A00L

Fitting Position: Front Axle Right
Paired article numbers: MA-10144
Paired article numbers: MJ10144
Paired article numbers: MM-10144
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Top pin
Shock Absorber System: Twin-Tube
Shock Absorber Type: Gas Pressure

MJ33134

Shock Absorber



FORD FOCUS III
FORD FOCUS III Tre volumi
FORD FOCUS III Turnier

OE

1855006
1866903
1866904
1866905
1898202
2227156

Fitting Position: Front Axle Right
Paired article numbers: MA-33135
Paired article numbers: MJ33135
Paired article numbers: MM-33135
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Top pin
Shock Absorber System: Twin-Tube
Shock Absorber Type: Gas Pressure

MJ33135

Shock Absorber



FORD FOCUS III
FORD FOCUS III Tre volumi
FORD FOCUS III Turnier

OE

1866152
1866153
1866155
1885005
1898197
2227172

Fitting Position: Front Axle Left
Paired article numbers: MA-33134
Paired article numbers: MJ33134
Paired article numbers: MM-33134
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Top pin
Shock Absorber System: Twin-Tube
Shock Absorber Type: Gas Pressure

MJ40071

Shock Absorber



OPEL CORSA E
OPEL CORSA E Van
VAUXHALL CORSA Mk IV (E)
VAUXHALL CORSAVAN Mk IV (E) (X15)

OE

013432673
13432673
13432674
13435302
13435303
436980

Fitting Position: Rear Axle
Shock Absorber Design: Telescopic Shock Absorber
Shock Absorber Mounting Type: Bottom eye
Shock Absorber Mounting Type: Top pin
Shock Absorber System: Twin-Tube
Shock Absorber Type: Gas Pressure

Mounting

MJ60034

Shock Absorber



PEUGEOT 208
PEUGEOT 208 Furgonato

OE

9808033680
9820325480

Diameter 1 [mm]: 47
Fitting Position: Front Axle Left
Paired article numbers: MA-60035
Paired article numbers: MJ60035
Paired article numbers: MM-60035
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Top pin
Shock Absorber System: Twin-Tube
Shock Absorber Type: Gas Pressure

MJ60035

Shock Absorber



PEUGEOT 208
PEUGEOT 208 Furgonato


OE

9808033580
9820325380

Diameter 1 [mm]: 47
Fitting Position: Front Axle Right
Paired article numbers: MA-60034
Paired article numbers: MJ60034
Paired article numbers: MM-60034
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Top pin
Shock Absorber System: Twin-Tube
Shock Absorber Type: Gas Pressure

MJ60037

Shock Absorber



PEUGEOT 2008
PEUGEOT 2008 I Van (CU_)

OE

9809625480
9820327880

Diameter 1 [mm]: 51
Fitting Position: Front Axle Left
Paired article numbers: MA-60038
Paired article numbers: MJ60038
Paired article numbers: MM-60038
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Top pin
Shock Absorber System: Twin-Tube
Shock Absorber Type: Gas Pressure

MJ60038

Shock Absorber



PEUGEOT 2008
PEUGEOT 2008 I Van (CU_)


OE

9809625380
9820327780

Diameter 1 [mm]: 51
Fitting Position: Front Axle Right
Paired article numbers: MA-60037
Paired article numbers: MJ60037
Paired article numbers: MM-60037
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Top pin
Shock Absorber System: Twin-Tube
Shock Absorber Type: Gas Pressure

MJ60041

Shock Absorber



CITROEN C3 II
CITROEN C3 III (SX)
CITROEN C3 III Van (SX_, SY_)

OE

9812428780

Fitting Position: Front Axle Left
Paired article numbers: MA-60042
Paired article numbers: MJ60042
Paired article numbers: MM-60042
Piston Rod Diameter [mm]: 22
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Top pin
Shock Absorber System: Twin-Tube
Shock Absorber Type: Gas Pressure
Strut outside diameter [mm]: 51

Mounting

MJ60042

Shock Absorber



CITROEN C3 II
CITROEN C3 III (SX)
CITROEN C3 III Van (SX_, SY_)

OE
9812428680

Fitting Position: Front Axle Right
Paired article numbers: MA-60041
Paired article numbers: MJ60041
Paired article numbers: MM-60041
Piston Rod Diameter [mm]: 22
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Top pin
Shock Absorber System: Twin-Tube
Shock Absorber Type: Gas Pressure
Strut outside diameter [mm]: 51

MJ60045

Shock Absorber



DACIA SANDERO
RENAULT SANDERO/STEPWAY I

OE
56 21 077 88R
562107788R

Fitting Position: Rear Axle
Shock Absorber Design: Telescopic Shock Absorber
Shock Absorber Mounting Type: Bottom eye
Shock Absorber Mounting Type: Top pin
Shock Absorber System: Twin-Tube
Shock Absorber Type: Gas Pressure

MJ70072

Shock Absorber



RENAULT MODUS / GRAND MODUS (F/JP0_)

OE
543028848R
8200127279
8200127280
8200675732

Fitting Position: Front Axle
Shock Absorber Design: Damper with Rebound Spring
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Top pin
Shock Absorber System: Twin-Tube
Shock Absorber Type: Gas Pressure

MJ70075

Shock Absorber



RENAULT CLIO IV

OE
543021923R
543023278R

Fitting Position: Front Axle
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Top pin
Shock Absorber System: Twin-Tube
Shock Absorber Type: Gas Pressure

MJ90058

Shock Absorber



AUDI A1 Allstreet (GBH)
AUDI A1 CITY CARVER (GBH)
AUDI A1 Sportback (GBA)
SEAT ARONA (KJ7)
SKODA KAMIQ (NW4)
SKODA SCALA

OE
2Q0413031AA
2Q0413031AB
2Q0413031CF
2Q0413031CP
2Q0413031CT
2Q0413031DA

Fitting Position: Front Axle
Length [mm]: 170
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Top pin
Shock Absorber System: Twin-Tube
Shock Absorber Type: Gas Pressure

Mounting

MJ90060

Shock Absorber



AUDI A4 (8K2, B8)
AUDI A4 Avant (8K5, B8)
AUDI A6 (4G2, C7, 4GC)
AUDI A6 Avant (4G5, C7, 4GD)

OE

4G5513035E
4G5513035G
4GD513035B
8K0513035AF
8K0513035BB

Fitting Position: Rear Axle
Shock Absorber Design: Telescopic Shock Absorber
Shock Absorber Mounting Type: Bottom eye
Shock Absorber Mounting Type: Top pin
Shock Absorber System: Twin-Tube
Shock Absorber Type: Gas Pressure

MJ90066

Shock Absorber



JEEP AVENGER
PEUGEOT 2008 II (U_)
PEUGEOT 208 II (UB_, UP_, UW_, UJ_)


OE

9834826580
9836658080
9846716480

Fitting Position: Rear Axle
Shock Absorber Design: Telescopic Shock Absorber
Shock Absorber Mounting Type: Bottom eye
Shock Absorber Mounting Type: Top pin
Shock Absorber Type: Gas Pressure

MJ90067

Shock Absorber



VW CALIFORNIA T5 Camper (7EC, 7EF, 7EG, 7HF)
VW CALIFORNIA T6 Camper (SGC, SGG, SHC)
VW MULTIVAN V (7HM, 7HN, 7HF, 7EF, 7EM, 7EN)
VW MULTIVAN VI (SGF, SGM, SGN)
VW TRANSPORTER V Autobus (7HB, 7HJ, 7EB,

OE

7E8413031
7E8413031A
7H8413031C
7LA413031M

Fitting Position: Front Axle
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Top pin
Shock Absorber System: Twin-Tube
Shock Absorber Type: Gas Pressure

MJ90068

Shock Absorber



VW CALIFORNIA T5 Camper (7EC, 7EF, 7EG, 7HF)
VW CALIFORNIA T6 Camper (SGC, SGG, SHC)
VW MULTIVAN V (7HM, 7HN, 7HF, 7EF, 7EM, 7EN)
VW MULTIVAN VI (SGF, SGM, SGN)
VW TRANSPORTER V Autobus (7HB, 7HJ, 7EB,

OE

7E5413031A
7E5413031C
7E5413031H
7H0413031K
7H0413031N

Fitting Position: Front Axle
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Top pin
Shock Absorber System: Twin-Tube
Shock Absorber Type: Gas Pressure

MJASC081

Compressor, compressed air system



INFINITI QX56
INFINITI QX80
NISSAN ARMADA (Y62)

OE

534001LA4A
534001LA4B
534001LA4C

Spring Type: for pneumatic suspension vehicles
Supplementary Article/Supplementary Info 2: With dryer

MJASC082

Compressor, compressed air system



KIA BORREGO

OE

558102J000

Spring Type: for pneumatic suspension vehicles
Supplementary Article/Supplementary Info 2: With dryer

Mounting

MJASV028

Valve, compressed-air system



ROLLS-ROYCE DAWN
ROLLS-ROYCE GHOST
ROLLS-ROYCE WRAITH Coupé

OE

37206782222
37206850319
37206886059
6782222
6850319
6886059

Valve Type: Solenoid Valve

103009

Tie Rod Axle Joint



MG MG ZS Fuoristrada chiuso

OE

10353671

Fitting Position: Front Axle left and right
Length [mm]: 225
Outer Diameter [mm]: 37
Outer Thread [mm]: M14x1,5
Spanner Size: 34

103285

Tie Rod Axle Joint



CITROEN JUMPY
CITROEN JUMPY Furgonato
CITROEN JUMPY Pianale piatto/Telaio
CITROEN SPACETOURER
OPEL VIVARO C Combi (K0)
OPEL VIVARO C Furgonato (K0)

OE

1682733180*
9820340280*
SU001A7257*

Axle Joint Length [mm]: 265
Fitting Position: Front Axle
Thread Measurement 1: MM14X1,5R
Thread Size: MM16X1,5R

103444

Tie Rod Axle Joint



HONDA FR-V (BE)

OE

53521SCVA01

Axle Joint Length [mm]: 562
Fitting Position: Front Axle
Thread Measurement 1: MM14X1,5R
Thread Size: MM14X1,25R

103712

Tie Rod Axle Joint



SUBARU IMPREZA 2 volumi /Coda spiovente (GP)
SUBARU IMPREZA Tre volumi (GJ)

OE

34160FJ000

Axle Joint Length [mm]: 302
Fitting Position: Front Axle
Thread Measurement 1: MM14X1,5R
Thread Size: MM16X1,5R

103K30

Tie Rod Axle Joint



KIA OPTIMA
KIA OPTIMA Sportswagon

OE

57724D4000

Axle Joint Length [mm]: 230
Fitting Position: Front Axle
Thread Measurement 1: MM16X1,5R
Thread Size: MM18X1,5R

Mounting

103M03

Tie Rod Axle Joint



RENAULT TWINGO III
SMART FORFOUR 2 volumi /Coda spiovente (453)
SMART FORTWO Cabriolet (453)
SMART FORTWO Coupé (453)

OE

4534630000*
485215653R*

Axle Joint Length [mm]: 393
Fitting Position: Front Axle
Thread Measurement 1: MM14X1,5R
Thread Size: MM12X1R

GOJ1297

Bearing Bush, stabiliser



NISSAN NAVARA Pick-up (D23)

OE

546134KH2A

Inner Diameter [mm]: 19
Length [mm]: 49

GOJ1302

Stabiliser Mounting



NISSAN CABSTAR Pick-up

OE

546129X200
546129X50A

Fitting Position: Front Axle
Length [mm]: 51
Material: Elastomer
Thickness [mm]: 46
Width [mm]: 42

GOJ1359

Stabiliser Mounting



NISSAN INTERSTAR Autobus (X70)
NISSAN INTERSTAR Furgonato (X70)
NISSAN INTERSTAR Pianale piatto/Telaio
OPEL MOVANO Combi (J9)
OPEL MOVANO Furgonato (F9)
OPEL MOVANO Pianale piatto/Telaio (U9, E9)

OE

4401134
5631500QAA
7700667184
9109134

Fitting Position: Rear Axle
Inner Diameter [mm]: 22,4
Length [mm]: 24

GOJ2901

Stabiliser Mounting



CITROEN JUMPY
CITROEN JUMPY Furgonato
CITROEN JUMPY Pianale piatto/Telaio
FIAT SCUDO (270_)
FIAT SCUDO Furgonato (270_)
FIAT SCUDO Pianale piatto/Telaio (270_)

OE

1330890080*
1400245280*
1440123280*
1440177280*
1494976080*
1494977080*

Fitting Position: Front Axle
Inner Diameter [mm]: 24
Length [mm]: 47
Outer Diameter [mm]: 42,5

GOJ8021

Stabiliser Mounting



SUZUKI IGNIS (MF)

OE

4243174P00

Fitting Position: Front Axle
Height [mm]: 32,5
Inner Diameter [mm]: 17
Length [mm]: 32

Mounting

GOJ9057

Stabiliser Mounting



CHRYSLER GRAND VOYAGER III VAN (GS)
CHRYSLER VOYAGER III (GS)
CHRYSLER VOYAGER III VAN (GS_)

OE

0004228785
04228785
4228785

Fitting Position: Rear Axle
Inner Diameter [mm]: 15
Material: Elastomer

GOJH9089

Control Arm-/Trailing Arm Bush



JEEP GRAND CHEROKEE IV (WK, WK2)

OE

68022 624AE
68046 195AF*
68046 196AF*
Part of

Fitting Position: Upper Front Axle
Height [mm]: 45
Inner Diameter [mm]: 12,1
Mounting Type: Rubber-metal Bearing
Outer Diameter [mm]: 45,5
Steering Type: Control Arm

SMJ0477C

Friction Bearing, suspension strut support mounting



AUDI A1 (8X1, 8XF)
AUDI A1 Sportback (8XA, 8XK)
AUDI A3 (8L1)
AUDI TT (8N3)
AUDI TT Roadster (8N9)
FORD GALAXY (WGR)

OE

1J0412249
357412249
357412249A
4503300051
6R0412249
7201688

Fitting Position: Front Axle left and right

SMJ0498C

Friction Bearing, suspension strut support mounting



LANCIA KAPPA (838A)
LANCIA KAPPA Coupe (838)
LANCIA KAPPA SW (838B)

OE

50700511
7778950

Fitting Position: Front Axle

SMJ0503

Strut Mount



AUDI A4 (8K2, B8)
AUDI A4 Allroad (8KH, B8)
AUDI A4 Avant (8K5, B8)
AUDI A5 (8T3)
AUDI A5 Cabriolet (8F7)
AUDI A5 Sportback (8TA)

OE

8K0513353E
8K0513353F

Fitting Position: Rear Axle

SMJ0505

Strut Mount



FIAT PUNTO (176)
FIAT PUNTO Cabriolet (176C)
FIAT PUNTO Van (176L)
LANCIA Y (840A)

OE

46452740
7775940

Fitting Position: Front Axle

Mounting

SMJ0525

Strut Mount



AUDI A4 (8E2, B6)
AUDI A4 (8EC, B7)
AUDI A4 Avant (8E5, B6)
AUDI A4 Avant (8ED, B7)
AUDI A4 Cabriolet (8H7, B6, 8HE, B7)
AUDI A6 (4F2, C6)

OE

4F0513353D

Fitting Position: Rear Axle

SMJ0535C

Friction Bearing, suspension strut support mounting



MERCEDES-BENZ VIANO (W639)
MERCEDES-BENZ VITO / MIXTO Furgonato (W639)
MERCEDES-BENZ VITO Autobus (W639)

OE

6399810025
6399810125
6399810225
6399810325
A6399810025
A6399810125

Fitting Position: Front

111377

Tie Rod End



MAZDA CX-5 (KF)

OE

K12332280

Cone Size [mm]: 13,6
Fitting Position: Front Axle
Length [mm]: 148
Thread Measurement 1: MM12X1,25R
Thread Size: FM14X1,5R

111707L

Tie Rod End



SUBARU BRZ
TOYOTA GT 86 Coupé (ZN6_)

OE

34161CA010
SU00300834

Cone Size [mm]: 13,2
Fitting Position: Front Axle Left
Length [mm]: 137
Paired article numbers: 111-07-707R
Paired article numbers: 111707R
Paired article numbers: TI-707R
Thread Measurement 1: MM12X1,25R
Thread Size: FM14X1,5R

111707R

Tie Rod End



SUBARU BRZ
TOYOTA GT 86 Coupé (ZN6_)

OE

34161CA000
SU00300833

Cone Size [mm]: 13,2
Fitting Position: Front Axle Right
Length [mm]: 137
Paired article numbers: 111-07-707L
Paired article numbers: 111707L
Paired article numbers: TI-707L
Thread Measurement 1: MM12X1,25R
Thread Size: FM14X1,5R

111H33L

Tie Rod End



HYUNDAI IONIQ
HYUNDAI KONA (OS)
HYUNDAI KONA Cassone/SUV (OS)
KIA NIRO
KIA NIRO VAN (DE)

OE

56820G2000
56820G2500
56820K4000
56820S0001

Cone Size [mm]: 12,1
Fitting Position: Front Axle Left
Length [mm]: 122
Paired article numbers: 111-0H-H33R
Paired article numbers: 111H33R
Paired article numbers: TI-H33R
Thread Measurement 1: MM12X1,25R
Thread Size: FM16X1,5R

Mounting

111H33R

Tie Rod End



HYUNDAI IONIQ
HYUNDAI KONA (OS)
HYUNDAI KONA Cassone/SUV (OS)
KIA NIRO
KIA NIRO VAN (DE)

OE

56825G2000
56825G2500
56825K4090
56825S0001

Cone Size [mm]: 12,1
Fitting Position: Front Axle Right
Length [mm]: 122
Paired article numbers: 111-0H-H33L
Paired article numbers: 111H33L
Paired article numbers: TI-H33L
Thread Measurement 1: MM12X1,25R
Thread Size: FM16X1,5R

ZCJ00009

Coil Spring



AUDI TT (8J3)
AUDI TT Roadster (8J9)

OE

8J0 511 115 AK
8J0 511 115 BA
8J0 511 115 F

Fitting Position: Rear Axle
Spring Design: Coil spring with constant wire diameter

ZCJ00010

Coil Spring



NISSAN QASHQAI
NISSAN QASHQAI (J11, J11_)
NISSAN QASHQAI / QASHQAI +2 (J10, JJ10)

OE

54010BM91A

Fitting Position: Front Axle
Length [mm]: 324
Outer Diameter [mm]: 156
Spring Design: Coil Spring
Thickness/Strength 1 [mm]: 13,8

ZCJ00011

Coil Spring



NISSAN X-TRAIL (T32)

OE

540104CE0C
540104CE1C
540104CE2C
540104CM0A

Fitting Position: Front Axle
Length [mm]: 332
Outer Diameter [mm]: 155
Spring Design: Coil Spring
Thickness/Strength 1 [mm]: 13,8

ZCJ00016

Coil Spring



VW PASSAT ALLTRACK (365)
VW PASSAT ALLTRACK (3G5)
VW PASSAT Variant (365)

OE

3C0511115BP
3C0511115BQ
3Q0511115AS
3Q0511115AT

Fitting Position: Rear Axle
Length [mm]: 364
Outer Diameter [mm]: 118
Spring Design: Coil Spring
Thickness/Strength 1 [mm]: 13,8

ZCJ00023

Coil Spring



SKODA OCTAVIA Combi (5E5)

OE

5Q0411105HN

Fitting Position: Front Axle
Length [mm]: 332
Outer Diameter [mm]: 149
Spring Design: Coil Spring
Thickness/Strength 1 [mm]: 12,2

Mounting

ZCJ00025

Coil Spring



RENAULT SANDERO/STEPWAY II (B8_)

OE
540105571R

Fitting Position: Front Axle
Length [mm]: 316
Outer Diameter [mm]: 150
Spring Design: Coil Spring
Thickness/Strength 1 [mm]: 11,5

ZCJ00030

Coil Spring



HYUNDAI CRETA

OE
54632M0200

Fitting Position: Front Axle
Length [mm]: 327
Outer Diameter [mm]: 147
Spring Design: Coil Spring
Thickness/Strength 1 [mm]: 13,8

ZCJ00037

Coil Spring



SKODA OCTAVIA (1Z3)
SKODA YETI (5L)
VW JETTA IV (162, 163)

OE
1K0511115CK

Fitting Position: Rear Axle
Length [mm]: 372
Outer Diameter [mm]: 114
Parameter: E
Spring Design: Coil Spring
Thickness/Strength 1 [mm]: 11,8

ZCJ00038

Coil Spring



BMW 5 (F10, F18)

OE
31336795427
31336795428

Fitting Position: Front Axle
Length [mm]: 361
Outer Diameter [mm]: 115
Parameter: AC
Spring Design: Coil Spring
Thickness/Strength 1 [mm]: 12,5

ZCJ00039

Coil Spring



RENAULT CLIO Grandtour IV
RENAULT CLIO IV Grandtour (KH_)

OE
550201136R

Fitting Position: Rear Axle
Length [mm]: 239
Outer Diameter [mm]: 97
Spring Design: Coil Spring
Thickness/Strength 1 [mm]: 11,25

ZCJ00041

Coil Spring



DACIA DUSTER

OE
540107794R

Fitting Position: Front Axle
Length [mm]: 394
Outer Diameter [mm]: 134
Spring Design: Coil Spring
Thickness/Strength 1 [mm]: 11,8

Mounting

ZCJ00042

Coil Spring



DACIA SANDERO

OE

550209436R

Fitting Position: Rear Axle
Length [mm]: 339
Outer Diameter [mm]: 104
Spring Design: Coil Spring
Thickness/Strength 1 [mm]: 11,8

ZCJ00043

Coil Spring



RENAULT ZOE

OE

540101627R
540103712R
540105283R
540106815R
540106968R
540107003R

Fitting Position: Front Axle
Length [mm]: 337
Outer Diameter [mm]: 157
Spring Design: Coil Spring
Thickness/Strength 1 [mm]: 12,5

ZCJ00044

Coil Spring



HYUNDAI ix35 (LM, EL, ELH)

OE

546303U304

Fitting Position: Front Axle
Length [mm]: 307
Outer Diameter [mm]: 161
Parameter: E
Spring Design: Coil Spring
Thickness/Strength 1 [mm]: 13,8

ZCJ00045

Coil Spring



HYUNDAI SANTA FÉ II (CM)

OE

546302B950

Fitting Position: Front Axle
Length [mm]: 366
Outer Diameter [mm]: 157
Parameter: AA
Spring Design: Coil Spring
Thickness/Strength 1 [mm]: 14,5

ZCJ00046

Coil Spring



BMW 5 (F10, F18)

OE

33536794654

Fitting Position: Rear Axle
Length [mm]: 390
Outer Diameter [mm]: 115
Parameter: AC
Spring Design: Coil Spring
Thickness/Strength 1 [mm]: 12

ZCJ00047

Coil Spring



NISSAN NOTE (E12)

OE


550203VU0A
550203WF0A

Fitting Position: Rear Axle
Length [mm]: 287
Outer Diameter [mm]: 133
Parameter: AC
Spring Design: Coil Spring
Thickness/Strength 1 [mm]: 12,5

Mounting

ZCJ00049

Coil Spring



AUDI A3 Sportback (8VA)
SKODA OCTAVIA Combi (5E5)
VW GOLF VII (5G1, BE1)

OE

5Q0511115BH
5Q0511115BJ
5Q0511115DR

Fitting Position: Rear Axle
Length [mm]: 350
Outer Diameter [mm]: 108
Parameter: E
Spring Design: Coil Spring
Thickness/Strength 1 [mm]: 12,2

ZCJ00050

Coil Spring



HYUNDAI SOLARIS Tre volumi
KIA RIO IV Tre volumi (SC, FB)

OE

54630H5103

Fitting Position: Front Axle
Length [mm]: 323
Outer Diameter [mm]: 155
Parameter: E
Spring Design: Coil Spring
Thickness/Strength 1 [mm]: 13,2

ZCJ00051

Coil Spring



HYUNDAI SOLARIS Tre volumi
KIA RIO IV Tre volumi (SC, FB)

OE

54630H5003

Fitting Position: Front Axle
Length [mm]: 321
Outer Diameter [mm]: 153
Parameter: E
Spring Design: Coil Spring
Thickness/Strength 1 [mm]: 12,8

ZCJ00052

Coil Spring



BMW i3 (I01)

OE

31336867117
31336867118

Fitting Position: Front Axle
Length [mm]: 319
Outer Diameter [mm]: 117
Parameter: AC
Spring Design: Coil Spring
Thickness/Strength 1 [mm]: 10,5

ZCJ00053

Coil Spring



SKODA SUPERB (3T4)
SKODA SUPERB Station wagon (3T5)
VW PASSAT (3C2)
VW PASSAT Variant (3C5)

OE

3C0411105N
3C0411105P

Fitting Position: Front Axle
Spring Design: Coil Spring

ZCJ00054

Coil Spring



MERCEDES-BENZ VITO Furgonato (W447)
MERCEDES-BENZ VITO Mixto (W447)
MERCEDES-BENZ VITO Tourer (W447)

OE

4473210100
4473211104
A4473210100
A4473211104

Fitting Position: Front Axle
Length [mm]: 379
Outer Diameter [mm]: 160
Spring Design: Coil Spring
Thickness/Strength 1 [mm]: 15

Mounting

ZSJ00092

Gas Spring, boot-/cargo area



BMW 2 Gran Tourer (F46)
BMW 2 Gran Tourer Van (F46)

OE

51247411918
51247445018
7411918
7445018

Eject Force [N]: 690
Length [mm]: 588,5
Stroke [mm]: 161,5
Supplementary Article/Supplementary Info:
With external spring

ZSJ00093

Gas Spring, boot-/cargo area



BMW 2 Gran Tourer (F46)
BMW 2 Gran Tourer Van (F46)

OE

51247411917
51247445017
7411917
7445017

Eject Force [N]: 690
Length [mm]: 588,5
Stroke [mm]: 161,5
Supplementary Article/Supplementary Info:
With external spring

ZSJ00097

Gas Spring, boot-/cargo area



BMW 2 Active Tourer (F45)
BMW 2 Active Tourer Van (F45)

OE

51247410916
7410916

Eject Force [N]: 845
Length [mm]: 528,5
Stroke [mm]: 130
Supplementary Article/Supplementary Info:
With external spring

ZSJ00098

Gas Spring, boot-/cargo area



BMW 2 Active Tourer (F45)
BMW 2 Active Tourer Van (F45)

OE

51247410915
7410915

Eject Force [N]: 845
Length [mm]: 528,5
Stroke [mm]: 130
Supplementary Article/Supplementary Info:
With external spring

ZSJ00113

Gas Spring, boot-/cargo area



ALPINA B3 (G20)
ALPINA D3 (G20)
BMW 3 (G20)

OE

5124745061
51247450612
7450612

Compressive Force [N]: 25
Length [mm]: 331
Tensile Force [N]: 570

Mounting

ZSJ05060

Gas Spring, boot-/cargo area



MERCEDES-BENZ AMG GT (X290)
 MERCEDES-BENZ CLASSE E (W213)
 MERCEDES-BENZ CLASSE E All-Terrain (S213)
 MERCEDES-BENZ CLASSE E Cabriolet (A238)
 MERCEDES-BENZ CLASSE E Coupè (C238)
 MERCEDES-BENZ CLASSE E T-Model (S213)

OE

213 980 01 64
 2139800164
 2139800764
 A2139800164
 A2139800764

Eject Force [N]: 260
 Fitting Position: Left
 Length [mm]: 471
 Paired article numbers: ZS05061
 Paired article numbers: ZSA05061
 Paired article numbers: ZSJ05061
 Stroke [mm]: 160
 Supplementary Article/Supplementary Info:
 with protector pipe

ZSJ05061

Gas Spring, boot-/cargo area



MERCEDES-BENZ AMG GT (X290)
 MERCEDES-BENZ CLASSE E (W213)
 MERCEDES-BENZ CLASSE E All-Terrain (S213)
 MERCEDES-BENZ CLASSE E Cabriolet (A238)
 MERCEDES-BENZ CLASSE E Coupè (C238)
 MERCEDES-BENZ CLASSE E T-Model (S213)

OE

213 980 02 64
 2139800264
 2139800864
 A2139800264
 A2139800864

Eject Force [N]: 260
 Fitting Position: Right
 Length [mm]: 471
 Paired article numbers: ZS05060
 Paired article numbers: ZSA05060
 Paired article numbers: ZSJ05060
 Stroke [mm]: 160
 Supplementary Article/Supplementary Info:
 with protector pipe